



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50506013-006



May 09, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
NOT TESTED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
PASSED

MISC.


 Terpenes
TESTED


Cannabinoid

TESTED


Total THC

20.393%

Total THC/Container : 1427.510 mg



Total CBD

0.051%

Total CBD/Container : 3.570 mg



Total Cannabinoids

23.835%

Total Cannabinoids/Container : 1668.450 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.237	22.983	ND	0.059	ND	0.148	0.319	ND	ND	ND	0.089
mg/unit	16.59	1608.81	ND	4.13	ND	10.36	22.33	ND	ND	ND	6.23
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.215g

 Extraction date:
 05/07/25 11:24:34

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086183POT

Instrument Used : DA-LC-002

Analyzed Date : 05/08/25 09:35:19

Batch Date : 05/07/25 09:18:41

Dilution : 400

Reagent : 050725.R27; 021125.07; 043025.R35

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 05/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Goofiez (S)
Goofiez (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50506013-006

Harvest/Lot ID: 0626 0161 4405 8680

Batch# : 0626 0161 4405

8680

Sampled : 05/06/25

Ordered : 05/06/25

Sample Size Received : 8 units

Total Amount : 1764 units

Completed : 05/09/25 Expires: 05/09/26

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	91.14	1.302	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	26.95	0.385	ALPHA-BISABOLOL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	15.68	0.224	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	12.60	0.180	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	10.43	0.149	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	8.19	0.117	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	7.42	0.106	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.94	0.042	GAMMA-TERPINENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	1.96	0.028					
ALPHA-TERPINEOL	0.007	TESTED	1.75	0.025					
FENCHYL ALCOHOL	0.007	TESTED	1.61	0.023					
ALPHA-PINENE	0.007	TESTED	1.61	0.023					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)					1.302				

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
VALENCENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	ND	ND
ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
CIS-NEROLIDOL	0.003	TESTED	ND	ND
GAMMA-TERPINENE	0.007	TESTED	ND	ND
Analyzed by: 4444, 4461, 585, 1440		Weight: 1.1459g	Extraction date: 05/07/25 11:33:54	Extracted by: 4444
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
Analytical Batch : DA0861BLITER				
Instrument Used : DA-GCMS-009				
Analyzed Date : 05/06/25 09:35:27				
Batch Date : 05/07/25 09:13:20				
Dilution : 10				
Reagent : N/A				
Consumables : 04402004; 2240626; 0000355309; 947.110				
Pipette : DA-065				
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/09/25