



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50506013-008



May 09, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
20.508%

Total THC/Container : 717.780 mg


Total CBD
0.063%

Total CBD/Container : 2.205 mg


Total Cannabinoids
23.931%

Total Cannabinoids/Container : 837.585 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.681 | 22.608 | ND | 0.072 | ND | 0.074 | 0.404 | ND | ND | ND | 0.092 |
| mg/unit | 23.84 | 791.28 | ND | 2.52 | ND | 2.59 | 14.14 | ND | ND | ND | 3.22 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.18g

 Extraction date:
 05/07/25 22:44:01

 Extracted by:
 3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086183POT

Instrument Used : DA-LC-002

Analyzed Date : 05/08/25 09:35:40

Batch Date : 05/07/25 09:18:41

Dilution : 400

Reagent : 050725.R27; 021125.07; 043025.R35

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

 Signature
 05/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50506013-008

Harvest/Lot ID: 0903 0699 4222 6143

Batch# : 0903 0699 4222
6143

Sampled : 05/06/25

Ordered : 05/06/25

Sample Size Received : 16 units

Total Amount : 4130 units

Completed : 05/09/25 Expires: 05/09/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|--|---------|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | TESTED | 67.87 | 1.939 | SABINENE HYDRATE | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 14.21 | 0.406 | VALENCENE | 0.007 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 13.65 | 0.390 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 11.55 | 0.330 | ALPHA-PHELLANDRENE | 0.007 | TESTED | ND | ND |
| LINALOOL | 0.007 | TESTED | 7.07 | 0.202 | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND |
| ALPHA-HUMULENE | 0.007 | TESTED | 5.85 | 0.167 | ALPHA-TERPINOLENE | 0.007 | TESTED | ND | ND |
| GUAIOL | 0.007 | TESTED | 3.71 | 0.106 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| ALPHA-BISABOLOL | 0.007 | TESTED | 3.33 | 0.095 | GAMMA-TERPINENE | 0.007 | TESTED | ND | ND |
| BETA-PINENE | 0.007 | TESTED | 2.42 | 0.069 | | | | | |
| FENCHYL ALCOHOL | 0.007 | TESTED | 1.96 | 0.056 | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| ALPHA-TERPINEOL | 0.007 | TESTED | 1.89 | 0.054 | 6846, 4451, 585, 1440 | 1.1459g | 05/07/25 11:33:54 | 4444 | |
| ALPHA-PINENE | 0.007 | TESTED | 1.26 | 0.036 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| TRANS-NEROLIDOL | 0.005 | TESTED | 0.98 | 0.028 | Analytical Batch : DA0861BLITER | | | | |
| 3-CARENE | 0.007 | TESTED | ND | ND | Instrument Used : DA-GC/MS-009 | | | | |
| BORNEOL | 0.013 | TESTED | ND | ND | Analyzed Date : 05/06/25 09:35:47 | | | | |
| CAMPHERE | 0.007 | TESTED | ND | ND | Dilution : 10 | | | | |
| CAMPHOR | 0.007 | TESTED | ND | ND | Reagent : N/A | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | ND | ND | Consumables : 04402004; 2240626; 0000355309; 947.110 | | | | |
| CEDROL | 0.007 | TESTED | ND | ND | Pipette : DA-065 | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| FARNESENE | 0.007 | TESTED | ND | ND | | | | | |
| FENCHONE | 0.007 | TESTED | ND | ND | | | | | |
| GERANIOL | 0.007 | TESTED | ND | ND | | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| HEXAHYDROTHYMOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNICOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | |
| NEROL | 0.007 | TESTED | ND | ND | | | | | |
| OCIMENE | 0.007 | TESTED | ND | ND | | | | | |
| PULEGONE | 0.007 | TESTED | ND | ND | | | | | |
| SABINENE | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | | 1.939 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50506013-008

Harvest/Lot ID: 0903 0699 4222 6143

Batch# : 0903 0699 4222
6143

Sampled : 05/06/25

Ordered : 05/06/25

Sample Size Received : 16 units

Total Amount : 4130 units

Completed : 05/09/25 Expires: 05/09/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---|---------|--------------|------------------|-------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 3379, 3621, 585, 1440 | Weight: | 0.9786g | Extraction date: | 05/07/25 15:06:14 |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.102.FL, SOP.T.40.102.FL | | | Extracted by: | 3621,3379 |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA086201PES | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : | DA-LCMS-003 (PES) | | | Batch Date : | 05/07/25 11:00:07 |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 05/08/25 10:14:29 | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : | 250 | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 050525.R01; 081023.01 | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 040724CH01; 6822423-02 | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | N/A | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 450, 3379, 585, 1440 | Weight: | 0.9786g | Extraction date: | 05/07/25 15:06:14 |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.151A.FL, SOP.T.40.151.FL | | | Extracted by: | 3621,3379 |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA086203VOL | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Instrument Used : | DA-GCMS-001 | | | Batch Date : | 05/07/25 11:03:18 |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 05/08/25 11:18:17 | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Dilution : | 250 | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 050525.R01; 081023.01; 050525.R16; 050525.R17 | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 040724CH01; 6822423-02; 17473601 | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-080; DA-146; DA-218 | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-008

Harvest/Lot ID: 0903 0699 4222 6143

Batch# : 0903 0699 4222
6143

Sampled : 05/06/25
Ordered : 05/06/25


Sample Size Received : 16 units


Total Amount : 4130 units


Completed : 05/09/25 Expires: 05/09/26

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | | | | | | |
|---|-----------------|------------------------------------|--------------------|-------------|--------------|--------|--|--|--|--|
|  | Microbial | | | | | PASSED | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | | | | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | | | | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 1000 | PASS | 100000 | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | Weight: 0.9751g | Extraction date: 05/07/25 10:04:51 | Extracted by: 4520 | | | | | | | |
| Analytical Batch : DA086167MIC | | | | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) | | | | | | | | | | |
| Batch Date : 05/07/25 07:01:35 | | | | | | | | | | |
| Analysis Date : 05/08/25 09:27:15 | | | | | | | | | | |
| Dilution : 10 | | | | | | | | | | |
| Reagent : 022625.44; 022625.59; 041525.R13; 101624.10 | | | | | | | | | | |
| Consumables : 7579004062 | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | |
| Analysis Method : SOP.T.40.209.FL | Weight: 0.9751g | Extraction date: 05/07/25 10:04:51 | Extracted by: 4520 | | | | | | | |
| Analytical Batch : DA086168TYM | | | | | | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | | | | | | |
| Batch Date : 05/07/25 07:02:42 | | | | | | | | | | |
| Analysis Date : 05/09/25 12:50:32 | | | | | | | | | | |
| Dilution : 10 | | | | | | | | | | |
| Reagent : 022625.44; 022625.59; 022625.R53 | | | | | | | | | | |
| Consumables : N/A | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | |

| | | | | | | | | | | |
|---|-----------------|------------------------------------|-------------------------|-------------|--------------|--------|--|--|--|--|
|  | Mycotoxins | | | | | PASSED | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | | | | | |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | | | | | |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | | | | | |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | | | | | |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | | | | | |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | Weight: 0.9786g | Extraction date: 05/07/25 15:06:14 | Extracted by: 3621,3379 | | | | | | | |
| Analytical Batch : DA086202MYC | | | | | | | | | | |
| Instrument Used : N/A | | | | | | | | | | |
| Batch Date : 05/07/25 11:03:06 | | | | | | | | | | |
| Analysis Date : 05/08/25 09:39:04 | | | | | | | | | | |
| Dilution : 250 | | | | | | | | | | |
| Reagent : 050525.R01; 081023.01 | | | | | | | | | | |
| Consumables : 040724CH01; 6822423-02 | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | |

| | | | | | | | | | | |
|---|-----------------|------------------------------------|-------------------------|-------------|--------------|--------|--|--|--|--|
|  | Heavy Metals | | | | | PASSED | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | | | | | |
| ARSENIC | 0.020 | ppm | <0.100 | PASS | 0.2 | | | | | |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | | | | | |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 | | | | | |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | Weight: 0.2151g | Extraction date: 05/07/25 11:24:51 | Extracted by: 1022,4531 | | | | | | | |
| Analytical Batch : DA086193HEA | | | | | | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | | | | | | |
| Batch Date : 05/07/25 09:59:04 | | | | | | | | | | |
| Analysis Date : 05/08/25 09:33:02 | | | | | | | | | | |
| Dilution : 50 | | | | | | | | | | |
| Reagent : 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04 | | | | | | | | | | |
| Consumables : 040724CH01; J609879-0193; 179436 | | | | | | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/09/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

Sample : DA50506013-008

Harvest/Lot ID: 0903 0699 4222 6143

 Batch# : 0903 0699 4222
 6143

Sampled : 05/06/25

Ordered : 05/06/25

Sample Size Received : 16 units

Total Amount : 4130 units

Completed : 05/09/25 Expires: 05/09/26

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|---------------|---------------------------------------|--------|-----------------------|--------------|---|-------------------|---------------------------------------|--------|-----------------------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.0 | % | 12.0 | PASS | 15 |
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 05/07/25 11:21:26 | | Extracted by: 1879 | | Analyzed by: 4797, 3379, 585, 1440 | Weight: 0.498g | Extraction date: 05/07/25 11:15:14 | | Extracted by: 4797 | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA086200FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/07/25 11:45:19 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA086192MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/08/25 09:21:58 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066 | | | | | |
| Batch Date : 05/07/25 10:40:51 | | | | | | Batch Date : 05/07/25 09:46:42 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.473 | PASS | 0.65 |
| Analyzed by: 4797, 3379, 585, 1440 Weight: 0.716g Extraction date: 05/07/25 11:08:00 Analysis Method : SOP.T.40.019 Analytical Batch : DA086195WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 05/08/25 09:25:57 Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A | | | | | |
| Batch Date : 05/07/25 10:02:13 | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.