

COMPLIANCE FOR RETAIL

SUNNYSIDE DA50506013-010

Laboratory Sample ID: DA50506013-010

Miller

May 09, 2025 | Sunnyside

Kaycha Labs

FloraCal Live Badder Rosin 1g - Dark Rnbw (S) Dark Rnbw (S)

Matrix: Derivative Classification: High THC

Type: Live Badder

Production Method: Other - Not Listed Harvest/Lot ID: 5694847493972599

Batch#: 5694847493972599

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 1045712330459427

Harvest Date: 05/02/25

Sample Size Received: 16 units Total Amount: 594 units Retail Product Size: 1 gram

Servings: 1

Ordered: 05/06/25 Sampled: 05/06/25

Completed: 05/09/25 Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 05/07/25 09:22:52



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 779.960 mg



Total CBD 0.185%

Total CBD/Container: 1.850 mg



Total Cannabinoids

Total Cannabinoids/Container: 920.470

	_									
	_									
	_									
D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
% 1.179	87.591	ND	0.211	ND	0.363	2.703	ND	ND	ND	ND
	875.91	ND	2.11	ND	3.63	27.03	ND	ND	ND	ND
	875.91 0.001	ND 0.001	2.11 0.001	ND 0.001	3.63 0.001	27.03 0.001	ND 0.001	ND 0.001	ND 0.001	ND 0.001

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086186POT Instrument Used : DA-LC-003 Analyzed Date: 05/08/25 09:36:05

Dilution: 400 Reagent: 021125.07; 050625.R03; 043025.R34

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 05/09/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50506013-010 Harvest/Lot ID: 5694847493972599

Sampled: 05/06/25

Ordered: 05/06/25

Batch#: 5694847493972599 Sample Size Received: 16 units Total Amount : 594 units Completed: 05/09/25 Expires: 05/09/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED


Terpenes				mg/unit	Result (%)	Terpenes	LOD (%)		mg/unit	Result (%)	
TOTAL TERPENES	0.00		TESTED	78.89	7.889	SABINENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.00		TESTED	26.15	2.615	SABINENE HYDRATE	0.007	TESTED	ND	ND	
IMONENE	0.00		TESTED	13.25	1.325	VALENCENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.00			10.44	1.044	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-MYRCENE	0.00			7.31	0.731	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
INALOOL	0.00			4.24	0.424	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
UAIOL	0.00			4.14	0.414	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.00			3.53	0.353	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.00			2.02	0.202	Analyzed by:	Weigh	tı	Extraction	on date:	Extracted by:
ENCHYL ALCOHOL	0.00	07	TESTED	1.69	0.169	4444, 4451, 585, 1440	0.200	9g	05/07/2	5 11:39:09	4444
LPHA-TERPINEOL	0.00	07	TESTED	1.62	0.162	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.F	FL.				
RANS-NEROLIDOL	0.00	15	TESTED	1.24	0.124	Analytical Batch : DA086185TER Instrument Used : DA-GCMS-008				Batch Date: 05/07/25 09:19:54	
LPHA-PINENE	0.00	07	TESTED	1.12	0.112	Analyzed Date : 05/08/25 09:36:07				BALCH Date: 03/07/25 09:19:54	
ORNEOL	0.01	13	TESTED	0.62	0.062	Dilution: 10					
ARNESENE	0.00	07	TESTED	0.51	0.051	Reagent : N/A					
ARYOPHYLLENE OXIDE	0.00	07	TESTED	0.46	0.046	Consumables: 947.110; 04402004; 2240626; 000035	55309				
AMPHENE	0.00	07	TESTED	0.30	0.030	Pipette : DA-065					
LPHA-TERPINOLENE	0.00	07	TESTED	0.25	0.025	Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	r. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
-CARENE	0.00	07	TESTED	ND	ND						
AMPHOR	0.00	07	TESTED	ND	ND						
EDROL	0.00	07	TESTED	ND	ND						
UCALYPTOL	0.00	07	TESTED	ND	ND						
ENCHONE	0.00		TESTED	ND	ND						
GERANIOL	0.00	07	TESTED	ND	ND						
ERANYL ACETATE	0.00		TESTED	ND	ND						
HEXAHYDROTHYMOL	0.00	07	TESTED	ND	ND						
SOBORNEOL	0.00	07	TESTED	ND	ND						
OPULEGOL	0.00	07	TESTED	ND	ND						
IEROL	0.00		TESTED	ND	ND						
	0.00		TESTED	ND	ND						
OCIMENE											

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





PASSED

Certificate of Analysis

LOD Units

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50506013-010 Harvest/Lot ID: 5694847493972599

Pass/Fail Result

Sampled: 05/06/25

Ordered: 05/06/25

Batch#: 5694847493972599 Sample Size Received: 16 units Total Amount : 594 units Completed: 05/09/25 Expires: 05/09/26

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	mag	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND					PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	111	0.1		
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	mag	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 3621, 585, 1440 0.2258g		traction date /07/25 15:03:1		3621.3379	
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.		107/23 13.03.1	.5	3021,337	,
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086210PES					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date: 05/07/2	5 11:12:44	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/08/25 11:28:22					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 050525.R01; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02 Pipette: N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iauid Chron	nataaranhu Tri	nla Ouadaunal	Mass Caastron	notovin
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	iquiu Ciif0f	natograpny III	pie-Quaurupoii	mass spectron	ned y III
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by	/:
MAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440 0.2258g	05/07/25			3621,3379	,
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.T.40.151	1.FL				
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086212VOL					
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Da	te:05/07/25	11:14:32	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/09/25 11:52:53					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 050525.R01; 081023.01; 050525.R16; 0	ENERE DIT	,			
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02; 174736					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing G	Gas Chroma	tography Triple	e-Ouadrupole N	Mass Spectrome	trv in
NALED		ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.		Jp.,p.			,


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50506013-010 Harvest/Lot ID: 5694847493972599

Sampled: 05/06/25 Ordered: 05/06/25

Batch#: 5694847493972599 Sample Size Received: 16 units Total Amount : 594 units Completed: 05/09/25 Expires: 05/09/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Calvanta	LOD	Haiba	Astion Lovel	Dage/Eail	Dogula	
Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 4451, 585, 1440	Weight: 0.0202a	Extraction date: 05/07/25 10:46:3	-	Ext	tracted by:	

451, 585, 1440 0.0202g 05/07/25 10:46:35 4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086177SOL Instrument Used: DA-GCMS-012 **Analyzed Date:** 05/09/25 10:07:45Dilution: 1

Reagent: 030420.09 Consumables : 429651; 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

Batch Date: 05/07/25 08:55:47

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs FloraCal Live Badder Rosin 1g - Dark Rnbw (S) Dark Rnbw (S) Matrix : Derivative Type: Live Badder

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50506013-010 Harvest/Lot ID: 5694847493972599

Sampled: 05/06/25 Ordered: 05/06/25

Batch#: 5694847493972599 Sample Size Received: 16 units Total Amount: 594 units Completed: 05/09/25 Expires: 05/09/26 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

Batch Date: 05/07/25 07:02:42



AFLATOXIN G2

Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
		_		_	

Analyzed by: Weight: **Extraction date:** Extracted by: 0.9745g 4892, 4520, 585, 1440 05/07/25 10:04:51

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA086167MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/07/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/08/25 09:27:18

Dilution: 10

Reagent: 022625.44; 022625.59; 041525.R13; 101624.10

Consumables: 7579004062

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4044, 585, 1440	0.9745g	05/07/25 10:04:51	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086168TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 05/09/25 12:50:32

Dilution: 10

Reagent: 022625.44; 022625.59; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	,					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02
AFLATOXIN	G1	0.002	ppm	ND	PASS	0.02

Analyzed by: **Extraction date:** Extracted by: Weight: 3379, 3621, 585, 1440 0.2258g 05/07/25 15:03:15 3621,3379 Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

0.002 ppm

ND

Batch Date: 05/07/25 11:14:11

PASS

0.02

Analytical Batch: DA086211MYC Instrument Used : N/A

Analyzed Date : 05/08/25 10:39:09

Dilution: 250

Reagent: 050525.R01; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	

Extraction date: Extracted by: 1022, 585, 1440 0.2254g 05/07/25 12:38:04 1022.4531

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA086198HEA

Instrument Used: DA-ICPMS-004 Batch Date: 05/07/25 10:14:32 Analyzed Date: 05/08/25 10:54:32

Dilution: 50

Reagent: 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50506013-010 Harvest/Lot ID: 5694847493972599

Sampled: 05/06/25 Ordered: 05/06/25

Batch#: 5694847493972599 Sample Size Received: 16 units Total Amount: 594 units Completed: 05/09/25 Expires: 05/09/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/07/25 11:21:27 1879

Analysis Method: SOP.T.40.090 Analytical Batch : DA086200FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/07/25 10:40:51 Analyzed Date: 05/07/25 11:45:18

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.546	PASS	0.85
Analyzed by: 4797, 3379, 585, 1440	Weight: 0.7898g		ion date: 25 15:00:36		Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA086197WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/07/25 10:06:11

Analyzed Date: 05/08/25 09:30:43

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha