



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50506013-011



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 3766644407593989  
**Batch#:** 3766644407593989  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 3019837335792317  
**Harvest Date:** 05/06/25  
**Sample Size Received:** 31 units  
**Total Amount:** 800 units  
**Retail Product Size:** 0.5 gram  
**Servings:** 1  
**Ordered:** 05/06/25  
**Sampled:** 05/06/25  
**Completed:** 05/09/25  
**Sampling Method:** SOP.T.20.010

May 09, 2025 | Sunnyside  
 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**  
**76.137%**

Total THC/Container : 380.685 mg



**Total CBD**  
**0.200%**

Total CBD/Container : 1.000 mg



**Total Cannabinoids**  
**82.997%**

Total Cannabinoids/Container : 414.985 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	75.456	0.777	0.200	ND	0.203	5.708	ND	0.039	0.589	ND	0.025
mg/unit	377.28	3.89	1.00	ND	1.02	28.54	ND	0.20	2.95	ND	0.13
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1014g

Extraction date:  
05/07/25 11:25:35

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086186POT

Instrument Used : DA-LC-003

Analyzed Date : 05/08/25 09:36:19

Batch Date : 05/07/25 09:22:52

Dilution : 400  
 Reagent : 021125.07; 050625.R03; 043025.R34  
 Consumables : 947.110; 04312111; 062224CH01; 0000355309  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
05/09/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-011  
Harvest/Lot ID : 3766644407593989

Batch# : 3766644407593989 Sample Size Received : 31 units  
Sampled : 05/06/25 Total Amount : 800 units  
Ordered : 05/06/25 Completed : 05/09/25 Expires: 05/09/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	27.21	5.442	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	6.54	1.307	VALENCENE	0.007	TESTED	ND	ND
BETA-HYSCENE	0.007	TESTED	6.23	1.245	ALPHA-CEREBENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	4.56	0.912	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.65	0.529	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.04	0.407	CIS-NEROLIDOL	0.003	TESTED	ND	ND
GUAIOL	0.007	TESTED	1.56	0.311	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.16	0.231	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.71	0.141	Analyzed by: 6846, 4431, 585, 1440 Weight: 0.2318g Extraction date: 05/07/25 11:39:09 Extracted by: 4444 Analysis Method: SOP.T.30.061A.FL SOP.T.40.061A.FL Analytical Batch: DA08B185TER Instrument Used: DA-GCMS-008 Analyzed Date: 05/08/25 09:36:22 Batch Date: 05/07/25 09:19:54 Dilution: 10 Reagent: N/A Consumables: 947.110, 04402004; 2240626; 0000355309 Pipette: DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	TESTED	0.48	0.096					
FARNESENE	0.007	TESTED	0.30	0.059					
CAMPHENE	0.007	TESTED	0.18	0.036					
BETA-PINENE	0.007	TESTED	0.12	0.023					
GERANIOL	0.007	TESTED	0.11	0.022					
ALPHA-TERPINOLENE	0.007	TESTED	0.11	0.022					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
<b>Total (%)</b>				<b>5.442</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
05/09/25



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA50506013-011  
Harvest/Lot ID: 3766644407593989

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch# : 3766644407593989 Sample Size Received : 31 units  
Sampled : 05/06/25 Total Amount : 800 units  
Ordered : 05/06/25 Completed : 05/09/25 Expires: 05/09/26  
Sample Method : SOP.T.20.010

Page 3 of 6

Pesticides					PASSED						
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 585, 1440 Weight: 0.2151g Extraction date: 05/07/25 15:03:15 Extracted by: 3621,3379 Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch :DA086210PES Instrument Used :DA-LCMS-003 (PES) Analyzed Date :05/08/25 11:28:25 Batch Date :05/07/25 11:12:44 Dilution : 250 Reagent : 050525.R01; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 585, 1440 Weight: 0.2151g Extraction date: 05/07/25 15:03:15 Extracted by: 3621,3379 Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch :DA086212VOL Instrument Used :DA-GCMS-010 Analyzed Date :05/09/25 11:52:54 Batch Date :05/07/25 11:14:32 Dilution : 250 Reagent : 050525.R01; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
05/09/25



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

**Sample : DA50506013-011**  
**Harvest/Lot ID: 3766644407593989**
**Batch# : 3766644407593989** **Sample Size Received : 31 units**  
**Sampled : 05/06/25** **Total Amount : 800 units**  
**Ordered : 05/06/25** **Completed : 05/09/25 Expires: 05/09/26**  
**Sample Method : SOP.T.20.010**

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

<b>Analyzed by:</b> 4451, 585, 1440	<b>Weight:</b> 0.0211g	<b>Extraction date:</b> 05/07/25 10:46:41	<b>Extracted by:</b> 4451
--	---------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.041.FL  
**Analytical Batch :** DA08617750L  
**Instrument Used :** DA-GCMS-012  
**Analyzed Date :** 05/09/25 10:07:47

**Batch Date :** 05/07/25 08:55:47

**Dilution :** 1  
**Reagent :** 030420.09  
**Consumables :** 429651; 315545  
**Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-011  
Harvest/Lot ID: 3766644407593989

Batch# : 3766644407593989 Sample Size Received : 31 units  
Sampled : 05/06/25 Total Amount : 800 units  
Ordered : 05/06/25 Completed : 05/09/25 Expires: 05/09/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4892, 4520, 585, 1440 Weight: 1.076g Extraction date: 05/07/25 10:04:52 Extracted by: 4520  
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA086167MIC  
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)  
Batch Date : 05/07/25 07:01:35  
Analyzed Date : 05/08/25 09:27:19

Dilution : 10  
Reagent : 022625.44; 022625.59; 041525.R13; 101624.10  
Consumables : 7579004062  
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4520, 4044, 585, 1440 Weight: 1.076g Extraction date: 05/07/25 10:04:52 Extracted by: 4520  
Analysis Method : SOP.T.40.209.FL  
Analytical Batch : DA086168TYM  
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]  
Batch Date : 05/07/25 07:02:42  
Analyzed Date : 05/09/25 12:50:33

Dilution : 10  
Reagent : 022625.44; 022625.59; 022625.R53  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 3621, 585, 1440 Weight: 0.2151g Extraction date: 05/07/25 15:03:15 Extracted by: 3621, 3379  
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : DA086211MYC  
Instrument Used : N/A Batch Date : 05/07/25 11:14:11  
Analyzed Date : 05/08/25 10:39:11

Dilution : 250  
Reagent : 050525.R01; 081023.01  
Consumables : 040724CH01; 6822423-02  
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2468g Extraction date: 05/07/25 12:41:58 Extracted by: 1022, 4531

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA086198HEA  
Instrument Used : DA-ICPMS-004 Batch Date : 05/07/25 10:14:32  
Analyzed Date : 05/08/25 10:54:32

Dilution : 50  
Reagent : 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04  
Consumables : 040724CH01; J609879-0193; 179436  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FloraCal Live Rosin Cartridge 500mg - Alpine Guav (H)  
Alpine Guav (H)  
Matrix : Derivative  
Type: Live Rosin

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-011  
Harvest/Lot ID: 3766644407593989  
Batch# : 3766644407593989 Sample Size Received : 31 units  
Sampled : 05/06/25 Total Amount : 800 units  
Ordered : 05/06/25 Completed : 05/09/25 Expires: 05/09/26  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/07/25 11:21:27	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA086200FIL  
Instrument Used : Filth/Foreign Material Microscope Batch Date : 05/07/25 10:40:51  
Analyzed Date : 05/07/25 11:45:17

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.477	PASS	0.85

Analyzed by: 4797, 3379, 585, 1440	Weight: 0.3075g	Extraction date: 05/07/25 15:00:40	Extracted by: 4797
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA086197WAT  
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 05/07/25 10:06:11  
Analyzed Date : 05/08/25 09:30:44

Dilution : N/A  
Reagent : 101724.36  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
05/09/25