

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50507010-003

Supply Shake 14g - Anml Cks x Glto (I) 🛨 Anml Cks x Glto (I)

Matrix: Flower

Kaycha Labs

Classification: High THC Type: Flower-Cured

Production Method: Other - Not Listed Harvest/Lot ID: 5053563749565382

Batch#: 5053563749565382

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 0393710409417464

Harvest Date: 05/01/25

Sample Size Received: 3 units Total Amount: 209 units

Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Ordered: 05/07/25 Sampled: 05/07/25

Completed: 05/10/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

May 10, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US



SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins Residuals **PASSED** Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 05/08/25 08:56:45



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

7.196% Total THC/Container : 3807.440 mg



Total CBD

0.086%Total CBD/Container: 12.040 mg



Total Cannabinoids 2.091%

Total Cannabinoids/Container: 4492.740



Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch : DA086223POT Instrument Used : DA-LC-002 Analyzed Date: 05/09/25 22:49:00

Reagent: 050725.R27; 021125.07; 042325.R32
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50507010-003 Harvest/Lot ID: 5053563749565382

Sampled: 05/07/25

Ordered: 05/07/25

Batch#: 5053563749565382 Sample Size Received: 3 units Total Amount: 209 units

Completed: 05/10/25 Expires: 05/10/26Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail		Result (%)	Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	256.90	1.835	SABINENE HYDRATE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	54.60	0.390	VALENCENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	53.06	0.379	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
IMONENE	0.007	TESTED	33.74	0.241	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
UAIOL	0.007	TESTED	21.98	0.157	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	21.84	0.156	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	15.82	0.113	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	11.20	0.080	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	10.78	0.077	Analyzed by:	Weigh	nt:	Extract	ion date:	Extracted by:
ENCHYL ALCOHOL	0.007	TESTED	10.08	0.072	4444, 4451, 585, 1440	1.015	7g		25 12:45:10	4444
ETA-PINENE	0.007	TESTED	9.66	0.069	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.F	FL				
LPHA-PINENE	0.007	TESTED	5.60	0.040	Analytical Batch : DA086252TER					
RANS-NEROLIDOL	0.005	TESTED	4.48	0.032	Instrument Used: DA-GCMS-009 Analyzed Date: 05/09/25 11:55:49				Batch Date : 05/08/25 10:34:	22
ARNESENE	0.007	TESTED	4.06	0.029	Dilution: 10					
CARENE	0.007	TESTED	ND	ND	Reagent : N/A					
ORNEOL	0.013	TESTED	ND	ND	Consumables: 947.110; 04312111; 2240626; 000035	55309				
AMPHENE	0.007	TESTED	ND	ND	Pipette : DA-065					
AMPHOR	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography	y Mass Spectrometr	y. For all Flower sa	imples, the Tota	Il Terpenes % is dry-weight corrected.	
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND						
EDROL	0.007	TESTED	ND	ND						
UCALYPTOL	0.007	TESTED	ND	ND						
ENCHONE	0.007	TESTED	ND	ND						
ERANIOL	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
SOPULEGOL	0.007	TESTED	ND	ND						
EROL	0.007	TESTED	ND	ND						
ICIMENE	0.007	TESTED	ND	ND						
ULEGONE	0.007	TESTED	ND	ND						
ABINENE	0.007	TESTED	ND	ND						
-+-1 (0/)				1.025						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50507010-003 Harvest/Lot ID: 5053563749565382

Sampled: 05/07/25

Ordered: 05/07/25

Batch#: 5053563749565382 Sample Size Received: 3 units Total Amount: 209 units

Completed: 05/10/25 Expires: 05/10/26Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	OXAMYL	0.01	0 ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0 ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND				0.1		ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET		0 ppm		PASS	
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0 ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.01	0 ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.01	0 ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.01	0 ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	0 ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE) ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND			0 ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE					
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0 ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0 ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		0 ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	0 ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.01	0 ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.07	0 ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01	0 ppm	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	0 ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *) ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0 ppm	0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 585, 1440 1.0607g		ction date: /25 16:32:28		Extracte 3621	d by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.		/25 10:32:28		3021	
TOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086243PES	102.1 L				
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date: 05/08/	25 10:13:45	
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/09/25 13:03:15					
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 050725.R29; 081023.01					
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02 Pipette: N/A					
LONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ina Liauid Chra	matagraphy Tr	inla Ouadauna	la Mass Chastra	motor in
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ing Eiquid Ciro	matography m	ipie-Quadrupo	те маза эрестто	neu y in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extrac	tion date:		Extracted	l bv:
MAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440 1.0607g		25 16:32:28		3621	. , .
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40).151.FL				
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086245VOL					
IALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch Da	ite:05/08/25	10:15:52	
IETALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/09/25 13:01:12					
IETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 050725.R29; 081023.01; 050525.R3	I 6: 050525 P1	7			
IETHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02; 17		,			
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ing Gas Chrom	atography Trip	e-Quadrupole	Mass Spectrome	etry in
IALED	0.010	nnm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	-				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample: DA50507010-003 Harvest/Lot ID: 5053563749565382

Sampled: 05/07/25 Ordered: 05/07/25

Batch#: 5053563749565382 Sample Size Received: 3 units Total Amount: 209 units Completed: 05/10/25 Expires: 05/10/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/08/25 10:15:38



Microbial

Batch Date: 05/08/25 07:08:13



Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		7
TOTAL YEAST AND MOLD	10	CFU/g	8000	PASS	100000	-

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 05/08/25 09:32:23

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA086214 \\ \textbf{MIC} \end{array}$

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/08/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/09/25 10:45:16

Dilution: 10

Reagent: 030625.29; 030625.34; 041525.R13; 101624.10

Consumables: 7579004062

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4892, 585, 1440	1.0422g	05/08/25 09:32:23	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086215TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 05/10/25 13:44:09

Dilution: 10

Reagent: 030625.29; 030625.34; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycocoxiiis	Mycotoxiiis				
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN I	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN I	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	ν Δ	0.002	nnm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440	Weight:	Extraction date: 05/08/25 16:32:28		Extracte	d by:	
AFLATOXIN G2		0.002 ppn	n ND	PASS	0.02	
AFLATOXIN G1		0.002 ppn	n ND	PASS	0.02	
OCHRATOXIN A		0.002 ppn	n ND	PASS	0.02	
AFLATOXIN B1		0.002 ppn	n ND	PASS	0.02	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA086244MYC

Instrument Used : N/A

Analyzed Date : 05/09/25 10:46:22

Dilution: 250

Reagent: 050725.R29; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Extraction date: Extracted by: 1022, 1879, 585, 1440 0.2535g 05/08/25 10:41:46

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086230HEA Instrument Used: DA-ICPMS-004 Batch Date: 05/08/25 09:49:32 Analyzed Date: 05/09/25 11:55:17

Dilution: 50

Reagent: 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50507010-003 Harvest/Lot ID: 5053563749565382

Sampled: 05/07/25 Ordered: 05/07/25

Batch#: 5053563749565382 Sample Size Received: 3 units Total Amount: 209 units Completed: 05/10/25 Expires: 05/10/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Dilution: N/A

Consumables : N/A

Analysis Method: SOP.T.40.021

Analyzed Date: 05/09/25 10:42:37

Reagent: 092520.50; 120324.07

Analytical Batch: DA086219MOI Instrument Used: DA-003 Moisture Analyzer

Moisture

PASSED

Batch Date: 05/08/25 07:30:47

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS **Moisture Content** % 13.9 PASS 15 1 1.0 Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight: Extracted by: 1g 05/09/25 14:04:02 1879 0.502q05/08/25 13:45:08 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA086265FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/09/25 17:37:19

Batch Date: 05/08/25 15:55:56

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 05/08/25 07:36:59

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Pipette: DA-066 Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.582	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight: 1.044g		traction d /08/25 13			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA086220WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/09/25 10:44:07

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164