

## **Certificate of Analysis**

#### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50507010-005



May 10, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

### Kaycha Labs

Supply Shake 7g - Goofiez (S) Goofiez (S)

Matrix: Flower

Classification: High THC Type: Flower-Cured

Production Method: Other - Not Listed Harvest/Lot ID: 3769607792709804

Batch#: 3769607792709804

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 7723372964275405

Harvest Date: 05/05/25

Sample Size Received: 5 units Total Amount: 826 units

Retail Product Size: 7 gram Retail Serving Size: 7 gram

Servings: 1

Ordered: 05/07/25 Sampled: 05/07/25

Completed: 05/10/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

#### SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Sunnyside

Residuals Solvents **NOT TESTED** 



Filth **PASSED** 

Batch Date: 05/08/25 08:56:45



Water Activity **PASSED** 



Moisture **PASSED** 



MISC.

Terpenes **TESTED** 

**TESTED** 



#### Cannabinoid

**Total THC** 

Total THC/Container : 1539.860 mg



**Total CBD** 0.080%

Total CBD/Container: 5.600 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 1796.130



Analyzed by: 3335, 1665, 585, 1440 Extraction date: 05/08/25 12:56:07 Extracted by: 3335

Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA086223POT Instrument Used : DA-LC-002

Analyzed Date: 05/10/25 12:25:39

Reagent: 050725.R27; 021125.07; 042325.R32
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50507010-005 Harvest/Lot ID: 3769607792709804

Sampled: 05/07/25 Ordered: 05/07/25

Batch#: 3769607792709804 Sample Size Received: 5 units Total Amount : 826 units Completed: 05/10/25 Expires: 05/10/26 Sample Method: SOP.T.20.010

Page 2 of 5



### **Terpenes**

**TESTED** 

Teples												
REPACAPOPINTLENE   10,007   157150   12,00   2.44     A.PHA-PHELE   0.077   157150   1.05   NO   NO   NO   NO   NO   NO   NO   N										mg/unit	Result (%)	
MADOOL   0.07   TSTUD   14.35   0.205   APPIA-PINNE   0.007   TSTUD   ND   ND   ND   ND   ND   ND   ND	TOTAL TERPENES	0.007		63.35			ALPHA-CEDRENE	0.005		ND	ND	
MONEME   0,007   TSTTU   7,00   0,100     APPIATERNMENE   0,007   TSTTU   MD   MD   MD   MD   MD   MD   MD   M										ND	ND	
ADMINISTRE 0,007 TSTTD 0,091 ND							ALPHA-PINENE	0.007		ND	ND	
RETAMPRICENE   0.007   TESTID   0.091   0.007   0.00		0.007	TESTED	7.00	0.100			0.007	TESTED	ND	ND	
NUMBER   1987		0.007	TESTED	6.37	0.091		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
MAN-PERMINDE   1	BETA-MYRCENE	0.007	TESTED	6.37	0.091		BETA-PINENE	0.007	TESTED	ND	ND	
MAINTENNENDER   1878	LPHA-HUMULENE	0.007	TESTED	5.39	0.077		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
MANISTRADION   1878	LPHA-TERPINEOL	0.007	TESTED	2.52	0.036		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
MAMS-MERIOLION   10							Analyzed by:	Weight		Extraction	ion date:	Extracted by:
Mary	RANS-NEROLIDOL	0.005	TESTED	2.03	0.029		4444, 4451, 585, 1440	1.0742	g g	05/08/2	15 12:45:11	4444
Non-Normal   1		0.007	TESTED	ND	ND		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
AMPHORE	ORNEOL	0.013	TESTED	ND	ND						B-4-6 B-4 05/09/75 10:34:3	2
AMPHOR											Batch Date : 03/00/23 10:34:2	2
AKOPHILLERONDE         0,07         TESTED         NO         NO         Respect NAIA           IDROD         0,070         TESTED         NO         NO         Commander 1947 110 (2432211; 224626; 0000055309)           ICALYPOIL         0,070         TESTED         NO         NO         Commander 1947 110 (2432211; 224626; 0000055309)           REANIA CERTAR         0,070         TESTED         NO         NO         Commander 1947 110 (2432211; 224626; 0000055309)           REANIA CERTAR         0,070         TESTED         NO         NO         Commander 1947 110 (2432211; 224626; 0000055309)           REANIA CERTAR         0,070         TESTED         NO         NO         Commander 1947 110 (2432211; 224626; 0000055309)           UALDO         1,070         TESTED         NO         NO         Commander 1947 110 (2432211; 224626; 0000055309)           UALDO         1,070         TESTED         NO         NO         NO         COMMANDER				ND	ND							
Partic 10A-05    Part			TESTED	ND	ND		Reagent : N/A					
VEX.PTOK.		0.007	TESTED	ND	ND			309				
REMONDE 0.00 IESTED NO NO REMONDE NO NO REMONDE NO REMO		0.007	TESTED	ND	ND							
REMATY ACENTE  0,007  155TED  0,007	ENCHONE	0.007	TESTED	ND	ND		rerpendid testing is performed utilizing Gas Chromatography M	lass Spectrometry	. For all Flower sal	mpies, the lotal	Terpenes % is any-weight corrected.	
UAROL 0,007 TESTED ND ND CROCKENTON TOTAL 0,007 TESTED ND ND CROCKENTON TOTAL 0,007 TESTED ND ND CROCKENTON TESTED ND CR	ERANIOL			ND	ND							
Manual Park												
DIAMPORT	UAIOL	0.007	TESTED	ND	ND							
SOPULEGOL         0.007         TESTED         ND         ND           REDL         0.007         TESTED         ND         ND           ULEGONE         0.007         TESTED         ND         ND           Mallener         0.007         TESTED         ND         ND           ABINENER POWATE         0.007         TESTED         ND         ND           ABINENER POWATE         0.007         TESTED         ND         ND           UPMBISABOLOL         0.007         TESTED         ND         ND		0.007	TESTED	ND	ND							
#ROL 0.007 TESTED NO NO CHICHEN 0.007 TESTED NO NO ULEGONE 0.007 TESTED NO NO ABHIEVEM 0.007 TESTED NO ABHIEV	OBORNEOL	0.007	TESTED	ND	ND							
CHINE 0.07 TESTED ND ND ULGONE 0.007 TESTED ND ND ULGONE 0.007 TESTED ND	OPULEGOL	0.007	TESTED	ND	ND							
ULGODNE 0.007 TESTED NO NO ABHIENEE 0.007 TESTED NO NO ULGODNE 0.007 TESTED NO NO ULGODNE 0.007 TESTED NO NO					ND							
ABINEME 0.007 TESTED NO ND ABINEME HYDRATE 0.007 TESTED NO ND ABINEME HYDRATE 0.007 TESTED NO ND LPHA-BISABOLOL 0.007 TESTED NO ND LPHA-BISABOLOL 0.007 TESTED NO ND	CIMENE	0.007	TESTED	ND	ND							
ABINEME WYDATE 0.007 TESTED NO NO ALRICCHE 0.007 TESTED NO NO APPHA-BISAGOLOL 0.007 TESTED NO NO		0.007	TESTED	ND	ND							
ALENCENE 0.007 TESTED ND ND ND PPM-BISABOLOL 0.007 TESTED ND ND ND		0.007	TESTED	ND	ND							
APHA-BISAGOLOL 0,007 TESTED NO NO	ABINENE HYDRATE	0.007	TESTED	ND	ND							
	/ALENCENE	0.007	TESTED	ND	ND							
1.1(0)	ALPHA-BISABOLOL	0.007	TESTED	ND	ND							
					0.005							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50507010-005 Harvest/Lot ID: 3769607792709804

Sampled: 05/07/25

Ordered: 05/07/25

Batch#: 3769607792709804 Sample Size Received: 5 units Total Amount: 826 units

Completed: 05/10/25 Expires: 05/10/26Sample Method: SOP.T.20.010

Page 3 of 5



#### **Pesticides**

#### **PASSED**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010	1.1.	0.1	PASS	ND					0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		ENE (DOND) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracte	d by:
METHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	1.0294q		5 16:32:28		3621	y.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30						
DFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA08624	BPES					
DXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS			Batch	Date: 05/08/	25 10:13:45	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 05/09/25 13	3:03:17					
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 250	122.01					
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 050725.R29; 0810 Consumables: 040724CH01						
PRONIL	0.010		0.1	PASS	ND	Pipette : N/A	1, 0022723 02					
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents	is performed utilizing Li	auid Chrom	atography Tr	iple-Ouadruno	le Mass Spectroi	netry in
UDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64E		,	5 ,	, . д про		,,
XYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
AZALIL	0.010		0.1	PASS	ND	450, 585, 1440	1.0294g		16:32:28		3621	
IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30		.FL				
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA08624			D-4-b D	*- · OF (00/2F	10.15.52	
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS Analyzed Date : 05/09/25 13			Batch Da	ate:05/08/25	10.13:32	
TALAXYL	0.010		0.1	PASS	ND	Dilution: 250	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
THIOCARB	0.010		0.1	PASS	ND	Reagent: 050725.R29; 081	023.01: 050525.R16: 05	50525.R17				
THOMYL	0.010		0.1	PASS	ND	Consumables: 040724CH01						
VINPHOS	0.010		0.1	PASS	ND	Pipette: DA-080; DA-146; D						
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents		as Chromat	ography Trip	le-Quadrupole	Mass Spectrome	try in
ALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64E	R20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50507010-005 Harvest/Lot ID: 3769607792709804

Batch#: 3769607792709804 Sampled: 05/07/25 Ordered: 05/07/25

Sample Size Received: 5 units Total Amount: 826 units Completed: 05/10/25 Expires: 05/10/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/08/25 10:15:38



#### **Microbial**

Batch Date: 05/08/25 07:08:13



#### DASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	4
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		I
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	60	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 0.838g 05/08/25 09:32:23

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA086214 \\ \textbf{MIC} \end{array}$ 

**Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/08/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date: 05/09/25 10:45:17

Dilution: 10

Reagent: 030625.29; 030625.34; 041525.R13; 101624.10

Consumables: 7579004062

Pipette : N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4892, 585, 1440	0.838g	05/08/25 09:32:23	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086215TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 05/10/25 13:44:11

Dilution: 10

Reagent: 030625.29; 030625.34; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

3	Mycotoxilis				PAS	SED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN I	B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN I	B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXII	Δ	0.002	nnm	ND	PASS	0.02	

				Fail	Level
AFLATOXIN B2		0.002 ppm	ND	PASS	0.02
AFLATOXIN B1		0.002 ppm	ND	PASS	0.02
OCHRATOXIN A		0.002 ppm	ND	PASS	0.02
AFLATOXIN G1		0.002 ppm	ND	PASS	0.02
AFLATOXIN G2		0.002 ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440	<b>Weight:</b> 1.0294g	Extraction date: 05/08/25 16:32:28		Extracted 3621	d by:

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA086244MYC Instrument Used : N/A

**Analyzed Date :** 05/09/25 10:46:23

Dilution: 250

Reagent: 050725.R29; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

#### **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	AD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 1879, 585, 1440	Weight: 0.2351g	Extraction 05/08/25			Extracte 4531	d by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086230HEA Instrument Used: DA-ICPMS-004

Batch Date: 05/08/25 09:49:32 Analyzed Date: 05/09/25 11:55:18

Dilution: 50

Reagent: 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50507010-005 Harvest/Lot ID: 3769607792709804

Batch#: 3769607792709804 Sampled: 05/07/25 Ordered: 05/07/25

Sample Size Received: 5 units Total Amount: 826 units Completed: 05/10/25 Expires: 05/10/26 Sample Method: SOP.T.20.010

Page 5 of 5



#### Filth/Foreign **Material**

### **PASSED**



Analysis Method: SOP.T.40.021

Analyzed Date: 05/09/25 10:42:38

Analytical Batch: DA086219MOI Instrument Used: DA-003 Moisture Analyzer

#### Moisture

**PASSED** 

Batch Date: 05/08/25 07:30:47

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Ma	aterial	0.100	%	ND	PASS	1	Moisture Content		1.0	%	12.1	PASS	15
Analyzed by: 1879, 585, 1440	Weight:		action dat 09/25 14:0		<b>Ext</b> 187	racted by: 79	Analyzed by: 4797, 585, 1440	Weight: 0.504g		traction d			tracted by:

Analysis Method: SOP.T.40.090

Analytical Batch : DA086265FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/09/25 17:39:08

1g

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 05/08/25 15:55:56

Batch Date: 05/08/25 07:36:59

Dilution: N/AReagent: 092520.50; 120324.07 Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



#### **Water Activity**

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	Result 0.511	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight: 1.066a		traction d		<b>Ex</b> 47	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA086220WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/09/25 10:44:08

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/10/25

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)