



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50507010-008



Production Method: Other - Not Listed
Harvest/Lot ID: 6582782563844419
Batch#: 6582782563844419
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 3226623586973181
Harvest Date: 05/05/25
Sample Size Received: 5 units
Total Amount: 1000 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 05/07/25
Sampled: 05/07/25
Completed: 05/10/25
Sampling Method: SOP.T.20.010

May 10, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.

TESTED



Cannabinoid



Total THC
22.958%

Total THC/Container : 3214.120 mg



Total CBD
0.083%

Total CBD/Container : 11.620 mg



Total Cannabinoids
26.796%

Total Cannabinoids/Container : 3751.440 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.378	25.748	ND	0.095	ND	0.161	0.324	ND	ND	ND	0.090
mg/unit	52.92	3604.72	ND	13.30	ND	22.54	45.36	ND	ND	ND	12.60
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2101g

Extraction date:
05/08/25 12:56:07

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086223POT

Instrument Used : DA-LC-002

Analyzed Date : 05/09/25 10:46:52

Batch Date : 05/08/25 08:56:45

Dilution : 400

Reagent : 050725.R27; 021125.07; 042325.R32

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
05/10/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50507010-008
Harvest/Lot ID: 6582782563844419

Batch# : 6582782563844419 Sample Size Received : 5 units
Sampled : 05/07/25 Total Amount : 1000 units
Ordered : 05/07/25 Completed : 05/10/25 Expires: 05/10/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	140.42	1.003	ALPHA-BISABOLOL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	37.66	0.269	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	24.78	0.177	ALPHA-PHILANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	18.34	0.131	ALPHA-PINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	18.34	0.131	ALPHA-TERPINENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	13.44	0.096	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	11.62	0.083	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	4.20	0.030	GAMMA-TERPINENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	4.20	0.030	Analyzed by: 6846, 4431, 585, 1440 Weight: 1.117g Extraction date: 05/08/25 12:45:11 Extracted by: 4444 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA086252TER Instrument Used : DA-GCMS-009 Analyzed Date : 05/09/25 11:56:06 Batch Date : 05/08/25 10:34:22 Dilution : 10 Reagent : N/A Consumables : 947.110, 04312111; 2240626; 0000355309 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry weight corrected.				
FENCHYL ALCOHOL	0.007	TESTED	3.92	0.028					
BETA-PINENE	0.007	TESTED	3.92	0.028					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
Total (%)				1.003					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/10/25



Certificate of Analysis

PASSED

Sunnyside

Sample : DA50507010-008
Harvest/Lot ID: 6582782563844419

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 6582782563844419 Sample Size Received : 5 units
Sampled : 05/07/25 Total Amount : 1000 units
Ordered : 05/07/25 Completed : 05/10/25 Expires: 05/10/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086243PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 05/08/25 10:13:45 Analyzed Date : 05/09/25 13:03:29 Dilution : 250 Reagent : 050725.R29; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086245VOL Instrument Used : DA-GCMS-001 Batch Date : 05/08/25 10:15:52 Analyzed Date : 05/09/25 13:01:22 Dilution : 250 Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Analyzed by					



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50507010-008
Harvest/Lot ID: 6582782563844419
Batch# : 6582782563844419 Sample Size Received : 5 units
Sampled : 05/07/25 Total Amount : 1000 units
Ordered : 05/07/25 Completed : 05/10/25 Expires: 05/10/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000

Analyzed by: 4520, 585, 1440 Weight: 1g Extraction date: 05/08/25 09:32:24 Extracted by: 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA086214MIC
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)
Batch Date : 05/08/25 07:07:22
Analyzed Date : 05/09/25 10:45:20

Dilution : 10
Reagent : 030625.29; 030625.34; 041525.R13; 101624.10
Consumables : 7579004062
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000

Analyzed by: 4520, 4892, 585, 1440 Weight: 1g Extraction date: 05/08/25 09:32:24 Extracted by: 4520
Analysis Method : SOP.T.40.209.FL
Analytical Batch : DA086215TYM
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]
Batch Date : 05/08/25 07:08:13
Analyzed Date : 05/10/25 13:44:13

Dilution : 10
Reagent : 030625.29; 030625.34; 022625.R53
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 0.9131g Extraction date: 05/08/25 16:32:29 Extracted by: 3621
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA086244MYC
Instrument Used : N/A Batch Date : 05/08/25 10:15:38
Analyzed Date : 05/09/25 10:46:25

Dilution : 250
Reagent : 050725.R29; 081023.01
Consumables : 040724CH01; 6822423-02
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 1879, 585, 1440 Weight: 0.2585g Extraction date: 05/08/25 10:47:58 Extracted by: 4531
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA086230HEA
Instrument Used : DA-ICPMS-004 Batch Date : 05/08/25 09:49:32
Analyzed Date : 05/09/25 11:55:20

Dilution : 50
Reagent : 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04
Consumables : 040724CH01; J609879-0193; 179436
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50507010-008
Harvest/Lot ID: 6582782563844419
Batch# : 6582782563844419 Sample Size Received : 5 units
Sampled : 05/07/25 Total Amount : 1000 units
Ordered : 05/07/25 Completed : 05/10/25 Expires: 05/10/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	11.9	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/09/25 14:04:03	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.496g	Extraction date: 05/08/25 13:56:30	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA086265FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/09/25 17:37:15 Batch Date : 05/08/25 15:55:56						Analysis Method : SOP.T.40.021 Analytical Batch : DA086219MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/09/25 10:42:40 Batch Date : 05/08/25 07:30:47					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.496	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.485g	Extraction date: 05/08/25 13:32:20	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA086220WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 05/09/25 10:44:10 Batch Date : 05/08/25 07:36:59					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

