



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50508015-001


Production Method: Other - Not Listed

Harvest/Lot ID: 0078642233434356

Batch#: 0078642233434356

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9826581029569102

Harvest Date: 05/06/25

Sample Size Received: 16 units

Total Amount: 1309 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/08/25

Sampled: 05/08/25

Completed: 05/13/25

Sampling Method: SOP.T.20.010

May 13, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
79.707%

Total THC/Container : 797.070 mg


Total CBD
0.099%

Total CBD/Container : 0.990 mg


Total Cannabinoids
84.033%

Total Cannabinoids/Container : 840.330 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	79.552	0.177	0.099	ND	ND	2.720	ND	0.049	0.514	ND	0.922
mg/unit	795.52	1.77	0.99	ND	ND	27.20	ND	0.49	5.14	ND	9.22
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1135g

 Extraction date:
 05/09/25 11:30:39

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086288POT

Instrument Used : DA-LC-003

Analyzed Date : 05/12/25 08:34:31

Batch Date : 05/09/25 09:00:17

Dilution : 400

Reagent : 050625.R03; 021125.07; 043025.R34

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50508015-001
Harvest/Lot ID: 0078642233434356

Batch# : 0078642233434356 Sample Size Received : 16 units
Sampled : 05/08/25 Total Amount : 1309 units
Ordered : 05/08/25 Completed : 05/13/25 Expires: 05/13/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	52.86	5.286	ISOPULEGOL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	10.42	1.042	NEROL	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	8.99	0.899	PULEGONE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	6.09	0.609	SABINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	5.21	0.521	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	3.57	0.357	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	3.09	0.309	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.40	0.240	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	2.11	0.211	Analyzed by: 6846, 4451, 585, 1440				
ALPHA-TERPINEOL	0.007	TESTED	2.06	0.206	Weight: 0.2332g				
TRANS-NEROLIDOL	0.005	TESTED	1.55	0.155	Extraction date: 05/09/25 12:18:55				
BORNEOL	0.013	TESTED	1.20	0.120	Extracted by: 4444				
BETA-PINENE	0.007	TESTED	1.19	0.119	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FARNESENE	0.001	TESTED	0.86	0.086	Analytical Batch : DA086310TER				
OCIMENE	0.007	TESTED	0.71	0.071	Instrument Used : DA-GCMS-004				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.61	0.061	Analyzed Date : 05/12/25 10:54:34				
ALPHA-TERPINOLENE	0.007	TESTED	0.52	0.052	Dilution : 10				
CAMPHERE	0.007	TESTED	0.49	0.049	Reagent : N/A				
FENCHONE	0.007	TESTED	0.46	0.046	Consumables : 9291.110; 04402004; 2240626; 000035309				
GAMMA-TERPINENE	0.007	TESTED	0.39	0.039	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	0.35	0.035	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINENE	0.007	TESTED	0.32	0.032					
ALPHA-PHIELANDRENE	0.007	TESTED	0.27	0.027					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
Total (%)				5.286					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50508015-001
Harvest/Lot ID: 0078642233434356

Batch# : 0078642233434356 Sample Size Received : 16 units
Sampled : 05/08/25 Total Amount : 1309 units
Ordered : 05/08/25 Completed : 05/13/25 Expires: 05/13/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2515g	Extraction date: 05/09/25 13:32:01	Extracted by: 4640,450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086294PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 05/09/25 09:48:20	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/12/25 13:35:20					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 050825.R09; 050725.R30; 050725.R29; 050525.R03; 042925.R13; 050725.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2515g	Extraction date: 05/09/25 13:32:01	Extracted by: 4640,450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086305VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 05/09/25 10:11:09	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 05/12/25 12:46:35					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - MAC 1 (I)

MAC 1 (I)

Matrix : Derivative

Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50508015-001

Harvest/Lot ID: 0078642233434356

Batch# : 0078642233434356

Sampled : 05/08/25

Ordered : 05/08/25

Sample Size Received : 16 units

Total Amount : 1309 units

Completed : 05/13/25 Expires: 05/13/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.021g

Extraction date:
05/09/25 11:38:53

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08630650L
Instrument Used : DA-GCMS-012
Analyzed Date : 05/13/25 07:56:04

Batch Date : 05/09/25 10:45:37

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50508015-001
Harvest/Lot ID: 0078642233434356

Batch# : 0078642233434356 Sample Size Received : 16 units
Sampled : 05/08/25 Total Amount : 1309 units
Ordered : 05/08/25 Completed : 05/13/25 Expires: 05/13/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000					
Analyzed by: 4520, 585, 1440	Weight: 0.886g	Extraction date: 05/09/25 11:17:39		Extracted by: 4520						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA086270MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 05/09/25 07:22:50						
Analyzed Date : 05/12/25 08:34:19										
Dilution : 10										
Reagent : 030625.16; 030625.29; 041525.R13; 101624.10										
Consumables : 7579004064										
Pipette : N/A										
Analyzed by: 4520, 4892, 585, 1440	Weight: 0.886g	Extraction date: 05/09/25 11:17:39		Extracted by: 4520						
Analysis Method : SOP.T.40.209.FL										
Analytical Batch : DA086271TYM										
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]			Batch Date : 05/09/25 07:24:02							
Analyzed Date : 05/12/25 08:33:27										
Dilution : 10										
Reagent : 030625.16; 030625.29; 022625.R53										
Consumables : N/A										
Pipette : N/A										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

	Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02					
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02					
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02					
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02					
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02					
Analyzed by: 3621, 585, 1440	Weight: 0.2515g	Extraction date: 05/09/25 13:32:01		Extracted by: 4640,450,585						
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL										
Analytical Batch : DA086304MYC										
Instrument Used : N/A						Batch Date : 05/09/25 10:11:07				
Analyzed Date : 05/12/25 13:36:21										
Dilution : 250										
Reagent : 050825.R09; 050725.R30; 050725.R29; 050525.R03; 042925.R13; 050725.R01; 081023.01										
Consumables : 6698360-03										
Pipette : DA-093; DA-094; DA-219										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1					
ARSENIC	0.020	ppm	ND	PASS	0.2					
CADMIUM	0.020	ppm	ND	PASS	0.2					
MERCURY	0.020	ppm	ND	PASS	0.2					
LEAD	0.020	ppm	ND	PASS	0.5					
Analyzed by: 1879, 4531, 585, 1440	Weight: 0.2409g	Extraction date: 05/09/25 13:01:25		Extracted by: 4531						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : DA086283HEA										
Instrument Used : DA-ICPMS-004						Batch Date : 05/09/25 08:11:27				
Analyzed Date : 05/10/25 12:48:57										
Dilution : 50										
Reagent : 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 050825.R06										
Consumables : 040724CH01; J609879-0193; 179436										
Pipette : DA-061; DA-191; DA-216										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - MAC 1 (I)
MAC 1 (I)
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50508015-001
Harvest/Lot ID: 0078642233434356

Batch# : 0078642233434356 Sample Size Received : 16 units
Sampled : 05/08/25 Total Amount : 1309 units
Ordered : 05/08/25 Completed : 05/13/25 Expires: 05/13/26
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/09/25 14:04:08	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA086265FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 05/08/25 15:55:56

Analyzed Date : 05/09/25 17:36:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.524	PASS	0.85

Analyzed by: 3379, 4797, 585, 1440	Weight: 0.2569g	Extraction date: 05/09/25 15:06:34	Extracted by: 4797
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA086313WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 05/09/25 10:59:49

Analyzed Date : 05/10/25 12:47:48

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/25