



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50508015-003



May 12, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

26.904%

Total THC/Container : 672.600 mg



Total CBD

0.092%

Total CBD/Container : 2.300 mg



Total Cannabinoids

31.491%

Total Cannabinoids/Container : 787.275 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.511	30.095	ND	0.105	0.037	0.272	0.399	ND	ND	ND	0.072
mg/unit	12.78	752.38	ND	2.63	0.93	6.80	9.98	ND	ND	ND	1.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1922g

Extraction date:
05/12/25 05:34:55

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086282POT

Instrument Used : DA-LC-002

Analyzed Date : 05/12/25 08:34:38

Batch Date : 05/09/25 08:11:08

Dilution : 400

Reagent : 050725.R27; 021125.07; 042325.R32

Consumables : 9291.110; 04402004; 070424CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/12/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Whole Flower Pre-Roll Multipack 2.5g - Strwb Guav (S)
Strwb Guav (S)
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50508015-003

Harvest/Lot ID: 2885953604512262

Batch# : 2885953604512262

Sampled : 05/08/25

Ordered : 05/08/25

Sample Size Received : 11 units

Total Amount : 627 units

Completed : 05/12/25 Expires: 05/12/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	43.53	1.741	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	15.80	0.632	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	7.23	0.289	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	5.38	0.215	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	4.98	0.199	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	3.28	0.131	BETA-PINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.15	0.126	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	0.95	0.038	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENICYL ALCOHOL	0.007	TESTED	0.93	0.037					
ALPHA-BISABOLOL	0.007	TESTED	0.73	0.029	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:		Extracted by:
ALPHA-PINENE	0.007	TESTED	0.63	0.025	6846, 4451, 585, 1440	0.8572g	05/09/25 12:17:43		4444
TRANS-NEROLIDOL	0.005	TESTED	0.50	0.020	Analytical Batch : DA0863097ER				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GC95-009				
BORNEOL	0.013	TESTED	ND	ND	Analysis Date : 05/12/25 10:54:51				Batch Date : 05/09/25 10:51:59
CAMPHENE	0.007	TESTED	ND	ND	Dilution : 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent : N/A				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)					1.741				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/12/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Whole Flower Pre-Roll Multipack 2.5g - Strwb Guav (S)
Strwb Guav (S)
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50508015-003

Harvest/Lot ID: 2885953604512262

Batch# : 2885953604512262

Sampled : 05/08/25

Ordered : 05/08/25

Sample Size Received : 11 units

Total Amount : 627 units

Completed : 05/12/25 Expires: 05/12/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.1624g	Extraction date: 05/09/25 14:52:22	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086298PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 05/09/25 10:00:02	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/12/25 13:15:45					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.1624g	Extraction date: 05/09/25 14:52:22	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086300VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 05/09/25 10:04:16	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 05/12/25 10:53:24					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
05/12/25



PASSED

Batch#: 2885953604512262 Sample Size Received: 11 units
Sampled: 05/08/25 Total Amount: 627 units
Ordered: 05/08/25 Completed: 05/12/25 Expires: 05/12/26
Sample Method: SOP T.20.010

Page 4 of 5

	Microbial					PASSED																																																																																																																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analized by: 3621, 585, 1440</td><td>Weight: 1.1624g</td><td>Extraction date: 05/09/25 14:52:22</td><td colspan="3">Extracted by: 450,585</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086299MYC Instrument Used : N/A Analized Date : 05/12/25 13:14:56</td></tr><tr><td colspan="6">Dilution : 250 Reagent : 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01 Consumables : 6698360-03 Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analized by: 3621, 585, 1440	Weight: 1.1624g	Extraction date: 05/09/25 14:52:22	Extracted by: 450,585			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086299MYC Instrument Used : N/A Analized Date : 05/12/25 13:14:56						Dilution : 250 Reagent : 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01 Consumables : 6698360-03 Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																										
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																										
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																										
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																										
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																										
Analized by: 3621, 585, 1440	Weight: 1.1624g	Extraction date: 05/09/25 14:52:22	Extracted by: 450,585																																																																																																																																												
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086299MYC Instrument Used : N/A Analized Date : 05/12/25 13:14:56																																																																																																																																															
Dilution : 250 Reagent : 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01 Consumables : 6698360-03 Pipette : DA-093; DA-094; DA-219																																																																																																																																															
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20						Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>100</td><td>PASS</td><td>100000</td></tr><tr><td>Analized by: 4520, 585, 1440</td><td>Weight: 1.0154g</td><td>Extraction date: 05/09/25 11:17:39</td><td colspan="3">Extracted by: 4520</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000	Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086270MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7270 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analized Date : 05/12/25 08:34:20																																																																																																																																															
Dilution : 10 Reagent : 030625.16; 030625.29; 041525.R13; 101624.10 Consumables : 7579004064 Pipette : N/A																																																																																																																																															
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																										
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																											
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																											
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																											
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																											
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																											
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000																																																																																																																																										
Analized by: 4520, 585, 1440	Weight: 1.0154g	Extraction date: 05/09/25 11:17:39	Extracted by: 4520																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209																																																																																																																																															

Signature
05/12/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Whole Flower Pre-Roll Multipack 2.5g - Strwb Guav (S)
Strwb Guav (S)
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50508015-003

Harvest/Lot ID: 2885953604512262

Batch# : 2885953604512262

Sampled : 05/08/25

Ordered : 05/08/25

Sample Size Received : 11 units

Total Amount : 627 units

Completed : 05/12/25 Expires: 05/12/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	12.3	PASS	15
Analyzed by: 1879, 585, 1440		Weight: 1g	Extraction date: 05/09/25 14:04:08			Extracted by: 1879	Analyzed by: 4797, 585, 1440		Weight: 0.499g	Extraction date: 05/09/25 12:24:33			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA086265FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/09/25 17:38:02						Batch Date : 05/08/25 15:55:56	Analysis Method : SOP.T.40.021 Analytical Batch : DA086314MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/10/25 12:43:41						Batch Date : 05/09/25 11:00:38
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.498	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.98g	Extraction date: 05/09/25 12:24:00	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA086312WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 05/09/25 10:55:51		
Analyzed Date : 05/12/25 08:34:39					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/12/25