



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50509006-003



Production Method: Cured
Harvest/Lot ID: 7141186560724097
Batch#: 7141186560724097
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 2339306065596546
Harvest Date: 05/08/25
Sample Size Received: 11 units
Total Amount: 970 units
Retail Product Size: 2.5 gram
Retail Serving Size: 2.5 gram
Servings: 1
Ordered: 05/09/25
Sampled: 05/09/25
Completed: 05/13/25
Sampling Method: SOP.T.20.010

May 13, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
20.488%

Total THC/Container : 512.200 mg



Total CBD
0.047%

Total CBD/Container : 1.175 mg



Total Cannabinoids
23.740%

Total Cannabinoids/Container : 593.500 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.446	20.573	ND	0.054	0.041	0.092	0.384	0.029	ND	ND	0.121
mg/unit	61.15	514.33	ND	1.35	1.03	2.30	9.60	0.73	ND	ND	3.03
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4044

Weight:
0.2126g

Extraction date:
05/12/25 10:05:06

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086371POT

Instrument Used : DA-LC-002

Analyzed Date : 05/13/25 19:10:30

Batch Date : 05/10/25 14:14:49

Dilution : 400

Reagent : 050725.R27; 021125.07; 042325.R32

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Whole Flower Pre-Roll Multipack 2.5g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50509006-003
Harvest/Lot ID : 7141186560724097

Batch# : 7141186560724097 Sample Size Received : 11 units
Sampled : 05/09/25 Total Amount : 970 units
Ordered : 05/09/25 Completed : 05/13/25 Expires: 05/13/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	33.00	1.320	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.43	0.337	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALIOL	0.007	TESTED	5.55	0.222	ALPHA-PHILANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	5.08	0.203	ALPHA-PINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	3.65	0.146	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.73	0.109	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	2.53	0.101	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.58	0.063	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.20	0.048	Analyzed by: 4853, 385, 4044				
FENCHYL ALCOHOL	0.007	TESTED	0.88	0.035	Weight: 1.016g				
TRANS-NEROLIDOL	0.005	TESTED	0.80	0.032	Extraction date: 05/10/25 10:31:39				
BETA-PINENE	0.007	TESTED	0.60	0.024	Extracted by: 1879, 4444				
3-CARENE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA086343TER				
CAMPHENE	0.007	TESTED	ND	ND	Instrument Used : DA-GC95-008				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 05/12/25 22:56:25				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : N/A				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FENCHONE	0.007	TESTED	ND	ND	Pipette : DA-065				
GERANIOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)				1.320					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Whole Flower Pre-Roll Multipack 2.5g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-003

Harvest/Lot ID: 7141186560724097

Batch# : 7141186560724097

Sampled : 05/09/25

Ordered : 05/09/25

Sample Size Received : 11 units

Total Amount : 970 units

Completed : 05/13/25 Expires: 05/13/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 4044	Weight: 1.1006g	Extraction date: 05/10/25 15:35:48	Extracted by: 4640,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086351PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 05/10/25 12:27:37	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/12/25 12:55:37					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 050825.R09; 050725.R30; 050725.R29; 050925.R13; 042925.R13; 050725.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 4044	Weight: 1.1006g	Extraction date: 05/10/25 15:35:48	Extracted by: 4640,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086353VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 05/10/25 12:29:11	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 05/12/25 12:54:00					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 050725.R29; 081023.01; 050525.R16; 050525.R17					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/13/25



Certificate of Analysis

PASSED



Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50509006-003
 Harvest/Lot ID: 7141186560724097

 Batch# : 7141186560724097 Sample Size Received : 11 units
 Sampled : 05/09/25 Total Amount : 970 units
 Ordered : 05/09/25 Completed : 05/13/25 Expires: 05/13/26
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED																																																																																																																																																																																																						
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>230</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4777, 4520, 585, 4044</td><td>Weight: 1.131g</td><td>Extraction date: 05/10/25 10:01:19</td><td>Extracted by: 4044,4777</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA086321MIC</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td colspan="3">Batch Date : 05/10/25 07:42:54</td></tr><tr><td colspan="6">Analyzed Date : 05/13/25 10:25:14</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 030625.19; 030625.25; 041525.R13; 101624.10</td></tr><tr><td colspan="6">Consumables : 7579004059</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	230	PASS	100000	Analyzed by: 4777, 4520, 585, 4044	Weight: 1.131g	Extraction date: 05/10/25 10:01:19	Extracted by: 4044,4777			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA086321MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 05/10/25 07:42:54			Analyzed Date : 05/13/25 10:25:14						Dilution : 10						Reagent : 030625.19; 030625.25; 041525.R13; 101624.10						Consumables : 7579004059						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3621, 585, 4044</td><td>Weight: 1.1006g</td><td>Extraction date: 05/10/25 15:35:48</td><td>Extracted by: 4640,585</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA086352MYC</td></tr><tr><td colspan="2">Instrument Used : N/A</td><td colspan="4">Batch Date : 05/10/25 12:29:09</td></tr><tr><td colspan="6">Analyzed Date : 05/12/25 12:38:38</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 050825.R09; 050725.R30; 050725.R29; 050925.R13; 042925.R13; 050725.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 6698360-03</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3621, 585, 4044	Weight: 1.1006g	Extraction date: 05/10/25 15:35:48	Extracted by: 4640,585			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA086352MYC						Instrument Used : N/A		Batch Date : 05/10/25 12:29:09				Analyzed Date : 05/12/25 12:38:38						Dilution : 250						Reagent : 050825.R09; 050725.R30; 050725.R29; 050925.R13; 042925.R13; 050725.R01; 081023.01						Consumables : 6698360-03						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																							
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																							
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																							
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																							
TOTAL YEAST AND MOLD	10	CFU/g	230	PASS	100000																																																																																																																																																																																																						
Analyzed by: 4777, 4520, 585, 4044	Weight: 1.131g	Extraction date: 05/10/25 10:01:19	Extracted by: 4044,4777																																																																																																																																																																																																								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																											
Analytical Batch : DA086321MIC																																																																																																																																																																																																											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 05/10/25 07:42:54																																																																																																																																																																																																								
Analyzed Date : 05/13/25 10:25:14																																																																																																																																																																																																											
Dilution : 10																																																																																																																																																																																																											
Reagent : 030625.19; 030625.25; 041525.R13; 101624.10																																																																																																																																																																																																											
Consumables : 7579004059																																																																																																																																																																																																											
Pipette : N/A																																																																																																																																																																																																											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																						
Analyzed by: 3621, 585, 4044	Weight: 1.1006g	Extraction date: 05/10/25 15:35:48	Extracted by: 4640,585																																																																																																																																																																																																								
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																											
Analytical Batch : DA086352MYC																																																																																																																																																																																																											
Instrument Used : N/A		Batch Date : 05/10/25 12:29:09																																																																																																																																																																																																									
Analyzed Date : 05/12/25 12:38:38																																																																																																																																																																																																											
Dilution : 250																																																																																																																																																																																																											
Reagent : 050825.R09; 050725.R30; 050725.R29; 050925.R13; 042925.R13; 050725.R01; 081023.01																																																																																																																																																																																																											
Consumables : 6698360-03																																																																																																																																																																																																											
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 4044</td><td>Weight: 0.2427g</td><td>Extraction date: 05/10/25 11:41:57</td><td>Extracted by: 4531,1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA086339HEA</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-004</td><td colspan="4">Batch Date : 05/10/25 09:53:23</td></tr><tr><td colspan="6">Analyzed Date : 05/12/25 22:36:27</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	<0.100	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 4044	Weight: 0.2427g	Extraction date: 05/10/25 11:41:57	Extracted by: 4531,1022			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA086339HEA						Instrument Used : DA-ICPMS-004		Batch Date : 05/10/25 09:53:23				Analyzed Date : 05/12/25 22:36:27						Dilution : 50						Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 4044</td><td>Weight: 0.2427g</td><td>Extraction date: 05/10/25 11:41:57</td><td>Extracted by: 4531,1022</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA086339HEA</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-004</td><td colspan="4">Batch Date : 05/10/25 09:53:23</td></tr><tr><td colspan="6">Analyzed Date : 05/12/25 22:36:27</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	<0.100	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 4044	Weight: 0.2427g	Extraction date: 05/10/25 11:41:57	Extracted by: 4531,1022			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA086339HEA						Instrument Used : DA-ICPMS-004		Batch Date : 05/10/25 09:53:23				Analyzed Date : 05/12/25 22:36:27						Dilution : 50						Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																						
ARSENIC	0.020	ppm	<0.100	PASS	0.2																																																																																																																																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																						
Analyzed by: 1022, 585, 4044	Weight: 0.2427g	Extraction date: 05/10/25 11:41:57	Extracted by: 4531,1022																																																																																																																																																																																																								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																											
Analytical Batch : DA086339HEA																																																																																																																																																																																																											
Instrument Used : DA-ICPMS-004		Batch Date : 05/10/25 09:53:23																																																																																																																																																																																																									
Analyzed Date : 05/12/25 22:36:27																																																																																																																																																																																																											
Dilution : 50																																																																																																																																																																																																											
Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06																																																																																																																																																																																																											
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																																																																											
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																						
ARSENIC	0.020	ppm	<0.100	PASS	0.2																																																																																																																																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																						
Analyzed by: 1022, 585, 4044	Weight: 0.2427g	Extraction date: 05/10/25 11:41:57	Extracted by: 4531,1022																																																																																																																																																																																																								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																											
Analytical Batch : DA086339HEA																																																																																																																																																																																																											
Instrument Used : DA-ICPMS-004		Batch Date : 05/10/25 09:53:23																																																																																																																																																																																																									
Analyzed Date : 05/12/25 22:36:27																																																																																																																																																																																																											
Dilution : 50																																																																																																																																																																																																											
Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06																																																																																																																																																																																																											
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																																																																											
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Whole Flower Pre-Roll Multipack 2.5g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-003

Harvest/Lot ID: 7141186560724097

Batch# : 7141186560724097

Sampled : 05/09/25

Ordered : 05/09/25

Sample Size Received : 11 units

Total Amount : 970 units

Completed : 05/13/25 Expires: 05/13/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.9	PASS	15
Analyzed by: 585, 4044	Weight: 1g	Extraction date: 05/12/25 23:00:57		Extracted by: 585		Analyzed by: 4797, 585, 4044	Weight: 0.504g	Extraction date: 05/10/25 12:20:36		Extracted by: 4797	
Analysis Method : SOP.T.40.090 Analytical Batch : DA086386FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/12/25 23:10:25						Analysis Method : SOP.T.40.021 Analytical Batch : DA086348MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/12/25 22:50:34					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.574	PASS	0.65
Analyzed by: 4797, 585, 4044	Weight: 0.743g	Extraction date: 05/10/25 12:19:21		Extracted by: 4797	
Analysis Method : SOP.T.40.019 Analytical Batch : DA086349WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 05/12/25 22:37:51					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/25