

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50509006-011

# Kaycha Labs

Cresco Crushed Diamonds 1g - Slurricrasher (H)

Slurricrasher (H)

Matrix: Derivative Classification: High THC

Type: Resin Production Method: Other - Not Listed

Harvest/Lot ID: 1157580963799036

Batch#: 1157580963799036

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1600594764375135

Harvest Date: 05/07/25

Sample Size Received: 16 units Total Amount: 436 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/09/25 Sampled: 05/09/25

Completed: 05/13/25 Revision Date: 05/14/25

Sampling Method: SOP.T.20.010

PASSED

# Pages 1 of 6

#### SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mvcotoxins PASSED** 



**Sunnyside** 

Residuals Solvents **PASSED** 



Filth **PASSED** 

Batch Date: 05/10/25 14:08:46



Water Activity **PASSED** 



Moisture **NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

May 14, 2025 | Sunnyside

Total THC

85.326% Total THC/Container: 853.260 mg



**Total CBD** 

Total CBD/Container: 0.000 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 975.710 ma

D9-THC CBDA D8-THC CBG CBGA CBN THCV CBDV CBC THCA 97.044 0.219 ND ND ND 0.027 0.281 ND ND ND ND 970.44 ND 0.27 2.81 ND ND 2.19 ND ND ND ND mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD 0.001 0.001 % % % % % % % % Extraction date: 05/12/25 10:11:13 Extracted by:

Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA086368POT Instrument Used: DA-LC-003

Analyzed Date: 05/12/25 22:56:53

Reagent: 050625.R03; 021125.07; 043025.R34

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

**PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/25





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50509006-011 Harvest/Lot ID: 1157580963799036

Batch#: 1157580963799036 Sample Size Received: 16 units Sampled: 05/09/25 Ordered: 05/09/25

Total Amount: 436 units Completed: 05/13/25 Expires: 05/14/26 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)		mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	5.91	0.591		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	1.56	0.156		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	0.88	0.088		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	0.77	0.077		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	0.63	0.063		BETA-PINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	0.57	0.057		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.49	0.049		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
CIMENE	0.007	TESTED	0.49	0.049		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	0.30	0.030		Analyzed by:	Weight:	E	xtraction date		Extracted by:
LPHA-PINENE	0.007	TESTED	0.22	0.022	To the second se	4451, 585, 4044	0.2164g		5/10/25 13:15		4444
-CARENE	0.007	TESTED	ND	ND		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.	FL				
ORNEOL	0.013	TESTED	ND	ND		Analytical Batch : DA086345TER Instrument Used : DA-GCMS-004				Batch Date : 05/10/25 10:08:23	
AMPHENE	0.007	TESTED	ND	ND		Analyzed Date : 05/13/25 08:26:48				Batch Date : U3/10/23 10:U0:23	
AMPHOR	0.007	TESTED	ND	ND		Dilution: 10					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Reagent : N/A					
EDROL	0.007	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 00003	55309				
UCALYPTOL	0.007	TESTED	ND	ND		Pipette : DA-065					
ARNESENE	0.001	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	y Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ENCHONE	0.007	TESTED	ND	ND		İ					
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND		İ					
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND		ĺ					
IEROL	0.007	TESTED	ND	ND		İ					
ULEGONE	0.007	TESTED	ND	ND		İ					
ABINENE	0.007	TESTED	ND	ND		İ					
ABINENE HYDRATE	0.007	TESTED	ND	ND							
ALENCENE	0.007	TESTED	ND	ND							
LPHA-BISABOLOL	0.007	TESTED	ND	ND							
L (0/ )				0.501							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50509006-011 Harvest/Lot ID: 1157580963799036

Batch#: 1157580963799036 Sample Size Received: 16 units Sampled: 05/09/25

Total Amount : 436 units Ordered: 05/09/25 Completed: 05/13/25 Expires: 05/14/26

Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

# **PASSED**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	F F	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	P. P.	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBEN	IZENE (DCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	ILLIVE (FCND)	0.010		0.13	PASS	ND
ORMEQUAT CHLORIDE	0.010		1	PASS	ND			0.010		0.7	PASS	ND
ORPYRIFOS	0.010		0.1	PASS PASS	ND	CAPTAN *					PASS	
PENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1		ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
IINOZIDE	0.010			PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by	:
ETHOATE	0.010		0.1	PASS	ND ND	3621, 585, 4044	0.2517g	05/12/25	15:41:35		4640,450,585	5
IOPROPHOS	0.010			PASS		Analysis Method: SOP.T.3		02.FL				
PENPROX	0.010		0.1	PASS	ND ND	Analytical Batch : DA0863					DE 12 22 42	
XAZOLE	0.010		0.1	PASS	ND ND	Instrument Used : DA-LCM Analyzed Date : 05/13/25			Batch	Date: 05/10/	25 12:32:42	
HEXAMID			0.1	PASS	ND ND	Dilution: 250	17.20.33					
IOXYCARB	0.010		0.1	PASS	ND ND	Reagent: 050825.R07; 05	0725.R30: 050725.R	29: 050825.R0	8: 042925.R	13: 050725.R0	01: 081023.01	
IPYROXIMATE RONIL	0.010		0.1	PASS	ND	Consumables : 6698360-0	)3	.,	.,	.,		
	0.010		0.1	PASS	ND	Pipette: DA-093; DA-094;	DA-219					
ONICAMID IDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural ager		ng Liquid Chrom	natography T	riple-Quadrupo	le Mass Spectror	netry in
IDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 6						
AZALIL	0.010		0.1	PASS	ND	Analyzed by: 450, 585, 4044	<b>Weight:</b> 0.2517g	05/12/25 1			Extracted by 4640.450.585	
DACLOPRID	0.010		0.1	PASS	ND	Analysis Method : SOP.T.3			J.41.JJ		+040,430,363	
SOXIM-METHYL	0.010		0.4	PASS	ND	Analytical Batch : DA0863		1911L				
ATHION	0.010		0.1	PASS	ND	Instrument Used : DA-GCN			Batch D	ate:05/10/25	12:34:28	
ALAXYL	0.010		0.2	PASS	ND	Analyzed Date: 05/13/25	14:27:40					
HIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
THOCARB	0.010		0.1	PASS	ND	Reagent: 050725.R29; 08						
VINPHOS	0.010		0.1	PASS	ND	Consumables: 6698360-0 Pipette: DA-080; DA-146;		/3601				
	0.010		0.1	PASS	ND	Testing for agricultural ager		a Cas Chra	oaranhu T-i-	la Ouadrus -1-	Mass Coostrans	tor in
CLOBUTANIL												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50509006-011 Harvest/Lot ID: 1157580963799036

Batch#: 1157580963799036 Sample Size Received: 16 units Sampled: 05/09/25 Ordered: 05/09/25

Total Amount: 436 units Completed: 05/13/25 Expires: 05/14/26 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 4451, 585, 4044	<b>Weight:</b> 0.0226a	Extraction date: 05/10/25 13:28:15		Extracted by: 4571 1879 445		

05/10/25 13:28:15 451, 585, 4044 0.0226g 4571,1879,4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086366SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 05/12/25 12:34:56

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

Batch Date: 05/10/25 13:13:40

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



# Kaycha Labs Cresco Crushed Diamonds 1g - Slurricrasher (H) Slurricrasher (H) Matrix : Derivative Type: Resin

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50509006-011 Harvest/Lot ID: 1157580963799036

Batch#: 1157580963799036 Sample Size Received: 16 units Sampled: 05/09/25

Total Amount: 436 units Ordered: 05/09/25 Completed: 05/13/25 Expires: 05/14/26 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**

# **PASSED**



AFLATOXIN G2

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4777, 4520, 585, 4044 Weight: **Extraction date:** Extracted by: 0.91g 05/10/25 10:02:42 4044,4777

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA086321MIC \\ \end{array}$ 

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/10/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 05/13/25 10:25:22

Dilution: 10

Reagent: 030625.19; 030625.25; 041525.R13; 101624.10

Consumables: 7579004059

Pipette: N/A

Pipette: N/A

Ç.	Mycotoxins
alyte	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN I	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN I	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02
AFLATOXIN (	G1	0.002	ppm	ND	PASS	0.02

0.002 ppm

ND

Batch Date: 05/10/25 12:34:26

PASS

0.02

Analyzed by: **Extraction date:** Extracted by: Weight: 3621, 585, 4044 0.2517g 05/12/25 15:41:35 4640,450,585

Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch: DA086358MYC Instrument Used : N/A

Analyzed Date: 05/13/25 08:26:31

Dilution: 250

Reagent: 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01

Consumables: 6698360-03 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

### **PASSED**

Analyzed by: 4777, 4892, 585, 4044	Weight: 0.91g	Extraction date: 05/10/25 10:02:42	Extracted by: 4044,4777
Analysis Method : SOP.T.40.2 Analytical Batch : DA086329T Instrument Used : Incubator ( DA-382] Analyzed Date : 05/12/25 12:	YM 25*C) DA- 328	3 [calibrated with <b>Ba</b> r	tch Date : 05/10/25 07:51:5
Dilution: 10 Reagent: 030625.19; 030625 Consumables: N/A	5.25; 022625.	R53	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

.52 Metal Pass / LOD Units Result Action Fail Level PASS TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND 1.1 ARSENIC PASS 0.020 ppm ND 0.2 CADMIUM 0.020 ppm ND PASS 0.2 0.020 ppm MERCURY ND PASS 0.2 LEAD 0.020 ppm PASS 0.5 ND

Analyzed by: 1022, 585, 4044 Extracted by: 05/10/25 13:19:42 0.2388a 4531.1022

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086341HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/10/25 10:00:15 **Analyzed Date :** 05/13/25 10:45:40

Dilution: 50

Reagent: 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32;

120324.07; 050825.R06

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50509006-011 Harvest/Lot ID: 1157580963799036

Batch#: 1157580963799036 Sample Size Received: 16 units Sampled: 05/09/25

Total Amount: 436 units Ordered: 05/09/25 Completed: 05/13/25 Expires: 05/14/26 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Analyzed by: 585, 4044 Extraction date: Weight: 1g 05/12/25 23:00:59 585

Analysis Method: SOP.T.40.090 Analytical Batch : DA086386FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/11/25 14:19:21 **Analyzed Date :** 05/12/25 23:10:29

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyte	L	OD Units	Result	P/F	Action Level
Water Activity	0	0.010 aw	0.511	PASS	0.85
Analyzed by: 4797, 585, 4044	Weight: 0.3107g	Extraction d 05/10/25 14			tracted by: 97

Analysis Method: SOP.T.40.019 Analytical Batch: DA086350WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/10/25 10:16:32

Analyzed Date: 05/12/25 22:52:07

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164