



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50509006-013



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 5327393132532361  
**Batch#:** 5327393132532361  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 9027773190759494  
**Harvest Date:** 05/07/25  
**Sample Size Received:** 4 units  
**Total Amount:** 598 units  
**Retail Product Size:** 30 ml  
**Servings:** 1  
**Sample Density:** 1.0 g/mL  
**Ordered:** 05/09/25  
**Sampled:** 05/09/25  
**Completed:** 05/13/25  
**Revision Date:** 05/14/25  
**Sampling Method:** SOP.T.20.010

May 14, 2025 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.

**TESTED**



**Cannabinoid**



**Total THC**  
**1.262%**  
 Total THC/Container : 378.600 mg



**Total CBD**  
**0.255%**  
 Total CBD/Container : 76.500 mg



**Total Cannabinoids**  
**1.659%**  
 Total Cannabinoids/Container : 497.700 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.262	ND	0.255	ND	ND	0.091	ND	<0.010	0.011	ND	0.040
mg/unit	378.60	ND	76.50	ND	ND	27.30	ND	<3.00	3.30	ND	12.00
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 4044

Weight:  
3.0599g

Extraction date:  
05/12/25 10:11:13

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA086368POT  
 Instrument Used : DA-LC-003  
 Analyzed Date : 05/12/25 22:57:01

Batch Date : 05/10/25 14:08:46

Dilution : 400  
 Reagent : 050625.R03; 021125.07; 043025.R34  
 Consumables : 947.110; 04312111; 062224CH01; 0000355309  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



Signature  
 05/13/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs



Remedi 1:5 CBD:THC 500mg Tincture- Green Apple  
 Green Apple  
 Matrix : Derivative  
 Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-013  
 Harvest/Lot ID : 5327393132532361  
 Batch# : 5327393132532361 Sample Size Received : 4 units  
 Sampled : 05/09/25 Total Amount : 598 units  
 Ordered : 05/09/25 Completed : 05/13/25 Expires: 05/14/26  
 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	1198.50	3.995	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	1162.50	3.875	ALPHA-TERPINEOL	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	12.90	0.043	ALPHA-TERPHOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	12.60	0.042	BETA-CARYOPHYLLENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	10.50	0.035	BETA-PINENE	0.007	TESTED	ND	ND
3-CARENE	0.007	TESTED	ND	ND	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BORNEOL	0.013	TESTED	ND	ND	GAMMA-TERPINENE	0.007	TESTED	ND	ND
CAMPHENE	0.007	TESTED	ND	ND	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.2125g	Extraction date: 05/10/25 13:15:20	Extracted by: 4644	
CEDROL	0.007	TESTED	ND	ND	Analytical Batch : DA086345TER				Batch Date : 05/10/25 10:08:23
EUCALYPTOL	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-004				
FARNESENE	0.001	TESTED	ND	ND	Analysis Date : 05/13/25 08:26:51				
FENCHONE	0.007	TESTED	ND	ND	Dilution : 10				
FENCHYL ALCOHOL	0.007	TESTED	ND	ND	Reagent : N/A				
GERANIOL	0.007	TESTED	ND	ND	Consumables : 947.110, 04402004; 2240626; 0000355309				
GERANYL ACETATE	0.007	TESTED	ND	ND	Pipette : DA-065				
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
LINALDOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
ALPHA-CEDRENE	0.005	TESTED	ND	ND					
ALPHA-HUMULENE	0.007	TESTED	ND	ND					
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND					
ALPHA-PINENE	0.007	TESTED	ND	ND					
<b>Total (%)</b>				<b>3.995</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164

Signature  
 05/13/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-013  
Harvest/Lot ID : 5327393132532361

Batch# : 5327393132532361 Sample Size Received : 4 units  
Sampled : 05/09/25 Total Amount : 598 units  
Ordered : 05/09/25 Completed : 05/13/25 Expires: 05/14/26  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINO CYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 3621, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL <b>Analytical Batch :</b> DA086357PES <b>Instrument Used :</b> DA-LCMS-005 (PES) <b>Batch Date :</b> 05/10/25 12:32:42 <b>Analyzed Date :</b> 05/13/25 14:28:55 <b>Dilution :</b> 250 <b>Reagent :</b> 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01 <b>Consumables :</b> 6698360-03 <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	2	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	2	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 050725.R29; 081023.01; 050525.R16; 050525.R17 <b>Consumables :</b> 6698360-03; 040724CH01; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2529g <b>Extraction date:</b> 05/12/25 15:41:36 <b>Extracted by:</b> 4640,450,585 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA086359VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/10/25 12:34:28 <b>Analyzed Date :</b> 05/13/25 14:27:42 <b>Dilution :</b> 250 <b>Reagent :</b> 0507					



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-013

Harvest/Lot ID: 5327393132532361

Batch# : 5327393132532361

Sampled : 05/09/25

Ordered : 05/09/25

Sample Size Received : 4 units

Total Amount : 598 units

Completed : 05/13/25 Expires: 05/14/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 4451, 585, 4044	Weight: 0.0201g	Extraction date: 05/10/25 13:28:48	Extracted by: 4571,1879,4451
---------------------------------	--------------------	---------------------------------------	---------------------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA08636650L  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 05/12/25 12:34:57

Batch Date : 05/10/25 13:13:40

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 05/13/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-013  
Harvest/Lot ID: 5327393132532361

Batch# : 5327393132532361 Sample Size Received : 4 units  
Sampled : 05/09/25 Total Amount : 598 units  
Ordered : 05/09/25 Completed : 05/13/25 Expires: 05/14/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4777, 4520, 585, 4044 Weight: 1.14g Extraction date: 05/10/25 10:02:42 Extracted by: 4044,4777  
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA086321MIC  
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 05/10/25 07:42:54  
Analyzed Date : 05/13/25 10:25:25

Dilution : 10  
Reagent : 030625.19; 030625.25; 041525.R13; 101624.10  
Consumables : 7579004059  
Pipette : N/A

Analyzed by: 4777, 4892, 585, 4044 Weight: 1.14g Extraction date: 05/10/25 10:02:42 Extracted by: 4044,4777

Analysis Method : SOP.T.40.209.FL  
Analytical Batch : DA086329TYM  
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 05/10/25 07:51:52  
Analyzed Date : 05/12/25 12:54:51

Dilution : 10  
Reagent : 030625.19; 030625.25; 022625.R53  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 4044 Weight: 0.2529g Extraction date: 05/12/25 15:41:36 Extracted by: 4640,450,585

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : DA086358MYC  
Instrument Used : N/A Batch Date : 05/10/25 12:34:26  
Analyzed Date : 05/13/25 08:26:32

Dilution : 250  
Reagent : 050825.R07; 050725.R30; 050725.R29; 050825.R08; 042925.R13; 050725.R01; 081023.01  
Consumables : 6698360-03  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4044 Weight: 0.2319g Extraction date: 05/10/25 13:21:14 Extracted by: 4531,1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA086341HEA  
Instrument Used : DA-ICPMS-004 Batch Date : 05/10/25 10:00:15  
Analyzed Date : 05/13/25 10:45:42

Dilution : 50  
Reagent : 041425.R05; 042225.R05; 050525.R33; 050925.R16; 050525.R31; 050525.R32; 120324.07; 050825.R06  
Consumables : 040724CH01; J609879-0193; 179436  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
05/13/25



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs



Remedi 1:5 CBD:THC 500mg Tincture- Green Apple  
 Green Apple  
 Matrix : Derivative  
 (usable products)

Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA50509006-013  
 Harvest/Lot ID: 5327393132532361  
 Batch# : 5327393132532361 Sample Size Received : 4 units  
 Sampled : 05/09/25 Total Amount : 598 units  
 Ordered : 05/09/25 Completed : 05/13/25 Expires: 05/14/26  
 Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 4044	Weight: 1g	Extraction date: 05/12/25 23:00:59	Extracted by: 585
------------------------	------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA086386FIL  
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 05/11/25 14:19:21  
 Analyzed Date : 05/12/25 23:10:31

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>TESTED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.463	TESTED	

Analyzed by: 4797, 585, 4044	Weight: 0.2419g	Extraction date: 05/10/25 14:08:38	Extracted by: 4797
------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA086350WAT  
 Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 05/10/25 10:16:32  
 Analyzed Date : 05/12/25 22:52:08

Dilution : N/A  
 Reagent : 101724.36  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 05/13/25