



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50513008-002



Production Method: Other - Not Listed
Harvest/Lot ID: 0408013509774238
Batch#: 0408013509774238
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 7307144021548357
Harvest Date: 05/08/25
Sample Size Received: 31 units
Total Amount: 575 units
Retail Product Size: 0.5 gram
Servings: 1
Ordered: 05/13/25
Sampled: 05/13/25
Completed: 05/16/25
Sampling Method: SOP.T.20.010

May 16, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US



PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
84.970%

Total THC/Container : 424.850 mg



Total CBD
0.157%

Total CBD/Container : 0.785 mg



Total Cannabinoids
89.766%

Total Cannabinoids/Container : 448.830 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.892	0.090	0.157	ND	ND	3.651	ND	0.058	0.298	ND	0.620
mg/unit	424.46	0.45	0.79	ND	ND	18.26	ND	0.29	1.49	ND	3.10
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.105g

Extraction date:
05/14/25 10:35:21

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA086442POT
Instrument Used : DA-LC-003
Analyzed Date : 05/15/25 09:14:24

Batch Date : 05/14/25 08:40:35

Dilution : 400
Reagent : 050825.R04; 021125.07; 051225.R01
Consumables : 947.110; 04312111; 062224CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/16/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50513008-002
Harvest/Lot ID : 0408013509774238

Batch# : 0408013509774238 Sample Size Received : 31 units
Sampled : 05/13/25 Total Amount : 575 units
Ordered : 05/13/25 Completed : 05/16/25 Expires: 05/16/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	26.19	5.237	ISOPULLEGOL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	7.24	1.448	NEROL	0.007	TESTED	ND	ND
LINALIOL	0.007	TESTED	3.24	0.647	PULEGONE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	2.91	0.582	SABINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.25	0.450	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.26	0.251	VALENCENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.22	0.244	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.21	0.241	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FARNESENE	0.001	TESTED	1.02	0.204					
TRANS-NEROLIDOL	0.005	TESTED	0.85	0.169	Analyzed by: 6846, 4431, 585, 1440 Weight: 0.1903g Extraction date: 05/14/25 11:17:37 Extracted by: 4444 Analysis Method : SOP.T.30.061A.FL SOP.T.40.061A.FL Analytical Batch : DA08B6488TER Instrument Used : DA-GCMS-004 Batch Date : 05/14/25 09:10:43 Analyzed Date : 05/15/25 09:22:03 Dilution : 10 Reagent : 022525.48 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065				
ALPHA-BISABOLOL	0.007	TESTED	0.84	0.168	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry weight corrected.				
BORNEOL	0.013	TESTED	0.68	0.135					
ALPHA-PINENE	0.007	TESTED	0.48	0.096					
OCHRENE	0.007	TESTED	0.40	0.080					
BETA-PINENE	0.007	TESTED	0.39	0.077					
GERANIOL	0.007	TESTED	0.36	0.071					
CARYOPHYLLENE OXIDE	0.007	TESTED	0.31	0.062					
FENCHONE	0.007	TESTED	0.30	0.060					
ALPHA-TERPINOLENE	0.007	TESTED	0.28	0.055					
GAMMA-TERPINENE	0.007	TESTED	0.23	0.046					
CAMPHERE	0.007	TESTED	0.22	0.043					
GUAJOL	0.007	TESTED	0.20	0.040					
ALPHA-TERPINENE	0.007	TESTED	0.19	0.037					
ALPHA-PHELLANDRENE	0.007	TESTED	0.16	0.031					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
Total (%)				5.237					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
05/16/25



Certificate of Analysis

PASSED

Sunnyside

Sample : DA50513008-002
Harvest/Lot ID: 0408013509774238

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 0408013509774238 Sample Size Received : 31 units
Sampled : 05/13/25 Total Amount : 575 units
Ordered : 05/13/25 Completed : 05/16/25 Expires: 05/16/26
Sample Method : SOP.T.20.010


Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086453PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 05/14/25 09:31:37 Analyzed Date : 05/15/25 09:36:40 Dilution : 25 Reagent : 051025.R04; 050725.R30; 051025.R06; 050825.R08; 042925.R13; 050725.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423-02; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086456VOL Instrument Used : DA-GCMS-010 Batch Date : 05/14/25 09:35:29 Analyzed Date : 05/15/25 09:34:14 Dilution : 25 Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 Consumables : 6822423					



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA50513008-002
Harvest/Lot ID: 0408013509774238
Batch# : 0408013509774238
Sampled : 05/13/25
Ordered : 05/13/25
Sample Size Received : 31 units
Total Amount : 575 units
Completed : 05/16/25 Expires: 05/16/26
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND


Analyzed by: 4451, 585, 1440	Weight: 0.0202g	Extraction date: 05/14/25 10:24:27	Extracted by: 4451
---------------------------------	--------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA08645050L
 Instrument Used : DA-GCMS-012
 Analyzed Date : 05/15/25 09:09:35

Batch Date : 05/14/25 09:15:24

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 315545
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50513008-002
Harvest/Lot ID: 0408013509774238

Batch# : 0408013509774238 Sample Size Received : 31 units
Sampled : 05/13/25 Total Amount : 575 units
Ordered : 05/13/25 Completed : 05/16/25 Expires: 05/16/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4777, 4520, 585, 1440 Weight: 1.0033g Extraction date: 05/14/25 10:46:27 Extracted by: 4520,4777 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086436MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 05/14/25 09:37:45 Analyzed Date : 05/15/25 09:31:41 Dilution : 10 Reagent : 030625.22; 030625.25; 041525.R13; 101624.10 Consumables : 7579004056 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 0.2046g Extraction date: 05/14/25 11:18:11 Extracted by: 4640,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086455MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 05/14/25 09:35:27 Analyzed Date : 05/15/25 09:37:45 Dilution : 25 Reagent : 051025.R04; 050725.R30; 051025.R06; 050825.R08; 042925.R13; 050725.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURIUM	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2219g Extraction date: 05/14/25 11:01:02 Extracted by: 4531,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA086452HEA Instrument Used : DA-ICPMS-004 Batch Date : 05/14/25 09:30:49 Analyzed Date : 05/15/25 11:23:22 Dilution : 50 Reagent : 042225.R05; 051225.R08; 050925.R16; 051225.R06; 051225.R07; 120324.07; 050825.R06; 051225.R09 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURIUM	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2219g Extraction date: 05/14/25 11:01:02 Extracted by: 4531,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA086452HEA Instrument Used : DA-ICPMS-004 Batch Date : 05/14/25 09:30:49 Analyzed Date : 05/15/25 11:23:22 Dilution : 50 Reagent : 042225.R05; 051225.R08; 050925.R16; 051225.R06; 051225.R07; 120324.07; 050825.R06; 051225.R09 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
---	--	--	--	--	--



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Zushi (I)
 Zushi (I)
 Matrix : Derivative
 Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA50513008-002
 Harvest/Lot ID: 0408013509774238
 Batch# : 0408013509774238 Sample Size Received : 31 units
 Sampled : 05/13/25 Total Amount : 575 units
 Ordered : 05/13/25 Completed : 05/16/25 Expires: 05/16/26
 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/14/25 10:56:06	Extracted by: 585
------------------------------	------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA086464FIL
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 05/14/25 10:25:32
 Analyzed Date : 05/15/25 12:45:32

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.443	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.3574g	Extraction date: 05/14/25 11:34:19	Extracted by: 4797
------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA086463WAT
 Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 05/14/25 09:50:41
 Analyzed Date : 05/15/25 09:14:01

Dilution : N/A
 Reagent : 101724.36
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 05/16/25