

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50513008-003



May 16, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.


Cannabinoid
TESTED


Total THC

86.391%

Total THC/Container : 863.910 mg



Total CBD

0.152%

Total CBD/Container : 1.520 mg



Total Cannabinoids

91.256%

Total Cannabinoids/Container : 912.560 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 86.292 | 0.113 | 0.152 | ND | ND | 3.719 | ND | 0.058 | 0.300 | ND | 0.622 |
| mg/unit | 862.92 | 1.13 | 1.52 | ND | ND | 37.19 | ND | 0.58 | 3.00 | ND | 6.22 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1073g

Extraction date:
05/14/25 10:35:21

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086442POT

Instrument Used : DA-LC-003

Analyzed Date : 05/15/25 09:23:04

Batch Date : 05/14/25 08:40:35

Dilution : 400

Reagent : 050825.R04; 021125.07; 051225.R01

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/16/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Zushi (I)
Zushi (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50513008-003
Harvest/Lot ID: 7388448346920999

Batch# : 7388448346920999 Sample Size Received : 16 units
Sampled : 05/13/25 Total Amount : 936 units
Ordered : 05/13/25 Completed : 05/16/25 Expires: 05/16/26
Sample Method : SOP.T.20.010

Page 2 of 6

| Terpenes | | | | | TESTED | | | | |
|---------------------|---------|-----------|---------|------------|--|---------|-----------|---------|------------|
| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
| TOTAL TERPENES | 0.007 | TESTED | 51.62 | 5.162 | NEROL | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 16.38 | 1.438 | PULEGONE | 0.007 | TESTED | ND | ND |
| LINALOOL | 0.007 | TESTED | 6.41 | 0.641 | SABINENE | 0.007 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 5.77 | 0.577 | SABINENE HYDRATE | 0.007 | TESTED | ND | ND |
| ALPHA-HUMULENE | 0.007 | TESTED | 4.52 | 0.452 | VALENCENE | 0.007 | TESTED | ND | ND |
| ALPHA-TERPINEOL | 0.007 | TESTED | 2.46 | 0.246 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| FENCHYL ALCOHOL | 0.007 | TESTED | 2.44 | 0.244 | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 2.42 | 0.242 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| FARNESENE | 0.001 | TESTED | 2.05 | 0.205 | Analyzed by: 6846, 4453, 585, 1440 | | | | |
| TRANS-NEROLIDOL | 0.005 | TESTED | 1.69 | 0.169 | Weight: 1920g | | | | |
| ALPHA-BISABOLOL | 0.007 | TESTED | 1.66 | 0.166 | Extraction date: 05/14/25 11:17:37 | | | | |
| BORNEOL | 0.013 | TESTED | 1.33 | 0.133 | Extracted by: 4444 | | | | |
| ALPHA-PINENE | 0.007 | TESTED | 0.93 | 0.093 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| OCIMENE | 0.007 | TESTED | 0.90 | 0.090 | Analytical Batch : DA086488TER | | | | |
| BETA-PINENE | 0.007 | TESTED | 0.75 | 0.075 | Instrument Used : DA-GC/MS-004 | | | | |
| GERANIOL | 0.007 | TESTED | 0.70 | 0.070 | Analyzed Date : 05/15/25 09:23:05 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | 0.61 | 0.061 | Dilution : 10 | | | | |
| FENCHONE | 0.007 | TESTED | 0.58 | 0.058 | Reagent : 022525.48 | | | | |
| ALPHA-TERPINOLENE | 0.007 | TESTED | 0.54 | 0.054 | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | |
| GAMMA-TERPINENE | 0.007 | TESTED | 0.46 | 0.046 | Pipette : DA-065 | | | | |
| CAMPHENE | 0.007 | TESTED | 0.42 | 0.042 | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| GUAIOL | 0.007 | TESTED | 0.39 | 0.039 | | | | | |
| ALPHA-PIELANDRENE | 0.007 | TESTED | 0.31 | 0.031 | | | | | |
| 3-CARENE | 0.007 | TESTED | ND | ND | | | | | |
| CAMPHOR | 0.007 | TESTED | ND | ND | | | | | |
| CEDROL | 0.007 | TESTED | ND | ND | | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| HEXAHYDROTHYMOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | | 5.162 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/16/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Zushi (I)

Zushi (I)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50513008-003

Harvest/Lot ID: 7388448346920999

Batch# : 7388448346920999

Sampled : 05/13/25

Ordered : 05/13/25

Sample Size Received : 16 units

Total Amount : 936 units

Completed : 05/16/25 Expires: 05/16/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|------------------------|-----------|--------------------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 585, 1440 | Weight: 0.2729g | Extraction date: 05/14/25 11:18:11 | Extracted by: 4640,585 | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA086453PES | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | | | | Batch Date : 05/14/25 09:31:37 |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/15/25 09:36:41 | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 25 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 051025.R04; 050725.R30; 051025.R06; 050825.R08; 042925.R13; 050725.R01; 081023.01 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 6822423-02 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 0.2729g | Extraction date: 05/14/25 11:18:11 | Extracted by: 4640,585 | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA086456VOL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-010 | | | | | Batch Date : 05/14/25 09:35:29 |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/15/25 09:34:15 | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Dilution : 25 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 051025.R06; 081023.01; 050525.R16; 050525.R17 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Consumables : 6822423-02; 040724CH01; 17473601 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/16/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Zushi (I)

Zushi (I)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50513008-003

Harvest/Lot ID: 7388448346920999

Batch# : 7388448346920999

Sampled : 05/13/25

Ordered : 05/13/25

Sample Size Received : 16 units

Total Amount : 936 units

Completed : 05/16/25 Expires: 05/16/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
4451, 585, 1440

Weight:
0.023g

Extraction date:
05/14/25 10:24:27

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA086450SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 05/15/25 09:09:36

Batch Date : 05/14/25 09:15:24

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/16/25



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50513008-003
Harvest/Lot ID: 7388448346920999

Batch# : 7388448346920999 Sample Size Received : 16 units
Sampled : 05/13/25 Total Amount : 936 units
Ordered : 05/13/25 Completed : 05/16/25 Expires: 05/16/26
Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | |
|---|--------------------|---------------------------------------|---------------|----------------------------|---------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 4777, 4520, 585, 1440 | Weight: 0.8895g | Extraction date: 05/14/25 10:46:27 | | Extracted by: 4520,4777 | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086436MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 05/15/25 09:31:41 | | | | | |
| Dilution : 10 Reagent : 030625.22; 030625.25; 041525.R13; 101624.10 Consumables : 7579004056 Pipette : N/A | | | | | |
| Analyzed by: 4777, 4520, 585, 1440 | Weight: 0.8895g | Extraction date: 05/14/25 10:46:27 | | Extracted by: 4520,4777 | |
| Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086440TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 05/16/25 11:29:05 | | | | | |
| Dilution : 10 Reagent : 030625.22; 030625.25; 022625.R53 Consumables : N/A Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |


| | | | | | |
|--|--------------------|---------------------------------------|---------------|---------------------------|---------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3621, 585, 1440 | Weight: 0.2729g | Extraction date: 05/14/25 11:18:11 | | Extracted by: 4640,585 | |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086455MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 05/15/25 09:37:45 | | | | | |
| Dilution : 25 Reagent : 051025.R04; 050725.R30; 051025.R06; 050825.R08; 042925.R13; 050725.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|--|---------------------|---------------------------------------|---------------|----------------------------|---------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 | Weight: 0.2603g | Extraction date: 05/14/25 11:05:32 | | Extracted by: 4531,4056 | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA086452HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 05/15/25 11:23:22 | | | | | |
| Dilution : 50 Reagent : 042225.R05; 051225.R08; 050925.R16; 051225.R06; 051225.R07; 120324.07; 050825.R06; 051225.R09 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Zushi (I)
Zushi (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50513008-003

Harvest/Lot ID: 7388448346920999

Batch# : 7388448346920999

Sampled : 05/13/25

Ordered : 05/13/25

Sample Size Received : 16 units

Total Amount : 936 units

Completed : 05/16/25 Expires: 05/16/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 05/14/25 10:56:06 | Extracted by: 585 |
|---------------------------------|---------------|---------------------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA086464FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 05/14/25 10:25:32

Analyzed Date : 05/15/25 12:45:33

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.581 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4797, 585, 1440 | Weight: 0.4607g | Extraction date: 05/14/25 11:34:52 | Extracted by: 4797 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA086463WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 05/14/25 09:50:41

Analyzed Date : 05/15/25 09:14:02

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/16/25