

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50514007-009

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Rntz x Jlsy (I)

Rntz x Jlsy (I)

Classification: High THC

Matrix: Derivative Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 4089813350331884

Batch#: 4089813350331884

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3823991890573079

Harvest Date: 05/12/25

Sample Size Received: 16 units Total Amount: 956 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/14/25 Sampled: 05/14/25

Completed: 05/17/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

May 17, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US



SAFETY RESULTS

Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 05/15/25 08:47:15



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 83.841%

Total THC/Container: 838.410 mg




Total CBD 0.134%

Total CBD/Container: 1.340 mg



Total Cannabinoids

Total Cannabinoids/Container: 877.100



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086477POT Instrument Used: DA-LC-003 Analyzed Date: 05/16/25 09:02:09

Reagent: 050625.R03; 021125.07; 051225.R02
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 05/17/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs Cresco Liquid Live Resin Cartridge 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50514007-009 Harvest/Lot ID: 4089813350331884

Sampled: 05/14/25 Ordered: 05/14/25

Batch#: 4089813350331884 Sample Size Received: 16 units Total Amount: 956 units Completed: 05/17/25 Expires: 05/17/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	58.38	5.838		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	22.65	2.265		VALENCENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	9.58	0.958		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LINALOOL	0.007	TESTED	6.09	0.609		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	5.80	0.580		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	4.27	0.427		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ARNESENE	0.007	TESTED	2.73	0.273		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.98	0.198	Ī	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TESTED	1.51	0.151		Analyzed by:	Weight:		Extraction date	15	Extracted by:
LPHA-TERPINEOL	0.007	TESTED	1.25	0.125		4451, 585, 1440	0.2577g		05/15/25 11:36	5:09	4451
ENCHYL ALCOHOL	0.007	TESTED	1.06	0.106		Analysis Method: SOP.T.30.061A.FL, SOP.7	T.40.061A.FL				
BETA-PINENE	0.007	TESTED	0.47	0.047		Analytical Batch : DA086486TER Instrument Used : DA-GCMS-008				Batch Date : 05/15/25 09	16.27
ALPHA-PINENE	0.007	TESTED	0.44	0.044		Analyzed Date : 05/16/25 10:50:31				Batch Date : 03/13/23 05	10.27
ARYOPHYLLENE OXIDE	0.007	TESTED	0.33	0.033		Dilution: 10					
ERANIOL	0.007	TESTED	0.22	0.022		Reagent: 022525.48					
-CARENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04312111; 22406 Pipette: DA-065	526; 0000355309				
ORNEOL	0.013	TESTED	ND	ND		Pipette: DA-U65 Terpenoid testing is performed utilizing Gas Chri		. Far all Flances or	ameles the Tetal	Tanana W. In day wellahib assessed	
AMPHENE	0.007	TESTED	ND	ND		respensive testing is performed utilizing Gas Crin	umacography mass Spectrometry	y, rui aii Flower sa	ampres, the rotal	respenses to is any-weight correcte	2.
AMPHOR	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
FENCHONE	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
IEROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND		İ					
PULEGONE	0.007	TESTED	ND	ND		İ					
SABINENE	0.007	TESTED	ND	ND		İ					
Cotal (%)				5 929							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/17/25