



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50514007-012


Production Method: Other - Not Listed

Harvest/Lot ID: 0430949504311554

Batch#: 0430949504311554

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1448194587387059

Harvest Date: 05/13/25

Sample Size Received: 16 units

Total Amount: 783 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/14/25

Sampled: 05/14/25

Completed: 05/17/25

Revision Date: 05/19/25

Sampling Method: SOP.T.20.010

May 19, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
86.758%

Total THC/Container : 867.580 mg


Total CBD
ND

Total CBD/Container : 0.000 mg


Total Cannabinoids
99.604%

Total Cannabinoids/Container : 996.040 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.299	98.586	ND	ND	ND	0.180	0.539	ND	ND	ND	ND
mg/unit	2.99	985.86	ND	ND	ND	1.80	5.39	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.1155g

Extraction date:
05/16/25 05:49:17

Extracted by:
3335, 4351, 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086477POT

Instrument Used : DA-LC-003

Analyzed Date : 05/16/25 09:02:26

Batch Date : 05/15/25 08:47:15

Dilution : 400

Reagent : 050625.R03; 021125.07; 051225.R02

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/17/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Crushed Diamonds 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50514007-012
Harvest/Lot ID: 0430949504311554

Batch# : 0430949504311554 Sample Size Received : 16 units
Sampled : 05/14/25 Total Amount : 783 units
Ordered : 05/14/25 Completed : 05/17/25 Expires: 05/19/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED


Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	2.41	0.241	ALPHA-PINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	1.12	0.112	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LINALDOL	0.007	TESTED	0.43	0.043	ALPHA-TERPINOL	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.33	0.033	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.33	0.033	BETA-PINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	0.20	0.020	CIS-NEROLIDOL	0.003	TESTED	ND	ND
3-CARENE	0.007	TESTED	ND	ND	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BORNEOL	0.013	TESTED	ND	ND	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
CAMPHENE	0.007	TESTED	ND	ND	Analysis by:				Extracted by:
CAMPHOR	0.007	TESTED	ND	ND	4451, 585, 5440	Weight:	0.1922g	Extraction date:	4451
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
EUCALYPTOL	0.007	TESTED	ND	ND	Analytical Batch :	DA086486TER			
FARNESENE	0.007	TESTED	ND	ND	Instrument Used :	DA-GCMS-008			
FENCHONE	0.007	TESTED	ND	ND	Analyzed Date :	05/16/25 10:55:13			
FENCHYL ALCOHOL	0.007	TESTED	ND	ND	Dilution :	10			
GERANIOL	0.007	TESTED	ND	ND	Reagent :	022525.48			
GERANYL ACETATE	0.007	TESTED	ND	ND	Consumables :	947.110; 04312111; 2240626; 0000355309			
GUAIOL	0.007	TESTED	ND	ND	Pipette :	DA-065			
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
LIMONENE	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
ALPHA-CEDRENE	0.005	TESTED	ND	ND					
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND					
Total (%)					0.241				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/17/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA50514007-012

Harvest/Lot ID: 0430949504311554

Batch# : 0430949504311554

Sampled : 05/14/25

Ordered : 05/14/25


Sample Size Received : 16 units

Total Amount : 783 units

Completed : 05/17/25 Expires: 05/19/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.26g Extraction date: 05/15/25 12:45:53 Extracted by: 4640,450,585					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086480PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Batch Date : 05/15/25 09:00:27					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/17/25 13:21:36					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 081023.01; 051425.R14					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.26g Extraction date: 05/15/25 12:45:53 Extracted by: 4640,450,585					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086483VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Batch Date : 05/15/25 09:06:17					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/16/25 10:53:42					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 081023.01; 051425.R14; 050525.R16; 050525.R17					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 05/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Crushed Diamonds 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50514007-012

Harvest/Lot ID: 0430949504311554

Batch# : 0430949504311554

Sampled : 05/14/25

Ordered : 05/14/25

Sample Size Received : 16 units

Total Amount : 783 units

Completed : 05/17/25 Expires: 05/19/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.0232g

Extraction date:
05/15/25 11:41:27

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA086485SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 05/16/25 10:16:09

Batch Date : 05/15/25 09:11:32

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/17/25

Revision: #1

This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED


Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

 Sample : DA50514007-012
 Harvest/Lot ID: 0430949504311554

 Batch# : 0430949504311554 Sample Size Received : 16 units
 Sampled : 05/14/25 Total Amount : 783 units
 Ordered : 05/14/25 Completed : 05/17/25 Expires: 05/19/26
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED
Analyte	LOD Units Result Pass / Fail Action Level	Analyte LOD Units Result Pass / Fail Action Level
ASPERGILLUS TERREUS	Not Present PASS	AFLATOXIN B2 0.002 ppm ND PASS 0.02
ASPERGILLUS NIGER	Not Present PASS	AFLATOXIN B1 0.002 ppm ND PASS 0.02
ASPERGILLUS FUMIGATUS	Not Present PASS	OCHRATOXIN A 0.002 ppm ND PASS 0.02
ASPERGILLUS FLAVUS	Not Present PASS	AFLATOXIN G1 0.002 ppm ND PASS 0.02
SALMONELLA SPECIFIC GENE	Not Present PASS	AFLATOXIN G2 0.002 ppm ND PASS 0.02
ECOLI SHIGELLA	Not Present PASS	
TOTAL YEAST AND MOLD	10 CFU/g <10 PASS 100000	
Analyzed by: 4520, 585, 1440	Weight: 0.9678g	Extraction date: 05/15/25 10:13:41
Extraction date: 05/15/25 10:13:41	Extracted by: 4520,4777	Extraction date: 05/15/25 12:45:53
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Analytical Batch : DA086471MIC	Extraction date: 05/15/25 12:45:53
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems	Batch Date : 05/15/25	Extraction date: 05/15/25 12:45:53
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block	Batch Date : 05/15/25	Extraction date: 05/15/25 12:45:53
(95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 05/15/25	Extraction date: 05/15/25 12:45:53
Analyzed Date : 05/16/25 10:20:51	Batch Date : 05/15/25	Extraction date: 05/15/25 12:45:53
Dilution : 10	Reagent : 030625.22; 030625.25; 041525.R13; 101624.10	Extraction date: 05/15/25 12:45:53
Reagent : 030625.22; 030625.25; 041525.R13; 101624.10	Consumables : 7579004057	Extraction date: 05/15/25 12:45:53
Consumables : 7579004057	Pipette : N/A	Extraction date: 05/15/25 12:45:53
Pipette : N/A		Extraction date: 05/15/25 12:45:53
Analyzed by: 4520, 585, 1440	Weight: 0.9678g	Extraction date: 05/15/25 10:13:41
Extraction date: 05/15/25 10:13:41	Extracted by: 4520,4777	Extraction date: 05/15/25 12:45:53
Analysis Method : SOP.T.40.209.FL	Analytical Batch : DA086472TYM	Extraction date: 05/15/25 12:45:53
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 05/15/25 07:18:09	Extraction date: 05/15/25 12:45:53
Analyzed Date : 05/17/25 13:17:14	Batch Date : 05/15/25	Extraction date: 05/15/25 12:45:53
Dilution : 10	Reagent : 030625.22; 030625.25; 022625.R53	Extraction date: 05/15/25 12:45:53
Reagent : 030625.22; 030625.25; 022625.R53	Consumables : N/A	Extraction date: 05/15/25 12:45:53
Consumables : N/A	Pipette : N/A	Extraction date: 05/15/25 12:45:53
Pipette : N/A		Extraction date: 05/15/25 12:45:53
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.		Extraction date: 05/15/25 12:45:53



Heavy Metals

PASSED

Metal	LOD Units Result Pass / Fail Action Level
TOTAL CONTAMINANT LOAD METALS	0.080 ppm ND PASS 1.1
ARSENIC	0.020 ppm ND PASS 0.2
CADMIUM	0.020 ppm ND PASS 0.2
MERCURY	0.020 ppm ND PASS 0.2
LEAD	0.020 ppm ND PASS 0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2552g
Extraction date: 05/15/25 12:14:38	Extraction date: 05/15/25 12:14:38
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Analytical Batch : DA086491HEA
Instrument Used : DA-ICPMS-004	Batch Date : 05/15/25 10:08:47
Analyzed Date : 05/16/25 11:09:10	Batch Date : 05/15/25
Dilution : 50	Reagent : 051225.R09; 051425.R13; 051225.R08; 050925.R16; 051225.R06; 051225.R07; 120324.07; 050825.R06
Reagent : 051225.R09; 051425.R13; 051225.R08; 050925.R16; 051225.R06; 051225.R07; 120324.07; 050825.R06	Consumables : 040724CH01; J609879-0193; 179436
Consumables : 040724CH01; J609879-0193; 179436	Pipette : DA-061; DA-191; DA-216
Pipette : DA-061; DA-191; DA-216	

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director


 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 05/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Crushed Diamonds 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50514007-012

Harvest/Lot ID: 0430949504311554

Batch# : 0430949504311554

Sampled : 05/14/25

Ordered : 05/14/25

Sample Size Received : 16 units

Total Amount : 783 units

Completed : 05/17/25 Expires: 05/19/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/15/25 12:26:11	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA086522FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/15/25 13:13:52

Batch Date : 05/15/25 12:23:27

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.487	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.2286g	Extraction date: 05/15/25 10:23:00	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA086482WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 05/16/25 08:12:48

Batch Date : 05/15/25 09:02:15

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/17/25

Revision: #1

This revision supersedes any and all previous versions of this document.