

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix: Derivative Classification: High THC Type: Sauce



COMF	PLIAN	CE FOI ID: DA5051	te c R RETA 5019-005		na	lys	is	Cultivati Processir	Harvest/ ion Facility ource Fac Seed to Samp R R	Lot ID: 7234 Batch#: 723 y: FL - India ility: FL - India ility: FL - India Sale#: 8676 Harvest I ble Size Reco Total Amo etail Produc etail Servin Ordo Sam Comple	her - Not Listed 223525232228 4223525232228 ntown (4430) ntown (4430) 404984700310 Date: 05/13/25 eived: 16 units punt: 279 units t Size: 1 gram Servings: 1 ered: 05/15/25 pled: 05/15/25 eted: 05/19/25
May 19		Sunnysi	de		C			*	samp ®	-	• SOP.T.20.010
	EL, 34956, US				JU		ysic	le	Page	es 1 of 6	
SAFETY RE	SULTS						8.0				MISC.
R S		Hg	Ę.	÷.		Ä			\mathbf{S}	00	- Ô
Pesticid PASSE		ovy Metals ASSED	Microbials PASSED	Mycotoxi PASSE	DS	esiduals solvents	Filth PASSED		Activity	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid									TESTED
	1	THC 230°			Total	CBD 120% BD/Container) : 1.200 mg		395	Cannabinoid 742%	S O tainer : 957.420
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	19.444 194.44	76.153 761.53	0.120 1.20	<0.010 <0.10	0.025 0.25	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
mg/unit LOD	0.001	0.001	0.001	0.001	0.25	0.001	0.001	0.001	0.001	0.001	0.001
Analyzed by:	%	%	%	% Weight:	%	%	%	%	%	%	%
4351, 1665, 585, 3 Analysis Method : Analytical Batch : Instrument Used :	SOP.T.40.031, SC DA086541POT			0.1039g	05/	16/25 11:15:55	Batch Date : 05/16/25	07:56:28		,4351	
Consumables : 94 Pipette : DA-079;	DA-108; DA-078	; 062224CH01; 0000)355309 Liquid Chromatography v	vith UV detection in acco	rdance with F.S. R	ule 64ER20-39.					
Label Claim											PASSE

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25



•••••• Cresco Live Sauce 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Sauce



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-005 Harvest/Lot ID: 7234223525232228 Batch#: 7234223525232228 Sample Size Received: 16 units Sampled : 05/15/25 Ordered : 05/15/25

Total Amount : 279 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpene		LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	42.33	4.233	SABINENE		0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	18.62	1.862	VALENCEN		0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	7.51	0.751	ALPHA-CE		0.005	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	4.93	0.493		ELLANDRENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	4.00	0.400	ALPHA-TE		0.007	TESTED	ND	ND	
PHA-BISABOLOL	0.007	TESTED	1.70	0.170	CIS-NEROI		0.003	TESTED	ND	ND	
RYOPHYLLENE OXIDE	0.007	TESTED	0.84	0.084	GAMMA-T	ERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	0.77	0.077	TRANS-NE	ROLIDOL	0.005	TESTED	ND	ND	
ERANIOL	0.007	TESTED	0.60	0.060	Analyzed by		Weigh	t:	Extract	ion date:	Extracted b
INCHONE	0.007	TESTED	0.50	0.050	4444, 4451,	585, 1440	0.2123	7g		15 12:03:18	4444
PHA-PINENE	0.007	TESTED	0.50	0.050	Analysis Me	thod : SOP.T.30.061A.FL, SOP.T.40.061A.FL					
IMENE	0.007	TESTED	0.49	0.049		stch : DA086559TER Jsed : DA-GCMS-004				Batch Date : 05/16/25 10:10:11	
LPHA-TERPINOLENE	0.007	TESTED	0.46	0.046		te: 05/19/25 09:08:00				Batch Date 103/10/23 10:10:11	
BINENE HYDRATE	0.007	TESTED	0.43	0.043	Dilution : 10						
CARENE	0.007	TESTED	0.34	0.034	Reagent : 02	2525.48					
MPHENE	0.007	TESTED	0.32	0.032		s:947.110;04402004;2240626;000035530	19				
PHA-TERPINENE	0.007	TESTED	0.32	0.032	Pipette : DA						
DRNEOL	0.013	TESTED	ND	ND	Terpenoid tes	ting is performed utilizing Gas Chromatography Ma	ss Spectrometry	. For all Flower sa	imples, the Tota	Terpenes % is dry-weight corrected.	
MPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
ICALYPTOL	0.007	TESTED	ND	ND							
RNESENE	0.001	TESTED	ND	ND							
ENCHYL ALCOHOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
NALOOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25



..... Cresco Live Sauce 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Sauce



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-005 Harvest/Lot ID: 7234223525232228

Sampled : 05/15/25 Ordered : 05/15/25

Batch#: 7234223525232228 Sample Size Received: 16 units Total Amount : 279 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010	1.1.	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
TAL PYRETHRINS	0.010	P.P.	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
AMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
SCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	1.1.	0.5	PASS	ND
RBARYL	0.010	ppm	0.5	PASS	ND		0.010		0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		1.1.			
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	1.1.	0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
DFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	nnm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND						
IETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 4056, 3379, 585, 1440 0.2545g		traction dat (16/25 11:56		Extracted 4640,3379	
IOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.		10/25 11.50		4040,557	5
DFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086551PES					
DXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batc	h Date :05/16	/25 09:57:29	
HEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date :05/19/25 10:28:33					
VOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 051525.R44; 051525.R45; 051425.R14;	051525.R4	l3; 042925.F	R13; 051525.R0	01; 081023.01	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03 Pipette : DA-093: DA-094: DA-219					
DNICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iquid Chron	natography	Frinlo Ouadrung	lo Mass Sportror	motry in
JDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	iquiu CIII0II	natography	inpie-Quadrupo	ne mass spectrur	neu y II
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extr	raction date	2:	Extracted	by:
AZALIL	0.010	ppm	0.1	PASS	ND	450, 4640, 585, 1440 0.2545g		6/25 11:56:		4640,3379	
DACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151	FL				
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086553VOL					
LATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch I	Date:05/16/25	10:01:07	
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :05/19/25 09:10:53					
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 051425.R14; 081023.01; 050525.R16; 0	50525 D17				
THOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 6698360-03: 040724CH01: 174736					
VINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing G	ias Chroma	tography Tri	ple-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/19/25



..... Cresco Live Sauce 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Sauce



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-005 Harvest/Lot ID: 7234223525232228 Batch#: 7234223525232228 Sample Size Received: 16 units Sampled : 05/15/25 Ordered : 05/15/25

Total Amount : 279 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Malyzed by: 1451, 585, 1440	Weight: 0.0284g	Extraction date: 05/16/25 12:12:5	D	Ext 445	t racted by: 51				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086563SOL Instrument Used : DA-GCMS-002 Analyzed Date : 05/19/25 08:32:31		Batch Date : 05/16/25 10:59:36							
Dilution : 1 Reagent : N/A Consumables : N/A									

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25

PASSED



Cresco Live Sauce 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Sauce



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-005 Harvest/Lot ID: 7234223525232228 Batch# : 7234223525232228 Sample Size Received : 16 units

Sampled : 05/15/25 To Ordered : 05/15/25 Co Sa

Sample Size Received :16 units Total Amount :279 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Pag	Δ	5	of	6
ray	C	5	UI	U

Ċ,	Microl	bial			PAS	SED	သို့	Му	cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	maa	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
SPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	maa	ND	PASS	0.02
SPERGILLUS				Not Present	PASS		AFLATOXIN			0.002	I. I.	ND	PASS	0.02
	SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
COLI SHIGEL	.LA			Not Present	PASS									
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 58	85, 1440	Weight: 0.2545g	Extraction 05/16/25			Extracted 4640,337	
nalyzed by: 777, 4520, 585	i, 1440	Weight: 0.878g	Extraction d 05/16/25 09		Extracted 4520	d by:	Analytical Bat	h : DA0865	30.102.FL, SOP.T 552MYC		0		0.01.04	
	: SOP.T.40.056		58.FL, SOP.T.	40.209.FL			Instrument Us Analyzed Date		10.20.21	Batch	Date: 0	5/16/25 1	0:01:04	
720 Thermocy 95*C) DA-049,I analyzed Date : Dilution : 10	d : PathogenDx S cler DA-010,Fish DA-402 Thermo S 05/19/25 08:28: 25.20; 030625.2:	er Scientific I: Scientific Hea 20	sotemp Heat t Block (55 C	Block 07:	ch Date : 05 10:58		081023.01 Consumables Pipette : DA-0	6698360-(93; DA-094	; DA-219					
onsumables : 7 ipette : N/A							accordance wit	h F.S. Rule 6			-Quaurupo			
nalyzed by: 777, 1879, 585	i, 1440	Weight: 0.878g	Extraction d 05/16/25 09		Extracted 4520	d by:	Hg	Hea	avy Me	tals			PAS	SEC
Analytical Batch	d:SOP.T.40.209. DA086527TYM d:Incubator (25	1	calibrated wit	h Batch Dat	te:05/16/25	5 07:11:58	Metal			LOD	Units	Result	Pass / Fail	Actior Level
A-382]	05/19/25 08:29:	49					TOTAL CONT		LOAD METALS	0.080	ppm	ND	PASS	1.1
-	03/13/23 00.23.						ARSENIC			0.020	ppm	ND	PASS	0.2
lution : 10	25.20; 030625.2	3· 022625 B5	3				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables : N		5, 022025.115	5				MERCURY			0.020	ppm	ND	PASS	0.2
pette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	nold testing is perfo F.S. Rule 64ER20-3		MPN and tradit	onal culture base	d techniques	in	Analyzed by: 1022, 585, 144	10	Weight: 0.2317g	Extraction da 05/16/25 12:2			Extracted 4531	by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA0865 ed : DA-ICP	MS-004		h Date : ()5/16/25 (9:38:49	
							120324.07; 05	0825.R06	51425.R13; 051		25.R16; ()51225.RC	16; 05122	5.R07;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25



Page 6 of 6

..... Cresco Live Sauce 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Sauce



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-005 Harvest/Lot ID: 7234223525232228 Batch#: 7234223525232228 Sample Size Received: 16 units Sampled : 05/15/25 Ordered : 05/15/25

Total Amount : 279 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

	Filth/For Material	PASSED					
Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 1440	Weight: 1q		action da		Extracted by: 1879		
Analyzed Date : (Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A)5/17/25 13:28:13 /A						
	aterial inspection is per ordance with F.S. Rule			spection utilizi	ng naked ey	ve and microscope	
	Water A				PA	SSED	
Analyte Water Activity		LOD	Units aw	Result 0.494	P/F PASS	Action Level	

,	0	010 dil 0110 1	0.00
Analyzed by: 4797, 585, 1440	Weight: 0.5394g	Extraction date: 05/16/25 13:46:37	Extracted by: 4797
Analysis Method : SOP Analytical Batch : DA03 Instrument Used : DA- Analyzed Date : 05/19/	86540WAT 028 Rotronic Hyg	ropalm Batch Date	e:05/16/25 07:31:10
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			
Water Activity is perform	ed using a Rotronic	HygroPalm HP 23-AW in accorda	ince with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25