

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664 Kaycha Labs

Supply Vape Cartridge 500mg - GSC (H) GSC (H)



Matrix: Derivative Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Harvest/Lot ID: 1399561530566603

Seed to Sale#: 9562163338344206

Sample Size Received: 31 units Total Amount: 410 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Sampling Method: SOP.T.20.010

Pages 1 of 6

Batch#: 1399561530566603

Harvest Date: 05/13/25

Servings: 1 Ordered: 05/15/25 Sampled: 05/15/25 Completed: 05/19/25

PASSED

Certificate of Analysis COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50515019-006



May 19, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFEITK	ESULTS								MISC.
R の		Hg	Ċ,	ۍ ډ	Å		\bigcirc		Ô
Pestici PASS		vy Metals ASSED	Microbials PASSED	Mycotoxin: PASSED		Filth PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid							TESTED
		THC 836 HC/Container			Total CBD 0.212% Total CBD/Container		€9	al Cannabinoids 2.767% I Cannabinoids/Cont)
	D9-THC	тнса	CBD		8-THC CBG	CBGA	CBN THCV	CBDV	СВС
%	87.750	0.099	0.212	ND M	ID 2.582	ND	1.287 0.384	ND	0.453
mg/unit	87.750 438.75	0.099 0.50	0.212 1.06	ND M	ID 2.582 ID 12.91	ND ND	1.2870.3846.441.92	ND ND	0.453 2.27
	87.750	0.099	0.212	ND N ND N 0.001 0	ID 2.582	ND	1.287 0.384	ND	0.453
mg/unit	87.750 438.75 0.001 %	0.099 0.50 0.001	0.212 1.06 0.001 %	ND N ND N 0.001 0	ID 2.582 ID 12.91 0.001 0.001	ND ND 0.001	1.287 0.384 6.44 1.92 0.001 0.001 % %	ND ND 0.001	0.453 2.27 0.001
mg/unit LOD Analyzed by: 4351, 1665, 585 Analysis Methoo Analytical Batch Instrument Use	87.750 438.75 0.001 % ; 1440 a: SOP.T.40.031, SCC 1: DA086541POT	0.099 0.50 0.001 %	0.212 1.06 0.001 %	ND N ND N 0.001 0 % 9 Weight:	ND 2.582 ID 12.91 0.001 0.001 % % Extraction date: 05/16/25 11:15:55	ND ND 0.001	1.287 0.384 6.44 1.92 0.001 0.001 % %	ND ND 0.001 %	0.453 2.27 0.001
mg/unit LOD Analyzed by: 4351, 1665, 585 Analysis Method Analytical Batch Instrument User Analyzed Date : Dilution : 400 Reagent : 0506 Consumables :	87.750 438.75 0.001 % ;,1440 4: SOP.T.40.031, SCC 1: DA086541POT 4: DA1C-003	0.099 0.50 0.001 %	0.212 1.06 0.001 %	ND N ND N 0.001 0 % 9 Weight:	ND 2.582 ID 12.91 0.001 0.001 % % Extraction date: 05/16/25 11:15:55	ND ND 0.001 %	1.287 0.384 6.44 1.92 0.001 0.001 % %	ND ND 0.001 %	0.453 2.27 0.001
mg/unit LOD Analyzed by: 4351, 1665, 585 Analysis Method Analytical Batch Instrument Usee Analyzed Date : Dilution : 400 Reagent : 0506 Consumables : Pipette : DA-07	87.750 438.75 0.001 % ;,1440 #:SOP.T.40.031,SC0 1: DA086541POT 4: DA162.003 05/19/25 09:11:19 25.R03; 021125.07; 947.110; 04312111; 9; DA-108; DA-078	0.099 0.50 0.001 % PP.T.30.031 051225.R02 062224CH01; 000	0.212 1.06 0.001 %	ND N ND N 0.001 0 % 9 Weight: 0.1017g	ND 2.582 ID 12.91 0.001 0.001 % % Extraction date: 05/16/25 11:15:55	ND ND 0.001 %	1.287 0.384 6.44 1.92 0.001 0.001 % %	ND ND 0.001 %	0.453 2.27 0.001

Sunnyside*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25



..... Supply Vape Cartridge 500mg - GSC (H) GSC (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-006 Harvest/Lot ID: 1399561530566603 Batch#: 1399561530566603 Sample Size Received: 31 units Sampled : 05/15/25 Ordered : 05/15/25

Total Amount : 410 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Page 2 of 6

	~
C	5
a c	מר
X	-X
5	P

Terpenes

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	23.38	4.676	PULEGONE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	6.31	1.261	SABINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	3.82	0.763	SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	2.24	0.447	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.77	0.354	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	1.73	0.345	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALENCENE	0.007	TESTED	1.62	0.324	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.98	0.195	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	0.86	0.172	Analyzed by:	Weig	ht:	Extract	ion date:	Extracted b
LPHA-PINENE	0.007	TESTED	0.60	0.119	4444, 4451, 585, 1440	0.219	91g	05/16/2	12:03:18	4444
LPHA-TERPINEOL	0.007	TESTED	0.48	0.095	Analysis Method : SOP.T.30.061A.FL, SOP.T.	.40.061A.FL				
INCHYL ALCOHOL	0.007	TESTED	0.42	0.083	Analytical Batch : DA086559TER Instrument Used : DA-GCMS-004				Batch Date : 05/16/25 10:10:1	1
ARYOPHYLLENE OXIDE	0.007	TESTED	0.39	0.078	Analyzed Date : 05/19/25 09:11:21				batch pate : 05/16/25 10:10:1	1
ERANIOL	0.007	TESTED	0.33	0.065	Dilution : 10					
MPHENE	0.007	TESTED	0.32	0.064	Reagent : 022525.48					
ANS-NEROLIDOL	0.005	TESTED	0.29	0.058	Consumables : 947.110; 04402004; 224062	6; 0000355309				
PHA-TERPINOLENE	0.007	TESTED	0.28	0.055	Pipette : DA-065					
IAIOL	0.007	TESTED	0.26	0.051	Terpenoid testing is performed utilizing Gas Chron	matography Mass Spectrometr	y. For all Flower sa	mples, the Tota	Terpenes % is dry-weight corrected.	
CARENE	0.007	TESTED	0.25	0.050						
CIMENE	0.007	TESTED	0.25	0.050						
EXAHYDROTHYMOL	0.007	TESTED	0.24	0.047						
DRNEOL	0.013	TESTED	ND	ND						
AMPHOR	0.007	TESTED	ND	ND						
EDROL	0.007	TESTED	ND	ND						
UCALYPTOL	0.007	TESTED	ND	ND						
ARNESENE	0.001	TESTED	ND	ND						
ENCHONE	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
SOPULEGOL	0.007	TESTED	ND	ND						
NEROL	0.007	TESTED	ND	NP						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25



..... Supply Vape Cartridge 500mg - GSC (H) GSC (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sample : DA50515019-006

Sampled : 05/15/25

Ordered : 05/15/25

Harvest/Lot ID: 1399561530566603

PASSED

Sunnyside

0

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Pesticides

Batch#: 1399561530566603 Sample Size Received: 31 units Total Amount : 410 units Completed : 05/19/25 Expires: 05/19/26

Page 3 of 6

Sample Method : SOP.T.20.010

PA	SS	ED	

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND					PASS	
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1		ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010	1.1.	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND ND	CAPTAN *		ppm	0.7	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND			1.1.	0.1	PASS	ND
CLOFENTEZINE	0.010		÷.=	PASS	ND	CHLORDANE *		ppm			
COUMAPHOS	0.010 0.010		0.1	PASS	ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
DAMINOZIDE			0.1	PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
DIAZINON	0.010 0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Wei	ght: Ex	traction date	:	Extracted	d by:
DIMETHOATE	0.010		0.1	PASS	ND	4056, 3379, 585, 1440 0.25		/16/25 11:56:	50	4640,3379	9
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40	.102.FL				
ETOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA086551PES				05 00 57 00	
ETOXAZOLE FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-005 (PES) Analyzed Date :05/19/25 10:28:34		Batch	Date :05/16/	25 09:57:29	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 051525.R44; 051525.R45; 051425.	R14: 051525.R4	13: 042925.R1	3: 051525.R0)1: 081023.01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 6698360-03	,			,	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utiliz	zing Liquid Chror	natography Tri	iple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weigl 450, 4640, 585, 1440 0.255		raction date: 16/25 11:56:5	0	Extracted 4640.3379	
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.4	5	10/25 11.50.5	0	4040,5575	,
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA086553VOL	0.131.1 L				
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Da	te:05/16/25	10:01:07	
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :05/19/25 09:10:54					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOCARD	0.010		0.1	PASS	ND	Reagent: 051425.R14; 081023.01; 050525.R		1			
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 6698360-03; 040724CH01; 17 Pipette : DA-080; DA-146; DA-218	4/3601				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ring Gas Chroma	tography Tripl	o Quadrupolo	Mass Sportroms	atry in
NALED	0.010		0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	ing das chi Ullia	lography mpi	c-Quaurup0le	muss specironne	, cry III
INCLEY	0.010	PPIII	0.20								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/19/25



..... Supply Vape Cartridge 500mg - GSC (H) GSC (H) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-006 Harvest/Lot ID: 1399561530566603 Batch#: 1399561530566603 Sample Size Received: 31 units Sampled : 05/15/25 Ordered : 05/15/25

Total Amount : 410 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
THYL ETHER	50.000	ppm	500	PASS	ND	
THYLENE OXIDE	0.500	ppm	5	PASS	ND	
IEPTANE	500.000	ppm	5000	PASS	ND	
IETHANOL	25.000	ppm	250	PASS	ND	
I-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 1451, 585, 1440	Weight: 0.0258g	Extraction date: 05/16/25 12:12:5	D	Ext 44	t racted by: 51	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086563SOL Instrument Used : DA-GCMS-002 Analyzed Date : 05/19/25 08:32:32		Batch Date: 05/16/25 10:59:36				
Dilution : 1 Reagent : N/A Consumables : N/A						

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25

PASSED



Supply Vape Cartridge 500mg - GSC (H) GSC (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-006 Harvest/Lot ID: 1399561530566603

Sampled : 05/15/25 Ordered : 05/15/25

Batch#: 1399561530566603 Sample Size Received: 31 units Total Amount : 410 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Pag	Δ	5	of	6
ray	C	5	UI	U

Ç,	Microl	bial			PAS	SED	င်္သီး	Мус	otoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREIIS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
	5 FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002		ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN				ppm	ND	PASS	0.02
	SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2			ppm	ND	PASS	0.02
ECOLI SHIGEI	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction	data		Extracted	lbu
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS	100000	4056, 3379, 58	5, 1440	0.2551g	05/16/25			4640,337	
Analyzed by: 1777, 4520, 58	5, 1440	Weight: 0.91g	Extraction d 05/16/25 09		Extracte 4520	d by:	Analysis Metho Analytical Bato			.40.102.FL				
	d:SOP.T.40.0560 h:DA086526MIC		58.FL, SOP.T.	.40.209.FL			Instrument Us Analyzed Date):29:22	Batch	Date :0	5/16/25 1	0:01:04	
Dilution : 10 Reagent : 0306 Consumables : Pipette : N/A	25.20; 030625.2: 7579004056	3; 041525.R1	3; 101624.10)			Pipette : DA-09 Mycotoxins test accordance with	ing utilizing Liq	uid Chromatogr	aphy with Triple	-Quadrupo	le Mass Spo	ectrometry	in
Analyzed by: 4777, 1879, 58!	5, 1440	Weight: 0.91g	Extraction d 05/16/25 09		Extracte 4520	d by:	Hg	Heav	vy Me	tals			PAS	SEC
Analytical Batcl	d : SOP.T.40.209. h : DA086527TYM d : Incubator (25'	1	calibrated wit	th Batch Date	e:05/16/2	5 07:11:58	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-382]	: 05/19/25 08:29:	50					TOTAL CONT	AMINANT LO	DAD METALS	0.080	ppm	ND	PASS	1.1
							ARSENIC			0.020	ppm	ND	PASS	0.2
vilution: 10	25.20; 030625.23	3· 022625 R5	3				CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :		5, 522023.113					MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	nold testing is perfo F.S. Rule 64ER20-3		MPN and tradit	ional culture based	l techniques	in	Analyzed by: 1022, 585, 144		Weight: 0.2952g	Extraction da 05/16/25 11:			Extracted 4531	l by:
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	:h : DA086549 ed : DA-ICPMS	9HEA 5-004		h Date : (05/16/25 0)9:38:49	
							Dilution : 50 Reagent : 0512 120324.07; 05		425.R13; 0512		25.R16; (51225.R0	06; 05122	5.R07;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/19/25



Supply Vape Cartridge 500mg - GSC (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50515019-006 Harvest/Lot ID: 1399561530566603 Batch#: 1399561530566603 Sample Size Received: 31 units Sampled : 05/15/25 Ordered : 05/15/25

Total Amount : 410 units Completed : 05/19/25 Expires: 05/19/26 Sample Method : SOP.T.20.010

Page 6 of 6

		Filth/Fo Materia	PASSED					
Analyte LOD Units Result P/F Action L Filth and Foreign Material 0.100 % ND PASS 1								
	nalyzed by: 879, 585, 1440	Weight: 1g		raction da 17/25 13:		Ex 18	tracted by: 79	
A Ir A D R		DA086605FIL Filth/Foreign Mate 5/17/25 13:28:12	rial Micro	oscope	Batch D	eate : 05/1	7/25 13:04:29	
F		aterial inspection is pe ordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope	
	()	Water A	ctiv	ity		ΡΑ	SSED	
	nalyte Vater Activity		LOD 0.010	Units aw	Result 0.574	P/F PASS	Action Level 0.85	

Analyzed by: 4797, 585, 1440	Weight: 0.2789g	Extraction date: 05/16/25 13:46:44	Extracted by: 4797
Analysis Method : SOP Analytical Batch : DA03 Instrument Used : DA- Analyzed Date : 05/19/	86540WAT 028 Rotronic Hyg	ropalm Batch Dat	e:05/16/25 07:31:10
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			
Water Activity is perform	ad using a Detropic	UvereBalm UB 22 AW in accord	ance with E.C. Bule 64EB30.30

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/19/25