



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50516006-005



May 20, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***
**PASSED**

Pages 1 of 5

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**NOT TESTED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**

**Total THC**  
**19.778%**

Total THC/Container : 1384.460 mg


**Total CBD**  
**0.051%**

Total CBD/Container : 3.570 mg


**Total Cannabinoids**  
**22.903%**

Total Cannabinoids/Container : 1603.210 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.477	20.868	ND	0.059	0.043	0.085	0.255	ND	ND	ND	0.116
mg/unit	103.39	1460.76	ND	4.13	3.01	5.95	17.85	ND	ND	ND	8.12
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1951g

Extraction date:  
05/19/25 19:15:45

Extracted by:  
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086616POT

Instrument Used : DA-LC-002

Analyzed Date : 05/20/25 09:19:17

Batch Date : 05/19/25 07:37:15

Dilution : 400

Reagent : 051225.R04; 021125.07; 051225.R01

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
05/20/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rnbw Shrbt (I)  
Rnbw Shrbt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50516006-005  
Harvest/Lot ID: 0792394307701668

Batch# : 0792394307701668 Sample Size Received : 6 units  
Sampled : 05/16/25 Total Amount : 1215 units  
Ordered : 05/16/25 Completed : 05/20/25 Expires: 05/20/26  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	72.17	1.031	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	21.91	0.313	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	15.19	0.217	ALPHA-PINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	7.00	0.100	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	6.65	0.095	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	5.74	0.082	BETA-PINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	4.69	0.067	CIS-NEROLIDOL	0.003	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	4.41	0.063	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	3.99	0.057	Analyzed by: 4444, 4451, 585, 1440				
BETA-MYRCENE	0.007	TESTED	2.59	0.037	Weight: 1.0224g		Extraction date: 05/17/25 13:07:15		Extracted by: 4444
3-CARENE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA0865937ER				
CAMPHERE	0.007	TESTED	ND	ND	Instrument Used : DA-GC96-008				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 05/20/25 09:54:53				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 022525.48				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FARNESENE	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
Total (%)					1.031				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/25



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.chavez@crescolabs.com

Sample : DA50516006-005

Harvest/Lot ID: 0792394307701668

Batch# : 0792394307701668

Sampled : 05/16/25

Ordered : 05/16/25


Sample Size Received : 6 units

Total Amount : 1215 units

Completed : 05/20/25 Expires: 05/20/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED


Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 1440      Weight: 1.0607g      Extraction date: 05/18/25 09:59:11      Extracted by: 4640,3379,585					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086588PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)      Batch Date : 05/17/25 10:24:08					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/20/25 08:57:17					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 051625.R16; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440      Weight: 1.0607g      Extraction date: 05/18/25 09:59:11      Extracted by: 4640,3379,585					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086589VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011      Batch Date : 05/17/25 10:25:47					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/20/25 08:55:43					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 051625.R16; 081023.01; 050525.R16; 050525.R17					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rnbw Shrbt (I)  
Rnbw Shrbt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com


Sample : DA50516006-005  
Harvest/Lot ID: 0792394307701668

Batch# : 0792394307701668 Sample Size Received : 6 units  
Sampled : 05/16/25 Total Amount : 1215 units  
Ordered : 05/16/25 Completed : 05/20/25 Expires: 05/20/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED	
<div>Analyte</div> <div>LOD</div> <div>Units</div> <div>Result</div> <div>Pass / Fail</div> <div>Action Level</div>							
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
TOTAL YEAST AND MOLD			10	CFU/g	1700		
Analyzed by: 4777, 4892, 585, 1440			Weight: 1.1534g	Extraction date: 05/17/25 09:24:40	Extracted by: 4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							
Analytical Batch : DA086567MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 05/17/25 07:31:40				
Analyzed Date : 05/20/25 09:14:58							
Dilution : 10							
Reagent : 030625.20; 031325.05; 041525.R13; 101624.10							
Consumables : 7579004058							
Pipette : N/A							
Analyzed by: 4777, 4892, 585, 1440							
Weight: 1.1534g							
Extraction date: 05/17/25 09:24:40							
Extracted by: 4520							
Analysis Method : SOP.T.40.209.FL							
Analytical Batch : DA086568TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]			Batch Date : 05/17/25 07:32:38				
Analyzed Date : 05/20/25 09:16:06							
Dilution : 10							
Reagent : 030625.20; 031325.05; 022625.R53; 050725.R36							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	Mycotoxins					PASSED	
<div>Analyte</div> <div>LOD</div> <div>Units</div> <div>Result</div> <div>Pass / Fail</div> <div>Action Level</div>							
AFLATOXIN B2			0.002	ppm	ND	PASS	
AFLATOXIN B1			0.002	ppm	ND	PASS	
OCHRATOXIN A			0.002	ppm	ND	PASS	
AFLATOXIN G1			0.002	ppm	ND	PASS	
AFLATOXIN G2			0.002	ppm	ND	PASS	
Analyzed by: 4056, 3379, 585, 1440		Weight: 1.0607g	Extraction date: 05/18/25 09:59:11		Extracted by: 4640,3379,585		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : DA086590MYC							
Instrument Used : N/A							
Analyzed Date : 05/20/25 08:56:29							
Batch Date : 05/17/25 10:26:08							
Dilution : 250							
Reagent : 051625.R16; 081023.01							
Consumables : 040724CH01; 221021DD							
Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals					PASSED	
<div>Metal</div> <div>LOD</div> <div>Units</div> <div>Result</div> <div>Pass / Fail</div> <div>Action Level</div>							
TOTAL CONTAMINANT LOAD METALS			0.080	ppm	ND	PASS	
ARSENIC			0.020	ppm	<0.100	PASS	
CADMIUM			0.020	ppm	ND	PASS	
MERCURY			0.020	ppm	ND	PASS	
LEAD			0.020	ppm	ND	PASS	
Analyzed by: 1022, 585, 1440		Weight: 0.2818g	Extraction date: 05/17/25 10:53:20		Extracted by: 1022,4531		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA086575HEA							
Instrument Used : DA-ICPMS-004			Batch Date : 05/17/25 09:23:37				
Analyzed Date : 05/20/25 11:05:33							
Dilution : 50							
Reagent : 051225.R09; 051425.R13; 051225.R08; 051225.R06; 051225.R07; 120324.07; 050825.R06; 050925.R16							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rnbw Shrbt (I)  
Rnbw Shrbt (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50516006-005  
Harvest/Lot ID: 0792394307701668

Batch# : 0792394307701668 Sample Size Received : 6 units  
Sampled : 05/16/25 Total Amount : 1215 units  
Ordered : 05/16/25 Completed : 05/20/25 Expires: 05/20/26  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign  
Material**

**PASSED**



**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.0	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/17/25 13:08:26	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.502g	Extraction date: 05/17/25 11:11:29	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA086605FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/17/25 13:27:23						Analysis Method : SOP.T.40.021 Analytical Batch : DA086580MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/20/25 09:18:39					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.510	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.879g	Extraction date: 05/17/25 11:04:21	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA086581WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 05/20/25 08:58:18					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/25