

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Prpl Pnch (I) Prpl Pnch (I)



Matrix: Derivative Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 3546795015438811 Batch#: 3546795015438811

Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 3744523283278208 Harvest Date: 05/13/25 Sample Size Received: 31 units Total Amount: 410 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 05/16/25 Sampled: 05/16/25 Completed: 05/20/25 Sampling Method: SOP.T.20.010 Sunnyside\*

Pages 1 of 6



**COMPLIANCE FOR RETAIL** 

Laboratory Sample ID: DA50516006-011

**Certificate of Analysis** 

May 20, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY R	ESULTS								MISC.		
R 0	Ę	Hg	Ċ.	ş	Ä		$\bigcirc$		Ô		
Pestici PASS		avy Metals ASSED	Microbials PASSED	Mycotoxin PASSED		Filth <b>PASSED</b>	Water Activ PASSEI		Terpenes TESTED		
للله Cannabinoid TESTED											
Total THC 82.998% Total THC/Container : 414.990 mg Total CBD/Container : 0.990 mg Total CBD/Container : 0.990 mg Total Cannabinoids/Container : 438.170 mg											
	D9-THC	THCA	CBD		08-THC CBG	CBGA		нсу свру	СВС		
%	82.906 414.53	0.105 0.53	0.198 0.99		ND 2.417 ND 12.09	ND ND		.365 ND .83 ND	0.418 2.09		
mg/unit LOD	0.001	0.001	0.001		0.001 0.001	0.001		.001 0.001	0.001		
	%	%	%		%	%	% %		%		
Analyzed by: 3335, 1665, 585	5, 1440			Weight: 0.1012g	Extraction date: 05/19/25 10:17			Extracted by: 3335			
Analysis Method : SOP.T.40.031, SOP.T.30.031           Analytical Batch : DA086618POT           Instrument Used : DA-LC-003           Batch : DA0260 D9:31:21   Batch Date : 05/20/25 07:47:26											
Consumables :	25.R03; 021125.07 947.110; 0431211 9; DA-108; DA-078	L; 062224CH01; 000	00355309								
Full Spectrum car	nnabinoid analysis uti	izing High Performance	e Liquid Chromatography v	with UV detection in accord	ance with F.S. Rule 64ER20-39.						
Label Clair	n								PASSED		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/20/25



Supply Vape Cartridge 500mg - Prpl Pnch (I) Prpl Pnch (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

## PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50516006-011 Harvest/Lot ID: 3546795015438811 Batch#: 3546795015438811 Sample Size Received: 31 units Sampled : 05/16/25 Ordered : 05/16/25

Total Amount : 410 units Completed : 05/20/25 Expires: 05/20/26 Sample Method : SOP.T.20.010

Page 2 of 6

6
$\mathcal{C}$

**Terpenes** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	22.95	4.590	ISOPULEGOL	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	5.05	1.009	PULEGONE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	3.80	0.759	SABINENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	3.61	0.721	SABINENE HYDRATE	0.007	TESTED	ND	ND	
NALOOL	0.007	TESTED	1.53	0.305	VALENCENE	0.007	TESTED	ND	ND	
TA-PINENE	0.007	TESTED	1.22	0.244	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
PHA-BISABOLOL	0.007	TESTED	0.99	0.198	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-TERPINOLENE	0.007	TESTED	0.77	0.153	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
PHA-PINENE	0.007	TESTED	0.72	0.144	Analyzed by:	Weight:	Extr	ction date:		Extracted by:
PHA-TERPINEOL	0.007	TESTED	0.68	0.136	4451, 585, 1440	0.225g	05/1	8/25 12:11:15		4571,4451
NCHYL ALCOHOL	0.007	TESTED	0.61	0.121	Analysis Method : SOP.T.30.061A.FL, SOP.T.40	0.061A.FL				
MPHENE	0.007	TESTED	0.45	0.089	Analytical Batch : DA086594TER Instrument Used : DA-GCMS-004				Batch Date : 05/17/25 10:56:50	
RYOPHYLLENE OXIDE	0.007	TESTED	0.38	0.075	Analyzed Date : 05/20/25 09:31:22				Batch Date : 03/17/23 10:30:30	
PHA-HUMULENE	0.007	TESTED	0.36	0.071	Dilution : 10					
RANIOL	0.007	TESTED	0.32	0.064	Reagent : 022525.48					
ROL	0.007	TESTED	0.29	0.057	Consumables : 947.110; 04402004; 2240626;	; 0000355309				
ANS-NEROLIDOL	0.005	TESTED	0.29	0.057	Pipette : DA-065					
AIOL	0.007	TESTED	0.25	0.049	Terpenoid testing is performed utilizing Gas Chroma	atography Mass Spectrometry	. For all Flower s	imples, the Tota	Terpenes % is dry-weight corrected.	
ARENE	0.007	TESTED	0.24	0.047						
IMENE	0.007	TESTED	0.24	0.047						
RNESENE	0.001	TESTED	0.23	0.046						
XAHYDROTHYMOL	0.007	TESTED	0.22	0.044						
MPHOR	0.007	TESTED	0.22	0.043						
DBORNEOL	0.007	TESTED	0.22	0.043						
PHA-CEDRENE	0.005	TESTED	0.18	0.036						
PHA-TERPINENE	0.007	TESTED	0.16	0.032						
RNEOL	0.013	TESTED	ND	ND						
DROL	0.007	TESTED	ND	ND						
CALYPTOL	0.007	TESTED	ND	ND						
NCHONE	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/20/25



Supply Vape Cartridge 500mg - Prpl Pnch (I) Prpl Pnch (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sample : DA50516006-011

Sampled : 05/16/25

Ordered : 05/16/25

Harvest/Lot ID: 3546795015438811

Batch#: 3546795015438811 Sample Size Received: 31 units

Total Amount : 410 units

Sample Method : SOP.T.20.010

Completed : 05/20/25 Expires: 05/20/26

Page 3 of 6

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sunnyside

Rŧ

0

## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	1.1.	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND			ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR			0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm			
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1		ND ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010 0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL CARBOFURAN	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		ppm	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND			ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *			0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		ppm	0.5		
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight		traction date:	-	Extracted	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 1440 0.2574g Analysis Method :SOP.T.30.102.FL, SOP.T.40.102		18/25 09:56:3	/	4640,3379	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086572PES	2.FL				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch I	Date :05/17/2	5 09:15:04	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/20/25 09:42:35					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 051625.R16; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD Pipette : N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Trir	le-Ouadrupole	Mass Spectrom	etry in
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Eiquiu Cill01	nacography Inp	ne-Quaurupule	. mass specifion	ice y in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Ext	raction date:		Extracted	by:
IMAZALIL	0.010	ppm	0.1	PASS	ND	4640, 450, 585, 1440 0.2574g	05/1	18/25 09:56:37		4640,3379	-
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.15	51.FL				
KRESOXIM-METHYL	0.010	1.1.	0.1	PASS	ND	Analytical Batch : DA086584VOL		Detail D	05/17/25 3	0.00.00	
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-011 Analyzed Date :05/20/25 09:41:37		Batch Dat	e:05/17/25 1	0:09:09	
METALAXYL	0.010		0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	1.1.	0.1	PASS	ND	Reagent : 051625.R16; 081023.01; 050525.R16;	050525.R17	,			
METHOMYL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 174736					
MEVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	-Quadrupole M	lass Spectromet	ry in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### PASSED

PASSED



. Supply Vape Cartridge 500mg - Prpl Pnch (I) Prpl Pnch (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50516006-011 Harvest/Lot ID: 3546795015438811 Sampled : 05/16/25 Ordered : 05/16/25

Batch#: 3546795015438811 Sample Size Received: 31 units Total Amount : 410 units Completed : 05/20/25 Expires: 05/20/26 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Malyzed by: 451, 585, 1440	Weight: 0.0205g	Extraction date: 05/17/25 13:56:56		<b>Extracted</b> 4571,445	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086606SOL Instrument Used : DA-GCMS-002 Analyzed Date : 05/20/25 09:20:36			Batch Date : 05/17/25 1	.3:25:53	
Dilution : 1 Reagent : N/A Consumables : N/A					

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/20/25



Supply Vape Cartridge 500mg - Prpl Pnch (I) Prpl Pnch (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample:DA50516006-011 Harvest/Lot ID: 3546795015438811 Batch#:3546795015438811 Sampled:05/16/25 Total Amount:410 units

 Sampled:
 05/16/25
 Total Amount:
 410 units

 Ordered:
 05/16/25
 Completed:
 05/20/25
 Expires:
 05/20/26

 Sample Method:
 SOP.T.20.010
 Soperational Sope

Page 5 of 6

Ç	Microl	bial			PAS	SED	သို့	Мусо	toxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
SPERGILLUS	5 NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
SPERGILLU	5 FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA F AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 4056, 3379, 58	5, 1440	Weight: 0.2574g				Extracted 4640,337	
nalyzed by: 777, 4892, 58	5, 1440	Weight: 0.832g	Extraction 05/17/25 0		Extracte 4520	ed by:		od:SOP.T.30.102 h:DA086585MY		T.40.102.FL				
	d:SOP.T.40.0560		58.FL, SOP.T	.40.209.FL			Instrument Us			Batch	Date: 0	5/17/25 10	0:09:21	
Analytical Batch : DA086567MIC       Batch DA086567MIC         Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems       Batch Date : 05/17/25         2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block       07:31:40         95*C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)       07:31:40         Analyzed Date : 05/20/25 09:15:03       07:31:40								525.R16; 081023 040724CH01; 22						
ilution : 10 eagent : 0306 onsumables : ipette : N/A	25.20; 031325.05 7579004058	5; 041525.R1	3; 101624.10	0				ing utilizing Liquid ( n F.S. Rule 64ER20-	39.		Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 777, 4892, 58	5, 1440	Weight: 0.832g	Extraction 05/17/25 0		Extracte 4520	ed by:	Hg	Heavy	Μ	etals			PAS	SED
nalytical Batc	d : SOP.T.40.209. h : DA086568TYM d : Incubator (25*	1	calibrated wi	ith Patch Dat	05/17/2	25 07:32:38	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-382]		-C) DA- 520 [(		Batch Dat	e.03/17/2	25 07.52.50	TOTAL CONT	AMINANT LOAD	METAL	<b>S</b> 0.080	ppm	ND	PASS	1.1
nalyzed Date	: 05/20/25 09:16:	13					ARSENIC			0.020	ppm	ND	PASS	0.2
ilution:10							CADMIUM			0.020	ppm	ND	PASS	0.2
	25.20; 031325.05	5; 022625.R5	3; 050725.R	36			MERCURY			0.020	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.5
otal yeast and r	nold testing is perfo F.S. Rule 64ER20-39		MPN and tradit	tional culture base	d technique	s in	Analyzed by: 1022, 585, 144	0 0.28		Extraction dat 05/17/25 12:1			xtracted k 022,4531	
ccordance with	r.ə. kule 64ek20-3	2.					Analytical Bate	od:SOP.T.30.082 h:DA086576HE/ ed:DA-ICPMS-00 :05/20/25 11:06	4 4		<b>h Date :</b> (	)5/17/25 0	9:28:39	
							050825.R06 Consumables :	225.R09; 051425 040724CH01; J6 51; DA-191; DA-2	09879-01		25.R06; 0	051225.R0	17; 12032	4.07;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/20/25



. . . . . . . . . . . . . . . . . . Supply Vape Cartridge 500mg - Prpl Pnch (I) Prpl Pnch (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**


## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50516006-011 Harvest/Lot ID: 3546795015438811 Batch#: 3546795015438811 Sample Size Received: 31 units Sampled : 05/16/25 Ordered : 05/16/25

Total Amount : 410 units Completed : 05/20/25 Expires: 05/20/26 Sample Method : SOP.T.20.010

Page 6 of 6



Analyzed by: 4797, 585, 1440	Weight: 0.1415g	Extraction date: 05/18/25 07:50:06	Extracted by: 4797							
Analysis Method : SOP.T.40.019           Analysis Method : DA086582WAT           Instrument Used : DA-028 Rotronic Hygropalm           Batch Date : 05/17/25 09:59:13           Analyzed Date : 05/20/25 09:22:08										
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A										
Water Activity is performed	using a Rotronic	HygroPalm HP 23-AW in accorda	ance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/20/25