

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50519003-004



Production Method: Other - Not Listed

Harvest/Lot ID: 7674909043986760

Batch#: 7674909043986760

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 8914177933608883

Harvest Date: 05/15/25

Sample Size Received: 31 units

Total Amount: 1360 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 05/19/25

Sampled: 05/19/25

Completed: 05/22/25

Sampling Method: SOP.T.20.010

May 22, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



**Residuals
Solvents**
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

88.392%

Total THC/Container : 441.960 mg



Total CBD

0.138%

Total CBD/Container : 0.690 mg



Total Cannabinoids

95.774%

Total Cannabinoids/Container : 478.870 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 88.291 | 0.116 | 0.138 | ND | 0.311 | 6.872 | ND | 0.046 | ND | ND | ND |
| mg/unit | 441.46 | 0.58 | 0.69 | ND | 1.56 | 34.36 | ND | 0.23 | ND | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1128g

Extraction date:
05/20/25 12:33:10

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086657POT

Instrument Used : DA-LC-003

Analyzed Date : 05/21/25 09:37:30

Batch Date : 05/20/25 09:41:39

Dilution : 400

Reagent : 050625.R03; 021125.07; 051225.R02

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50519003-004
Harvest/Lot ID: 7674909043986760

Batch# : 7674909043986760 Sample Size Received : 31 units
Sampled : 05/19/25 Total Amount : 1360 units
Ordered : 05/19/25 Completed : 05/22/25 Expires: 05/22/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|--|-----------------|------------------------------------|---------|--------------------------------|
| TOTAL TERPENES | 0.007 | TESTED | 19.71 | 3.942 | PULEGONE | 0.007 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 8.40 | 1.679 | SABINENE | 0.007 | TESTED | ND | ND |
| OCIMENE | 0.007 | TESTED | 2.58 | 0.515 | SABINENE HYDRATE | 0.007 | TESTED | ND | ND |
| LINALOOL | 0.007 | TESTED | 2.13 | 0.425 | VALENCENE | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 2.07 | 0.414 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| ALPHA-HUMULENE | 0.007 | TESTED | 0.91 | 0.182 | ALPHA-PHELLANDRENE | 0.007 | TESTED | ND | ND |
| ALPHA-BISABOLOL | 0.007 | TESTED | 0.86 | 0.172 | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 0.61 | 0.122 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| TRANS-NEROLIDOL | 0.005 | TESTED | 0.49 | 0.097 | | | | | |
| ALPHA-PINENE | 0.007 | TESTED | 0.44 | 0.088 | Analysis by: 4451, 585, 1440 | Weight: 0.2381g | Extraction date: 05/20/25 11:34:05 | | Extracted by: 4451 |
| ALPHA-TERPINEOL | 0.007 | TESTED | 0.26 | 0.052 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| BORNEOL | 0.013 | TESTED | 0.23 | 0.045 | Analytical Batch : DA0866667ER | | | | |
| FARNESENE | 0.001 | TESTED | 0.21 | 0.041 | Instrument Used : DA-GCMS-004 | | | | Batch Date : 05/20/25 10:15:17 |
| BETA-PINENE | 0.007 | TESTED | 0.19 | 0.037 | Analyzed Date : 05/21/25 09:37:35 | | | | |
| FENCHYL ALCOHOL | 0.007 | TESTED | 0.16 | 0.032 | Dilution : 10 | | | | |
| ALPHA-TERPINOLENE | 0.007 | TESTED | 0.11 | 0.021 | Reagent : 022525.48 | | | | |
| GAMMA-TERPINENE | 0.007 | TESTED | 0.10 | 0.020 | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | |
| 3-CARENE | 0.007 | TESTED | ND | ND | Pipette : DA-065 | | | | |
| CAMPHERE | 0.007 | TESTED | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| CAMPHOR | 0.007 | TESTED | ND | ND | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | ND | ND | | | | | |
| CEDROL | 0.007 | TESTED | ND | ND | | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | | | | | |
| FENCHONE | 0.007 | TESTED | ND | ND | | | | | |
| GERANIOL | 0.007 | TESTED | ND | ND | | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| GUAJOL | 0.007 | TESTED | ND | ND | | | | | |
| HEXAHYDROTHYMOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | |
| NEROL | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | | 3.942 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Mountain Apl (S)

Mountain Apl (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50519003-004

Harvest/Lot ID: 7674909043986760

Batch# : 7674909043986760

Sampled : 05/19/25

Ordered : 05/19/25

Sample Size Received : 31 units

Total Amount : 1360 units

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|------------------------|-------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 3379, 585, 1440 Weight: 0.2203g Extraction date: 05/20/25 16:10:05 Extracted by: 450,3379 Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch :DA086642PES Instrument Used :DA-LCMS-003 (PES) Batch Date :05/20/25 09:19:17 Analyzed Date :05/21/25 09:42:28 Dilution : 250 Reagent : 051625.R16; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 3379, 585, 1440 | Weight: 0.2203g | Extraction date: 05/20/25 16:10:05 | Extracted by: 450,3379 | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch :DA086646VOL | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Instrument Used :DA-GCMS-011 | | | | Batch Date :05/20/25 09:24:19 | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date :05/21/25 09:29:02 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 051625.R16; 081023.01; 050525.R16; 050525.R17 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 040724CH01; 6822423-02; 17473601 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50519003-004
Harvest/Lot ID: 7674909043986760

Batch# : 7674909043986760 Sample Size Received : 31 units
Sampled : 05/19/25 Total Amount : 1360 units
Ordered : 05/19/25 Completed : 05/22/25 Expires: 05/22/26
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
4451, 3379, 585, 1440

Weight:
0.0226g

Extraction date:
05/20/25 11:48:59

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08665650L
Instrument Used : DA-GCMS-002
Analyzed Date : 05/21/25 09:14:14

Batch Date : 05/20/25 09:37:24

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Mountain Apl (S)

Mountain Apl (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50519003-004

Harvest/Lot ID: 7674909043986760

Batch# : 7674909043986760

Sampled : 05/19/25

Ordered : 05/19/25




Sample Size Received : 31 units

Total Amount : 1360 units

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | | | |
|---|--------------------------------|------------------------------------|-------------------------|--------------------|---------------------|--|--|
|  | Microbial | PASSED | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | Weight: 1.079g | Extraction date: 05/20/25 10:52:36 | Extracted by: 4892,4044 | | | | |
| Analytical Batch : DA086633MIC | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) | Batch Date : 05/20/25 07:43:39 | | | | | | |
| Analysis Date : 05/22/25 10:48:32 | | | | | | | |
| Dilution : 10 | | | | | | | |
| Reagent : 030625.20; 031325.05; 041525.R13; 101624.10 | | | | | | | |
| Consumables : 7579004049 | | | | | | | |
| Pipette : N/A | | | | | | | |
| Analysis Method : SOP.T.40.209.FL | Weight: 1.079g | Extraction date: 05/20/25 10:52:36 | Extracted by: 4892,4044 | | | | |
| Analytical Batch : DA086634TYM | | | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | Batch Date : 05/20/25 07:45:42 | | | | | | |
| Analysis Date : 05/22/25 12:49:34 | | | | | | | |
| Dilution : 10 | | | | | | | |
| Reagent : 030625.20; 031325.05; 050725.R36 | | | | | | | |
| Consumables : N/A | | | | | | | |
| Pipette : N/A | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | |
|  | Mycotoxins | PASSED | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | | |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | | |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | Weight: 0.2203g | Extraction date: 05/20/25 16:10:05 | Extracted by: 450,3379 | | | | |
| Analytical Batch : DA086645MYC | | | | | | | |
| Instrument Used : N/A | Batch Date : 05/20/25 09:24:10 | | | | | | |
| Analysis Date : 05/21/25 09:32:32 | | | | | | | |
| Dilution : 250 | | | | | | | |
| Reagent : 051625.R16; 081023.01 | | | | | | | |
| Consumables : 040724CH01; 6822423-02 | | | | | | | |
| Pipette : N/A | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | |
|  | Heavy Metals | PASSED | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | | |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 | | |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | | |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 | | |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | Weight: 0.2399g | Extraction date: 05/20/25 11:41:59 | Extracted by: 1022,4531 | | | | |
| Analytical Batch : DA086668HEA | | | | | | | |
| Instrument Used : DA-ICPMS-004 | Batch Date : 05/20/25 10:22:08 | | | | | | |
| Analysis Date : 05/21/25 10:44:05 | | | | | | | |
| Dilution : 50 | | | | | | | |
| Reagent : 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R19; 051925.R20; 120324.07; 050825.R06 | | | | | | | |
| Consumables : 040724CH01; J609879-0193; 179436 | | | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50519003-004

Harvest/Lot ID: 7674909043986760

Batch# : 7674909043986760

Sampled : 05/19/25

Ordered : 05/19/25

Sample Size Received : 31 units

Total Amount : 1360 units

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 05/21/25 11:30:19 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA086718FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 05/21/25 11:18:19

Analyzed Date : 05/21/25 14:40:39

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.501 | PASS | 0.85 |

| | | | |
|---------------------------------|-------------------|---------------------------------------|---------------------------|
| Analyzed by: 4571, 585, 1440 | Weight: 0.233g | Extraction date: 05/20/25 13:52:35 | Extracted by: 4571,585 |
|---------------------------------|-------------------|---------------------------------------|---------------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA086672WAT

Instrument Used : DA-028 Rotronic HygroPalm

Batch Date : 05/20/25 11:04:49

Analyzed Date : 05/21/25 09:35:28

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25