



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50519003-006


Production Method: Other - Not Listed

Harvest/Lot ID: 4326454668706696

Batch#: 4326454668706696

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 3338043301081984

Harvest Date: 05/15/25

Sample Size Received: 16 units

Total Amount: 2206 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/19/25

Sampled: 05/19/25

Completed: 05/22/25

Sampling Method: SOP.T.20.010

May 22, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
88.921%

Total THC/Container : 889.210 mg


Total CBD
0.151%

Total CBD/Container : 1.510 mg


Total Cannabinoids
96.033%

Total Cannabinoids/Container : 960.330 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.806	0.132	0.151	ND	ND	6.944	ND	ND	ND	ND	ND
mg/unit	888.06	1.32	1.51	ND	ND	69.44	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1094g

Extraction date:
05/20/25 12:33:10

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086657POT

Instrument Used : DA-LC-003

Analyzed Date : 05/21/25 09:37:50

Batch Date : 05/20/25 09:41:39

Dilution : 400

Reagent : 050625.R03; 021125.07; 051225.R02

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50519003-006
Harvest/Lot ID: 4326454668706696

Batch# : 4326454668706696 Sample Size Received : 16 units
Sampled : 05/19/25 Total Amount : 2206 units
Ordered : 05/19/25 Completed : 05/22/25 Expires: 05/22/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	39.51	3.951	PULEGONE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	16.46	1.646	SABINENE	0.007	TESTED	ND	ND
OCIMENE	0.007	TESTED	5.19	0.519	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	4.32	0.432	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	4.30	0.430	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.89	0.189	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.77	0.177	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	1.21	0.121	CIS-NEROLIDOL	0.003	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	0.99	0.099	Analyzed by: 4851, 385, 5440 Weight: 0.2401g Extraction date: 05/20/25 11:34:05 Extracted by: 4451				
ALPHA-PINENE	0.007	TESTED	0.86	0.086	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0866667ER Instrument Used : DA-GCNE-004 Analyzed Date : 05/21/25 09:37:51 Batch Date : 05/20/25 10:15:17				
ALPHA-TERPINEOL	0.007	TESTED	0.54	0.054	Dilution : 10 Reagent : 022525.48 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065				
BORNEOL	0.013	TESTED	0.45	0.045	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	TESTED	0.43	0.043					
BETA-PINENE	0.007	TESTED	0.37	0.037					
FENCHYL ALCOHOL	0.007	TESTED	0.32	0.032					
ALPHA-TERPINOLENE	0.007	TESTED	0.21	0.021					
GAMMA-TERPINENE	0.007	TESTED	0.20	0.020					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
Total (%)				3.951					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50519003-006
Harvest/Lot ID: 4326454668706696

Batch# : 4326454668706696 Sample Size Received : 16 units
Sampled : 05/19/25 Total Amount : 2206 units
Ordered : 05/19/25 Completed : 05/22/25 Expires: 05/22/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 585, 1440 Weight: 0.2011g Extraction date: 05/20/25 16:10:05 Extracted by: 450,3379 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086642PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 05/20/25 09:19:17 Analyzed Date : 05/21/25 09:42:32 Dilution : 250 Reagent : 051625.R16; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 3379, 585, 1440 Weight: 0.2011g Extraction date: 05/20/25 16:10:05 Extracted by: 450,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086646VOL Instrument Used : DA-GCMS-011 Batch Date : 05/20/25 09:24:19 Analyzed Date : 05/21/25 09:29:13 Dilution : 250 Reagent : 051625.R16; 081023.01; 050525.R16; 050525.R17 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Mountain Apl (S)

Mountain Apl (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50519003-006

Harvest/Lot ID: 4326454668706696

Batch# : 4326454668706696

Sampled : 05/19/25

Ordered : 05/19/25

Sample Size Received : 16 units

Total Amount : 2206 units

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 3379, 585, 1440

Weight:
0.02g

Extraction date:
05/20/25 11:53:38

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA086663SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 05/21/25 09:38:41

Batch Date : 05/20/25 10:09:34

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50519003-006
Harvest/Lot ID: 4326454668706696

Batch# : 4326454668706696 Sample Size Received : 16 units
Sampled : 05/19/25 Total Amount : 2206 units
Ordered : 05/19/25 Completed : 05/22/25 Expires: 05/22/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN B2				0.002	ppm	ND	PASS	0.02						
ECOLI SHIGELLA				Not Present	PASS		AFLATOXIN B1				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS				Not Present	PASS		OCHRATOXIN A				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS				Not Present	PASS		AFLATOXIN G1				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN G2				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER				Not Present	PASS		Analyzed by:		Weight:	Extraction date:		Extracted by:									
TOTAL YEAST AND MOLD				10	CFU/g	<10	PASS	100000	3621, 3379, 585, 1440	0.2011g	05/20/25 16:10:05		450,3379								
Analyzed by:				Weight:		Extraction date:		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL													
4777, 4520, 3379, 3390, 585, 1440				0.917g		05/20/25 11:16:26		4892,4044													
Analytical Batch : DA086635MIC				Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 05/20/25 07:50:42				Batch Date : 05/20/25 09:24:10									
Analyzed Date : 05/22/25 10:48:34								Dilution : 250				Reagent : 051625.R16; 081023.01									
								Consumables : 040724CH01; 6822423-02				Pipette : N/A									
Dilution : 10				Reagent : 030625.20; 031325.05; 041525.R13				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.													
Consumables : 7579004049				Pipette : N/A																	
Analyzed by:				Weight:	Extraction date:	Extracted by:	<div><div><div>Hg</div></div></div>								PASSED						
4777, 4520, 585, 1440				0.917g	05/20/25 11:16:26	4892,4044															
Analysis Method : SOP.T.40.209.FL				Analytical Batch : DA086636TYM				Metal				LOD	Units	Result	Pass / Fail	Action Level					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 05/20/25 07:52:20				TOTAL CONTAMINANT LOAD METALS				0.080	ppm	ND	PASS	1.1					
Analyzed Date : 05/22/25 12:40:24								ARSENIC				0.020	ppm	ND	PASS	0.2					
Dilution : 10				Reagent : 030625.20; 031325.05; 050725.R36				CADMIUM				0.020	ppm	ND	PASS	0.2					
Consumables : N/A				Pipette : N/A				MERCURY				0.020	ppm	ND	PASS	0.2					
								LEAD				0.020	ppm	ND	PASS	0.5					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								Analyzed by:		Weight:	Extraction date:		Extracted by:								
								1022, 3379, 585, 1440		0.2428g	05/20/25 11:44:00		1022,4531								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL				Analytical Batch : DA086668HEA				Instrument Used : DA-ICPMS-004				Batch Date : 05/20/25 10:22:08									
Analyzed Date : 05/21/25 10:44:06								Dilution : 50				Reagent : 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R19; 051925.R20; 120324.07; 050825.R06									
								Consumables : 040724CH01; J609879-0193; 179436				Pipette : DA-061; DA-191; DA-216									
								Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Mountain Apl (S)
Mountain Apl (S)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50519003-006

Harvest/Lot ID: 4326454668706696

Batch# : 4326454668706696

Sampled : 05/19/25

Ordered : 05/19/25

Sample Size Received : 16 units

Total Amount : 2206 units

Completed : 05/22/25 Expires: 05/22/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/21/25 11:30:19	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA086718FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 05/21/25 11:18:19

Analyzed Date : 05/21/25 14:40:38

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.592	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.251g	Extraction date: 05/20/25 13:52:35	Extracted by: 4571,585
---------------------------------	-------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA086672WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 05/20/25 11:04:49

Analyzed Date : 05/21/25 09:35:32

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/22/25