

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50519003-007

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Original Diesel (S)

Original Diesel (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 4240136995076234

> > Batch#: 4240136995076234

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 7121424849602074

Harvest Date: 05/14/25

Sample Size Received: 16 units Total Amount: 1393 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

> > Ordered: 05/19/25 Sampled: 05/19/25

Completed: 05/22/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 05/20/25 09:41:39



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

May 22, 2025 | Sunnyside

Total THC 90.544%

Total THC/Container: 905.440 mg



Total CBD $\mathbf{0.167}\%$

Total CBD/Container: 1.670 mg



Total Cannabinoids 96.703%

Total Cannabinoids/Container: 967.030



Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch: DA086657POT Instrument Used: DA-LC-003

Analyzed Date: 05/21/25 09:37:52

Reagent: 050625.R03; 021125.07; 051225.R02
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 05/22/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs Cresco Liquid Live Resin Cartridge 1g - Original Diesel (S) Original Diesel (S) Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50519003-007 Harvest/Lot ID: 4240136995076234

Sampled: 05/19/25 Ordered: 05/19/25

Batch#: 4240136995076234 Sample Size Received: 16 units Total Amount: 1393 units Completed: 05/22/25 Expires: 05/22/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

			mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail		Result (%)	
TOTAL TERPENES 0.00			32.84	3.284		SABINENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE 0.00			6.03	0.603		SABINENE HYDRATE	0.007	TESTED	ND	ND	
LIMONENE 0.00			4.81	0.481		VALENCENE	0.007	TESTED	ND	ND	
BETA-MYRCENE 0.00	07	TESTED	4.64	0.464		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
GUAIOL 0.00	07	TESTED	3.37	0.337		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ARNESENE 0.00	01	TESTED	2.29	0.229		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE 0.00	07	TESTED	2.01	0.201		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
INALOOL 0.00	07	TESTED	1.88	0.188		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL 0.00			1.44	0.144		Analyzed by:	Weight:	E	xtraction date	Extracted by:	
LPHA-BISABOLOL 0.00	07	TESTED	1.30	0.130		1451, 585, 1440	0.2065g		05/20/25 11:34	05 4451	
ALPHA-TERPINEOL 0.00	07	TESTED	1.19	0.119		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.	FL				
BORNEOL 0.01	13	TESTED	0.86	0.086		Analytical Batch : DA086666TER Instrument Used : DA-GCMS-004				Batch Date: 05/20/25 10:15:17	
RANS-NEROLIDOL 0.00	05	TESTED	0.65	0.065		Analyzed Date: 05/21/25 09:37:58				Daten Date: 03/20/23 10.13.1/	
ALPHA-PINENE 0.00	07	TESTED	0.58	0.058		Dilution: 10					
ETA-PINENE 0.00	07	TESTED	0.49	0.049	1.0	Reagent: 022525.48					
ALPHA-TERPINOLENE 0.00	07	TESTED	0.31	0.031		Consumables: 947.110; 04312111; 2240626; 00003	55309				
CIMENE 0.00	07	TESTED	0.29	0.029		Pipette : DA-065					
SOBORNEOL 0.00	07	TESTED	0.25	0.025	i '	Terpenoid testing is performed utilizing Gas Chromatography	y Mass Spectrometry.	For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ENCHONE 0.00	07	TESTED	0.24	0.024	i						
CAMPHENE 0.00	07	TESTED	0.21	0.021	i						
-CARENE 0.00	07	TESTED	ND	ND							
CAMPHOR 0.00	07	TESTED	ND	ND							
CARYOPHYLLENE OXIDE 0.00	07	TESTED	ND	ND							
CEDROL 0.00	07	TESTED	ND	ND							
UCALYPTOL 0.00	07	TESTED	ND	ND							
GERANIOL 0.00	07	TESTED	ND	ND							
GERANYL ACETATE 0.00	07	TESTED	ND	ND							
HEXAHYDROTHYMOL 0.00	07	TESTED	ND	ND							
SOPULEGOL 0.00	07	TESTED	ND	ND							
NEROL 0.00		TESTED	ND	ND							
PULEGONE 0.00	07	TESTED	ND	ND							
				2 29/							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs Cresco Liquid Live Resin Cartridge 1g - Original Diesel (S) Original Diesel (S) Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50519003-007 Harvest/Lot ID: 4240136995076234

Sampled: 05/19/25 Ordered: 05/19/25

Batch#: 4240136995076234 Sample Size Received: 16 units Total Amount: 1393 units Completed: 05/22/25 Expires: 05/22/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PA	SS	E	D
----	----	---	---

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	mag	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
MECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
PHATE	0.010	P. P.	0.1	PASS	ND					PASS	
QUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2		ND
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
ICARB	0.010	P. P.	0.1	PASS	ND	SPIROTETRAMAT	0.010		0.1	PASS	ND
XYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	mag	0.1	PASS	ND
BOFURAN	0.010	P. P.	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
ORANTRANILIPROLE	0.010		1	PASS PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
ORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND ND	CAPTAN *	0.010		0.7	PASS	ND
ORPYRIFOS	0.010		0.1	PASS	ND ND		0.070		0.7	PASS	ND
FENTEZINE		P. P.	0.2	PASS	ND	CHLORDANE *					
IMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	1.1.	0.1	PASS	ND
INOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
ZINON		P. P.	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Ex	traction dat	e:	Extracted	d by:
ETHOATE	0.010		0.1	PASS	ND	3621, 3379, 585, 1440 0.2851g	05	/20/25 16:10	:05	450,3379	
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL					
PENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA086642PES			. 05/20/	25 00 10 17	
)XAZOLE IHEXAMID	0.010		0.1	PASS	ND	Instrument Used: DA-LCMS-003 (PES) Analyzed Date: 05/21/25 09:42:34		Batcr	Date: 05/20/	25 09:19:17	
	0.010	P. P.	0.1	PASS	ND	Dilution: 250					
OXYCARB PYROXIMATE	0.010	P. P.	0.1	PASS	ND	Reagent: 051625.R16; 081023.01					
	0.010		0.1	PASS	ND	Consumables: 040724CH01; 6822423-02					
RONIL DNICAMID	0.010		0.1	PASS	ND	Pipette: N/A					
DIOXONIL	0.010	P. P.	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liq	uid Chror	natography T	riple-Quadrupo	le Mass Spectron	netry in
CYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight: 450, 3379, 585, 1440 0.2851q		raction date 20/25 16:10:	-	Extracted 450.3379	by:
DACLOPRID	0.010	P. P.	0.1	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.F		20,23 10.10:	,,	430,3379	
SOXIM-METHYL	0.010		0.4	PASS	ND	Analytical Batch : DA086646VOL	_				
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch D	ate:05/20/25	09:24:19	
TALAXYL	0.010		0.2	PASS	ND	Analyzed Date : 05/21/25 09:29:15					
HIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
HOMYL	0.010		0.1	PASS	ND	Reagent: 051625.R16; 081023.01; 050525.R16; 050					
/INPHOS	0.010	P. P.	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02; 1747360	1				
VINPHOS CLOBUTANIL	0.010	P. P.	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218	. Chror	to aranhy T-i-	la Ouadeus-!-	Mass Coosts	to in
CLOBUTANIL LED		ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Ga- accordance with F.S. Rule 64ER20-39.	s unroma	Lography Trip	ie-Quadrupole	mass Spectrome	ury in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Cresco Liquid Live Resin Cartridge 1g - Original Diesel (S) Original Diesel (S) Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50519003-007 Harvest/Lot ID: 4240136995076234

Batch#: 4240136995076234 Sample Size Received: 16 units

Sampled: 05/19/25 Ordered: 05/19/25

Total Amount: 1393 units Completed: 05/22/25 Expires: 05/22/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 3379, 585, 1440	Weight: 0.0209g	Extraction date: 05/20/25 11:53:		Extract 4451	ed by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086663SOL Instrument Used: DA-GCMS-012

Analyzed Date: 05/21/25 09:38:42

Reagent: 030420.09

Dilution: 1

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Batch Date: 05/20/25 10:09:34

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Cresco Liquid Live Resin Cartridge 1g - Original Diesel (S) Original Diesel (S)

Matrix : Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample: DA50519003-007 Harvest/Lot ID: 4240136995076234

Sampled: 05/19/25 Ordered: 05/19/25

Batch#: 4240136995076234 Sample Size Received: 16 units Total Amount: 1393 units Completed: 05/22/25 Expires: 05/22/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 05/20/25 09:24:10



Microbial

Batch Date: 05/20/25 07:52:20



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:	Extraction	on date:	Extracte	d hv:

4777, 4520, 3379, 585, 1440 0.924g 05/20/25 11:16:26 4892.4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA086635MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/20/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 07:50:42

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/21/25 10:45:48

Dilution: 10

Reagent: 030625.20; 031325.05; 041525.R13

Consumables: 7579004049

Pipette : N/A

Ana

alyzed by: 77, 4520, 585, 1440	Weight: 0.924g	Extraction date: 05/20/25 11:16:26	Extracted by: 4892,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086636TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 05/22/25 12:40:25

Dilution: 10

Reagent: 030625.20; 031325.05; 050725.R36 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	3
Action	Analyte

PASSED

	LOD	Units	Result	Pass / Fail	Action Level
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
Weight: 0.2851g					
		0.002 0.002 0.002 0.002 0.002 Weight: Extraction	0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm	0.002 ppm ND	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA086645MYC Instrument Used : N/A

Analyzed Date: 05/21/25 09:32:36

Dilution: 250

Reagent: 051625.R16; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

1022.4531

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD	D METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction	date:		Extracted	by:

1022, 3379, 585, 1440 0.2841g 05/20/25 11:45:16 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086668HEA Instrument Used: DA-ICPMS-004

Batch Date: 05/20/25 10:22:08 Analyzed Date: 05/21/25 10:44:08

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R19; 051925.R20; 120324.07; 050825.R06

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Cresco Liquid Live Resin Cartridge 1g - Original Diesel (S) Original Diesel (S) Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50519003-007 Harvest/Lot ID: 4240136995076234

Sampled: 05/19/25 Ordered: 05/19/25

Batch#: 4240136995076234 Sample Size Received: 16 units Total Amount: 1393 units Completed: 05/22/25 Expires: 05/22/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/21/25 11:30:19 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA086718FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/21/25 11:18:19 Analyzed Date: 05/21/25 14:40:37

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD U	nits	Result	P/F	Action Level
Water Activity		0.010 a	W	0.720	PASS	0.85
Analyzed by: 4571, 585, 1440	Weight: 0.206a		tion da /25 13:			acted by: 1.585

Analysis Method: SOP.T.40.019 Analytical Batch: DA086672WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/20/25 11:04:49

Analyzed Date: 05/21/25 09:35:33

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164