



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50520013-001



May 23, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
0.244%

Total THC/Container : 100.364 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
0.244%

Total Cannabinoids/Container : 100.364 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|
| % | 0.244 | ND | ND | ND | ND | <0.010 | ND | ND | ND | ND | ND |
| mg/unit | 100.36 | ND | ND | ND | ND | <4.11 | ND | ND | ND | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
2.8464g

Extraction date:
05/22/25 08:02:21

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086697POT

Instrument Used : DA-LC-003

Analyzed Date : 05/22/25 09:28:36

Batch Date : 05/21/25 09:07:23

Dilution : 40

Reagent : 120324.07; 090924.05; 021125.07; 052125.R40; 052125.R41

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
05/23/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Trop Pnch

Matrix : Edible

Type: Other Edible Product

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50520013-001

Harvest/Lot ID: 9568813844217777

Batch# : 9568813844217777

Sampled : 05/20/25

Ordered : 05/20/25

Sample Size Received : 8 units

Total Amount : 1301 units

Completed : 05/23/25 Expires: 05/23/26

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---|---------|--------------|------------------|-------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | ppm | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: | 4056, 3379, 585, 1440 | Weight: | 1.0345g | Extraction date: | 05/21/25 12:28:59 |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | Extracted by: | 450,3379 |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.102.FL, SOP.T.40.102.FL | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA086715PES | | | Batch Date : | 05/21/25 10:03:43 |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : | DA-LCMS-003 (PES) | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Analyzed Date : | 05/22/25 14:04:46 | | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Dilution : | 250 | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 051625.R16; 081023.01; 052125.R30; 052125.R29; 052125.R39; 051925.R01; 042925.R13; 052125.R01 | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Consumables : | 040724CH01; 221021DD | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-093; DA-094; DA-219 | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | Analyzed by: | 450, 585, 1440 | Weight: | 1.0345g | Extraction date: | 05/21/25 12:28:59 |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | Extracted by: | 450,3379 |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | Analysis Method : | SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Analytical Batch : | DA086716VOL | | | Batch Date : | 05/21/25 10:05:16 |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Instrument Used : | DA-GCMS-001 | | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Analyzed Date : | 05/22/25 09:50:25 | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : | 250 | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 051625.R16; 081023.01; 050525.R16; 050525.R17 | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 040724CH01; 221021DD; 17473601 | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | Pipette : | DA-080; DA-146; DA-218 | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/23/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Trop Pnch

Matrix : Edible

Type: Other Edible Product

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50520013-001

Harvest/Lot ID: 9568813844217777

Batch# : 9568813844217777

Sampled : 05/20/25

Ordered : 05/20/25

Sample Size Received : 8 units

Total Amount : 1301 units

Completed : 05/23/25 Expires: 05/23/26

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
4451, 585, 1440

Weight:
0.023g

Extraction date:
05/21/25 11:29:30

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08670550L
Instrument Used : DA-GCMS-002
Analyzed Date : 05/22/25 09:17:31

Batch Date : 05/21/25 09:45:23

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/23/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)

Trop Pnch

Matrix : Edible

Type: Other Edible Product

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50520013-001

Harvest/Lot ID: 9568813844217777

Batch# : 9568813844217777

Sampled : 05/20/25

Ordered : 05/20/25

Sample Size Received : 8 units

Total Amount : 1301 units

Completed : 05/23/25 Expires: 05/23/26

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---------------|--------------------|---------------------|
| | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA086675MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) | | | | | |
| Batch Date : 05/21/25 07:45:06 | | | | | |
| Analyzed Date : 05/22/25 10:53:45 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 010925.01; 010925.03; 041525.R13; 101624.10 | | | | | |
| Consumables : 7579004041 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA086676TYM | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | |
| Batch Date : 05/21/25 07:46:08 | | | | | |
| Analyzed Date : 05/23/25 15:00:53 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 010925.01; 010925.03; 050725.R36 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|---------------|---------------|--------------------|---------------------|
| | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| Analytical Batch : DA086717MYC | | | | | |
| Instrument Used : N/A | | | | | |
| Batch Date : 05/21/25 10:05:33 | | | | | |
| Analyzed Date : 05/22/25 14:02:50 | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 051625.R16; 081023.01; 052125.R30; 052125.R29; 052125.R39; 051925.R01; 042925.R13; 052125.R01 | | | | | |
| Consumables : 040724CH01; 221021DD | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|---------------|---------------|--------------------|---------------------|
| | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA086702HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | |
| Batch Date : 05/21/25 09:38:59 | | | | | |
| Analyzed Date : 05/22/25 10:37:07 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 051225.R09; 051425.R13; 051925.R18; 052025.R04; 051925.R16; 051925.R17; 120324.07; 050825.R06 | | | | | |
| Consumables : 040724CH01; J609879-0193; 179436 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/23/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Live Rosin Chews Trop Pnch 100mg (10pk)
Trop Pnch
Matrix : Edible
Type: Other Edible Product

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50520013-001
Harvest/Lot ID: 9568813844217777

Batch# : 9568813844217777 Sample Size Received : 8 units
Sampled : 05/20/25 Total Amount : 1301 units
Ordered : 05/20/25 Completed : 05/23/25 Expires: 05/23/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 14

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 05/21/25 11:30:23 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090
Analytical Batch : DA086718FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 05/21/25 11:18:19
Analyzed Date : 05/21/25 14:40:08

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.693 | PASS | 0.85 |

| | | | |
|---------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 4797, 585, 1440 | Weight: 7.088g | Extraction date: 05/21/25 12:17:14 | Extracted by: 4797 |
|---------------------------------|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019
Analytical Batch : DA086695WAT
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 05/21/25 09:05:01
Analyzed Date : 05/22/25 09:29:07

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 1.628 | 25 |

| | | | |
|--------------------------------------|--------------------------|--|------------------------|
| Analyzed by 4512, 3335, 585, 1440 | Average Weight 4.002g | Extraction date : 05/21/25 12:03:00 | Extracted By : 4512 |
|--------------------------------------|--------------------------|--|------------------------|

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA086681HOM
Instrument Used : DA-LC-005 Batch Date : 05/21/25 08:13:35
Analyzed Date : 05/22/25 08:40:00

Dilution : 40
Reagent : 120324.07; 051225.R05; 090924.05; 051925.R15
Consumables : 947.110; 04312111; 070424CH01; 1009318445; 1009372593; 0000355309
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/23/25