

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Apple Sour Apple



Harvest/Lot ID: 5668132674939205

Matrix: Edible Classification: High THC Type: Soft Chew Production Method: Other - Not Listed

Certificate of Analysis Batch#: 5668132674939205 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Laboratory Sample ID: DA50521005-001 Seed to Sale#: 9708293194543482 Harvest Date: 05/16/25 Sample Size Received: 12 units Total Amount: 2290 units Retail Product Size: 41.1370 gram Sunnyside* Retail Serving Size: 4.1 gram Chews Servings: 10 Hybrid Ordered: 05/21/25 Sampled: 05/21/25 Completed: 05/24/25 Sampling Method: SOP.T.20.010 May 24, 2025 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US Pages 1 of 5 SAFETY RESULTS MISC. R€ Ο Hg 0 Filth Terpenes Pesticides Heavy Metals Microbials **Mycotoxins** Residuals Water Activity Moisture NOT PASSED PASSED PASSED PASSED Solvents PASSED PASSED NOT TESTED TESTED PASSED TESTED Cannabinoid Total THC Total CBD **Total Cannabinoids** 0.249% .249% ND () Total CBD/Container : 0.000 mg Total Cannabinoids/Container : 102.431 Total THC/Container : 102.431 mg mg THCA CBD CBDA CBGA CBN тнси CBDV СВС D8-THC CBG D9-TH 0.249 ND ND ND ND <0.010 ND <0.010 ND ND <0.010 % 102.43 ND ND ND <4.11 ND <4.11 ND ND <4.11 ma/unit ND 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % % % Extraction date: 05/22/25 12:03:08 Analyzed by: 3335, 1665, 585, 1440 Weight: 3.0733q Extracted by: 4444,3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA086743POT Instrument Used : DA-LC-003 Analyzed Date : 05/23/25 10:18:33 Batch Date : 05/22/25 10:12:08 Dilution: 40 Diution : 40 Reagent : 120324.07; 052125.R40; 090924.05; 021125.07; 052125.R41 Consumables : 947.110; 04312111; 062224CH01; 0000355309 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 05/24/25



Sunnyside Chews 100mg 10pk Sour Apple Sour Apple Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50521005-001 Harvest/Lot ID: 5668132674939205

Sampled : 05/21/25 Ordered : 05/21/25

Batch#: 5668132674939205 Sample Size Received: 12 units Total Amount : 2290 units Completed : 05/24/25 Expires: 05/24/26 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010	The second secon	1	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010	T. F.	3	PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
BAMECTIN B1A	0.010		0.3	PASS	ND							
CEPHATE	0.010		3	PASS	ND	PROPOXUR		0.010	P.P.	0.1	PASS	ND
CEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
CETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
ZOXYSTROBIN	0.010	T. F.	3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
IFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010	ppm	1	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZ	ENE (DONR) *	0.010		0.2	PASS	ND
HLORANTRANILIPROLE	0.010		3	PASS	ND	PARATHION-METHYL *	LENE (FCND)	0.010		0.1	PASS	ND
HLORMEQUAT CHLORIDE	0.010		3	PASS	ND					3	PASS	ND
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070				
LOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
AZINON	0.010		3	PASS	ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
ICHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	date:		Extracted by:	
IMETHOATE	0.010		0.1	PASS	ND	4056, 585, 1440	0.9784g	05/22/25 1	3:48:24		4640,4056,3379	9
THOPROPHOS	0.010	T. F.	0.1	PASS	ND	Analysis Method : SOP.T.30	.102.FL, SOP.T.40.	102.FL				
TOFENPROX	0.010		0.1		ND ND	Analytical Batch : DA08675						
TOXAZOLE	0.010		1.5 3	PASS	ND	Instrument Used :DA-LCMS Analyzed Date :05/23/25 1			Batc	h Date :05/22	2/25 11:13:54	
ENHEXAMID	0.010			PASS		Dilution : 250	1.51.50					
ENOXYCARB	0.010	The second secon	0.1 2	PASS	ND ND	Reagent : 052125.R39; 081	023 01 · 052125 B	0. 052125 R29	051925 R	11· 042925 B1	3· 052125 R01	
ENPYROXIMATE	0.010				ND	Consumables : 040724CH0		, 05212511(25	, 001020110	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
PRONIL	0.010	T. F.	0.1 2	PASS	ND	Pipette : DA-093; DA-094; [DA-219					
LONICAMID	0.010		2	PASS	ND	Testing for agricultural agent		ing Liquid Chrom	natography 1	Triple-Quadrup	ole Mass Spectro	metry in
LUDIOXONIL	0.010 0.010		2	PASS	ND	accordance with F.S. Rule 64			_			
EXYTHIAZOX	0.010		2	PASS	ND	Analyzed by:	Weight:	Extraction of			Extracted by:	
	0.010		0.1	PASS	ND	450, 585, 1440	0.9784g	05/22/25 13	:40:24		4640,4056,3379	,
	0.010		1	PASS	ND	Analysis Method : SOP.T.30 Analytical Batch : DA08675		1.101.FL				
RESOXIM-METHYL			2	PASS	ND	Instrument Used : DA-GCM			Batch D	ate:05/22/2	5 11:15:59	
ALATHION	0.010 0.010		2	PASS	ND	Analyzed Date :05/23/25 1						
ETALAXYL			0.1	PASS	ND	Dilution: 250						
ETHIOCARB	0.010		0.1	PASS	ND	Reagent: 052125.R39; 081						
ETHOMYL	0.010		0.1	PASS	ND	Consumables : 040724CH0	1; 221021DD					
EVINPHOS	0.010 0.010	The second secon	3	PASS	ND	Pipette : N/A						
YCLOBUTANIL	0.010	hhiii	2	PASS	ND	Testing for agricultural agent	s is performed utiliz	ing Gas Chromat	ography Iri	pie-Quadrupole	e mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/24/25

PASSED

PASSED



Sunnyside Chews 100mg 10pk Sour Apple Sour Apple Matrix : Edible Type: Soft Chew



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50521005-001 Harvest/Lot ID: 5668132674939205 Sampled : 05/21/25 Ordered : 05/21/25

Batch#: 5668132674939205 Sample Size Received: 12 units Total Amount : 2290 units Completed : 05/24/25 Expires: 05/24/26 Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
ETHANOL	500.000	ppm	5000	PASS	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
N-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 451, 585, 1440	Weight: 0.0213g	Extraction date: 05/22/25 10:55:4	7	Ext 445	racted by: 51		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086740SOL Instrument Used : DA-GCMS-002 Analyzed Date : 05/23/25 10:01:12	Batch Date : 05/22/25 09:47:33						

Dilution: 1

Reagent : 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/24/25



..... Sunnyside Chews 100mg 10pk Sour Apple Sour Apple Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50521005-001 Harvest/Lot ID: 5668132674939205

Sampled : 05/21/25 Ordered : 05/21/25

Batch#: 5668132674939205 Sample Size Received: 12 units Total Amount : 2290 units Completed : 05/24/25 Expires: 05/24/26 Sample Method : SOP.T.20.010

Page 4 of 5

ĊĘ.	Micro	bial				PAS	SED	స్తో	M	lycoto	xin	S			PAS	SED
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS				Not Present	PASS	Level	AFLATOXIN	B2			0.002	ppm	ND	PASS	0.02
ASPERGILLUS					Not Present	PASS		AFLATOXIN				0.002		ND	PASS	0.02
ASPERGILLUS	FUMIGATUS				Not Present	PASS		OCHRATOXI	A			0.002		ND	PASS	0.02
ASPERGILLUS	FLAVUS				Not Present	PASS		AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GEN	IE			Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
ECOLI SHIGELI	LA				Not Present	PASS		Analyzed by:		Weight:	Extra	ction date:		Extra	cted by:	
TOTAL YEAST	AND MOLD		10	CFU/g	<10	PASS	100000		0	0.9784g		2/25 13:48:2	24		4056,337	9
Analyzed by: 4044, 4520, 585, Analysis Method Analytical Batch	: SOP.T.40.056			Extraction da 05/22/25 09 58.FL, SOP.T.	:38:16	Extracted 4520,457		Analytical Bat	ch:DA ed:DA	A-LCMS-004 (M)			atch Date	: 05/22/2	5 11:16:1	4
2720 Thermocyc 95*C) DA-049,D Analyzed Date : (Dilution : 10 Reagent : 01092 Consumables : 7 Pipette : N/A	0A-402 Thermo 05/23/25 09:58 5.06; 030625.2	Scientific :52	Heat	Block (55 C))	:01:49		052125.R01 Consumables Pipette : DA-0	04072 93; DA	izing Liquid Chror	1DD					
Analyzed by: 4044, 1879, 585,	1440	Weight: 1.1126g		Extraction da 05/22/25 09		Extracted 4520,457		Hg	Η	eavy I	Иet	als			PAS	SED
Analysis Method Analytical Batch Instrument Used DA-382] Analyzed Date : (: DA086728TYN : Incubator (25	M 5*C) DA- 3	28 [c	alibrated wit	h Batch Da	te : 05/22/2	5 08:02:50		AMIN	ANT LOAD ME	TALS	LOD 0.080	Units	Result	Pass / Fail PASS	Action Level
Dilution : 10	03/24/23 14:10							ARSENIC				0.020	ppm	ND	PASS	1.5
Reagent : 01092	5.06: 030625.2	4: 05072	5.R36	5				CADMIUM				0.020	ppm	ND	PASS	0.5
consumables : N		,						MERCURY				0.020		ND	PASS	3
Pipette : N/A								LEAD				0.020	ppm	ND	PASS	0.5
Total yeast and mo accordance with F.			zing №	1PN and traditi	onal culture base	ed techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2805g		xtraction da 5/22/25 11:			Extracted 4531	by:
								Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA ed:DA	A-ICPMS-004	SOP.T.40		h Date : ()5/22/25 1	0:26:20	
								120324.07; 05	0825.I 04072	24CH01; J60987			25.R04; ()51925.R1	6; 05192	5.R17;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/24/25



Page 5 of 5

Pass/Fail

PASS

Sunnyside Chews 100mg 10pk Sour Apple Sour Apple Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50521005-001 Harvest/Lot ID: 5668132674939205 Batch#: 5668132674939205 Sample Size Received: 12 units Sampled : 05/21/25 Ordered : 05/21/25

Total Amount : 2290 units Completed : 05/24/25 Expires: 05/24/26 Sample Method : SOP.T.20.010

	ilth/Foreign Material
--	--------------------------

P	A	S	S	E	D

Homogeneity

Amount of tests conducted : 22

PASSED

Result

0.853 25

Action Level

Analyte Filth and Foreign Material		LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte		
Analyzed by: 1879, 585, 1440	Analyzed by: Weight:			te: 38:17	Ex 18	t racted by: 79	TOTAL THC - HOMOGENEITY		
Analysis Method : SC Analytical Batch : DA Instrument Used : Fil Analyzed Date : 05/2	.086775FIL th/Foreign Mater	ial Micro	oscope	Batch I	Date : 05/22	2/25 16:16:23	(RSD) Analyzed by		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign materi	ial increastion is not	formed b		spostion utilizi		o and microscope	- 4621, 4351, 585, 1440 Analysis Method : SOP.T.30.111.F Analytical Batch : DA086720HOM Instrument Used : DA-LC-005 Analyzed Date : 05/23/25 09:52:4		
technologies in accorda		64ER20-3	39.			SSED	Dilution : 40 Reagent : 120324.07; 051225.R0 Consumables : 947.110; 0431211 0000355309 Pipette : DA-055; DA-063; DA-067		
							Homogeneity testing is performed uti		

Analyte Water Activity		LOD 0.010	Units aw	Result 0.648	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	Weight: 6.88g		traction d /22/25 11			tracted by: 97
Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : DA-0 Analyzed Date : 05/23/	m	Batch Da	te : 05/22/2	25 08:45:17		
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/24/25

PASSED

Analyzed by 4621, 4351, 585, 1440	Average Weight 4.136g	Extraction date : 05/22/25 09:33:17	Extracted By : 4621
Analysis Method : SOP.T.30.1 Analytical Batch : DA086720F Instrument Used : DA-LC-005		11.FL Batch Date : 05/22/25 0	07:18:12
Analyzed Date : 05/23/25 09:	52:47		
Reagent : 120324.07; 051225 Consumables : 947.110; 0431 0000355309			1009389944;

LOD

0.001 %

Units

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.