

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50522013-001

# Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1

Peach 1:1

Matrix: Edible Classification: High THC

Type: Soft Chew

Production Method: Other - Not Listed Harvest/Lot ID: 0190319966944827

Batch#: 0190319966944827

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 5770571237942728

Harvest Date: 05/19/25

Sample Size Received: 13 units

Total Amount: 2607 units Retail Product Size: 41.5894 gram

Retail Serving Size: 4.1 gram

Servings: 10 Ordered: 05/22/25

Sampled: 05/22/25 Completed: 05/26/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US

Sunnyside\*

Chews



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



**Sunnyside** 

Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 05/23/25 08:37:26



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes NOT **TESTED** 

TESTED



### Cannabinoid

May 26, 2025 | Sunnyside

Total THC 0.254%

Total THC/Container: 105.637 mg



**Total CBD** 0.242%

Total CBD/Container: 100.646 mg



**Total Cannabinoids** .509%

Total Cannabinoids/Container: 211.690



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086791POT Instrument Used: DA-LC-003 Analyzed Date: 05/24/25 23:27:27

Dilution: 40
Reagent: 052125.R40; 021125.07; 052125.R41
Consumables: 947.110; 04312111; 062224CH01; 0000355309
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50522013-001 Harvest/Lot ID: 0190319966944827

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 0190319966944827 Sample Size Received: 13 units Total Amount : 2607 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 2 of 5



### **Pesticides**

## **PASSED**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
BAMECTIN B1A	0.010	1.1	0.1	PASS	ND	PROPOSUR		ppm	0.1	PASS	ND
СЕРНАТЕ	0.010		0.1	PASS	ND				0.1	PASS	
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm			ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
DSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *		ppm	0.13	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	ND				0.1	PASS	ND
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		ppm			
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		ppm	0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted I	ov:
METHOATE	0.010		0.1	PASS	ND	<b>4056, 585, 1440</b> 1.0803g		5 13:20:22		450,4056	-
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP.T.4	0.102.FL				
OFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA086807PES					
OXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch	Date: 05/23/	25 10:05:20	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 05/26/25 11:31:22					
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 25 Reagent: 052125.R39; 081023.01; 052125	D30-052125 D20	· 051025 D01	· 0/2025 D13	· 052125 D01	
NPYROXIMATE	0.010		0.1	PASS	ND	Consumables: 040724CH01; 6822423-02	NJU, UJZIZJ.KZS	, UJIBZJ.KUI	, v42323.K13	, UJZIZJ.NUI	
PRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed ut	lizing Liquid Chror	natography Tri	ple-Quadrupol	e Mass Spectror	netry in
UDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
EXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction of		Extract	
IAZALIL	0.010		0.1	PASS	ND	4056, 450, 4640, 585, 1440	1.0803g	05/23/25 13	:20:22	450,405	6
IIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T	40.151.FL				
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA086809VOL Instrument Used : DA-GCMS-001		Ratch Da	te:05/23/25	10:06:32	
ALATHION	0.010		0.2	PASS	ND	Analyzed Date : 05/26/25 11:30:28		Dateii Da	.03/23/23	10.00.32	
TALAXYL	0.010		0.1	PASS	ND	Dilution: 25					
ETHIOCARB	0.010		0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052125	R42; 052125.R43	:			
ETHOMYL	0.010		0.1	PASS	ND	Consumables: 040724CH01; 6822423-02;					
EVINPHOS	0.010		0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
IYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed ut	lizing Gas Chroma	tography Tripl	e-Quadrupole	Mass Spectrome	try in
ALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50522013-001 Harvest/Lot ID: 0190319966944827

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 0190319966944827 Sample Size Received: 13 units Total Amount: 2607 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 3 of 5



# **Residual Solvents**

_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 585, 1440	<b>Weight:</b> 0.0217g	Extraction date: 05/23/25 13:44:10			tracted by: 51

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA086813SOL

Instrument Used: DA-GCMS-002 **Analyzed Date:** 05/26/25 11:33:14

Dilution: 1 Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 05/23/25 12:28:27

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-001 Harvest/Lot ID: 0190319966944827

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 0190319966944827 Sample Size Received: 13 units Total Amount: 2607 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 4 of 5



### **Microbial**



# DACCED

Batch Date: 05/23/25 10:06:56

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000 4

Analyzed by: 4520, 4044, 585, 1440 Weight: **Extraction date:** Extracted by: 0.979g 05/23/25 10:22:38 4520,4044

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086777MIC

**Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/23/25 06:55:04

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 05/24/25 23:19:31

Dilution: 10

**Reagent :** 010925.04; 030625.24; 041525.R13; 101624.10

Consumables: 7579004042

Pipette : N/A

•			
Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4892, 585, 1440	0.979g	05/23/25 10:22:38	4520,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086778TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with Batch Date: 05/23/25 06:55:58

DA-3821 Analyzed Date: 05/26/25 11:33:53

Dilution: 10

Reagent: 010925.04; 030625.24; 050725.R36 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycotoxilis				PAS	JEL
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	Ι Δ	0.002	nnm	ND	PASS	0.02

Analyzed by: 4056, 585, 1440	Weight: 1.0803a	Extraction date: 05/23/25 13:20:			xtracted 50.4056	by:
AFLATOXIN G2		0.002	opm	ND	PASS	0.02
AFLATOXIN G1		0.002	opm	ND	PASS	0.02

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA086810MYC Instrument Used : N/A

**Analyzed Date :** 05/26/25 11:32:32

Dilution: 25

Reagent: 052125.R39; 081023.01; 052125.R30; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

### **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Extraction date: Extracted by: 05/23/25 13:02:48 0.2645g 1022.4531

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086811HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/23/25 10:07:15 **Analyzed Date :** 05/24/25 23:01:49

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-001 Harvest/Lot ID: 0190319966944827

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 0190319966944827 Sample Size Received: 13 units Total Amount: 2607 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 5 of 5



### Filth/Foreign **Material**

# **PASSED**

1879

### Homogeneity

**PASSED** 

Amount of tests conducted: 24

Analyte		LOD U	Inits	Result	P/F	Action Level
Filth and Foreign Ma	aterial	0.100 %	6	ND	PASS	1
Analyzed by:	Weight:	Extrac	tion date	:	Ext	racted by:

1879, 585, 1440 1g 05/24/25 10:18:46 Analysis Method: SOP.T.40.090

Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 05/24/25 10:03:38 Analyzed Date: 05/25/25 11:40:03

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

# **PASSED**

Batch Date: 05/23/25 10:05:46

Analyte	_	LOD Units	Result	P/F	Action Level
Water Activity		0.010 aw	0.692	PASS	0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 11.4818g		on date: 5 12:19:08		<b>ctracted by:</b> 797

Analysis Method: SOP.T.40.019 Analytical Batch: DA086808WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/24/25 14:52:05

Dilution : N/A Reagent : N/A Consumables : N/A

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.242	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.215	25

Average Extraction date : Extracted Analyzed by Bv: 4.262g 05/23/25 10:19:47 3335,4512 4512, 1665, 585, 1440

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch: DA086779HOM

Instrument Used : DA-LC-001 (Homo) Batch Date: 05/23/25 07:08:42 **Analyzed Date:** 05/26/25 11:43:56

Dilution: 40

Reagent: 120324.07; 052025.R01; 090924.05; 041525.R24

 $\textbf{Consumables:}\ 947.110;\ 04312111;\ 062224CH01;\ 1009318445;\ 1009468945;\ 0000355309$ **Pipette :** DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164