

COMPLIANCE FOR RETAIL

DA50522013-005


Laboratory Sample ID: DA50522013-005

Kaycha Labs

Cresco Premium Flower 3.5g - Dulce de Uva (I)

Dulce de Uva (I) Matrix: Flower

Classification: High THC Type: Flower-Cured



Batch#: 3117838146230132

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 3251894792719921

Harvest Date: 05/20/25

Sample Size Received: 30 units Total Amount: 8248 units

Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 05/22/25 Sampled: 05/22/25

Completed: 05/26/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US

Cresco

May 26, 2025 | Sunnyside



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 05/23/25 07:55:13



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 830.550 mg



Total CBD 0.063%

Total CBD/Container: 2.205 mg



Total Cannabinoids

Total Cannabinoids/Container: 984.095

		-									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.501	26.488	ND	0.072	ND	0.069	0.900	ND	0.029	ND	0.058
mg/unit	17.54	927.08	ND	2.52	ND	2.42	31.50	ND	1.02	ND	2.03
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by:				Weight:	E)	traction date:			Extrac	ted by:	

Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch: DA086786POT Instrument Used: DA-LC-002

Analyzed Date: 05/24/25 23:20:09

Reagent: 052025.R02; 021125.07; 051225.R01
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED



Kaycha Labs Cresco Premium Flower 3.5g - Dulce de Uva (I) Dulce de Uva (I) Matrix : Flower Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50522013-005 Harvest/Lot ID: 3117838146230132

Batch#: 3117838146230132 Sample Size Received: 30 units Sampled: 05/22/25

Total Amount: 8248 units Ordered: 05/22/25

Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	81.83	2.338		SABINENE HYDRATE	0.007	TESTED	ND	ND	
SETA-CARYOPHYLLENE	0.007	TESTED	22.65	0.647		VALENCENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	14.98	0.428		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	13.69	0.391		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	9.31	0.266	1	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	7.14	0.204		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
GUAIOL	0.007	TESTED	3.64	0.104		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	3.05	0.087		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	2.31	0.066		Analyzed by:	Weight:		Extraction date	e:	Extracted by:
ALPHA-TERPINEOL	0.007	TESTED	1.40	0.040		4451, 585, 1440	1.0593g		05/23/25 11:5		4451
ENCHYL ALCOHOL	0.007	TESTED	1.37	0.039		Analysis Method: SOP.T.30.061A.FL, SOP.T.4	40.061A.FL				
ALPHA-PINENE	0.007	TESTED	1.30	0.037		Analytical Batch : DA086795TER Instrument Used : DA-GCMS-009				Batch Date : 05/23/25 09:07:25	
TRANS-NEROLIDOL	0.005	TESTED	1.02	0.029		Analyzed Date : 05/26/25 11:39:18				Batch Date : U5/23/25 U9:U7:25	
-CARENE	0.007	TESTED	ND	ND		Dilution: 10					
ORNEOL	0.013	TESTED	ND	ND		Reagent: 022525.50					
AMPHENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04312111; 2240626	6; 0000355309				
AMPHOR	0.007	TESTED	ND	ND		Pipette : DA-065					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	natography Mass Spectrometry	. For all Flower sa	amples, the Tota	Terpenes % is dry-weight corrected.	
EDROL	0.007	TESTED	ND	ND		i					
UCALYPTOL	0.007	TESTED	ND	ND							
ARNESENE	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
IEROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
ABINENE	0.007	TESTED	ND	ND							
-+-1 (0/)				2 220							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-005 Harvest/Lot ID: 3117838146230132

Pass/Fail Result

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 3117838146230132 Sample Size Received: 30 units Total Amount: 8248 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSEL	P.	A	S		ь	
--------	----	---	---	--	---	--

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	mag	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	1.1.	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET						
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE				0.1	PASS	
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010				ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNE	3) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	1.1.	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weig 4056, 585, 1440 1.03			on date: 5 13:18:38		Extracted I 450,4056	oy:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SO		3/23/23	13.10.30		430,4030	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086800PES	/r.1.40.102.1L					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch	Date: 05/23/2	25 09:55:42	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/26/25 11:38:44						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052		.25.R29	; 051925.R01	; 042925.R13	052125.R01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423 Pipette: DA-093; DA-094; DA-219	-02					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performe	ad utilizina Liaui	d Chron	ataaranbu Tr	inla Ouadrunal	o Mass Chastrar	noto, in
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ed utilizing Liqui	u Cilion	iatograpity II	ipie-Quaurupoi	е маза эресиот	neury in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Ext	raction date	::	Extracted	d by:
IMAZALIL	0.010	ppm	0.1	PASS	ND	4056, 4640, 585, 1440	1.0352g	05/	23/25 13:18:	38	450,4056	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, S	OP.T.40.151.FL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086804VOL						
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used: DA-GCMS-011 Analyzed Date: 05/26/25 11:36:49			Batch Da	ite:05/23/25	10:04:21	
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution: 250						
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052	2125 R42- 0521	25 R/12				
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01: 6822423		23.1143				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	. ,					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performe	ed utilizing Gas	Chromat	ography Trip	e-Quadrupole I	Mass Spectrome	try in
NALED	0.010	nnm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Cresco Premium Flower 3.5g - Dulce de Uva (I) Dulce de Uva (I) Matrix: Flower Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-005 Harvest/Lot ID: 3117838146230132

Sampled: 05/22/25 Ordered: 05/22/25

Batch#: 3117838146230132 Sample Size Received: 30 units Total Amount: 8248 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/23/25 10:05:00



Microbial

Extracted by:



Mycotoxins

Level

LOD	Units	Result	Pass / Fail	Action Level	4
		Not Present	PASS		1
		Not Present	PASS		1
		Not Present	PASS		
		Not Present	PASS		
		Not Present	PASS		1
		Not Present	PASS		4
10	CFU/g	330	PASS	100000	4
			Not Present Not Present Not Present Not Present Not Present Not Present	Not Present PASS	Not Present PASS

Analyzed by: 4520, 4044, 585, 1440 Weight: **Extraction date:** Extracted by: 1.05g 05/23/25 10:22:39 4520,4044

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086777MIC

Weight:

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/23/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 06:55:04

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/24/25 23:19:34

Dilution: 10

Reagent : 010925.04; 030625.24; 041525.R13; 101624.10

Consumables: 7579004042

Pipette: N/A Analyzed by:

Pipette: N/A

9				
Analyte	LOD	Units	Result	Pass / Fail
AFLATOXIN B2	0.002	ppm	ND	PASS
AFLATOXIN B1	0.002	ppm	ND	PASS
OCUPATOVINI A	0.002		ND	DACC

)	Analyzed by: 4056, 585, 1440	Weight: 1.0352g	Extraction date 05/23/25 13:18			tracted by	y:
	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch: DA086805MYC Instrument Used : N/A

Analyzed Date: 05/26/25 11:37:40

Dilution: 250

Reagent: 052125.R39; 081023.01; 052125.R30; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

4520, 4892, 585, 1440	1.05g	05/23/25 10:22:3	39 4520,4044
Analysis Method: SOP.T.40.2 Analytical Batch: DA0867781 Instrument Used: Incubator (DA-382] Analyzed Date: 05/26/25 11:	TYM (25*C) DA- 32	28 [calibrated with	Batch Date : 05/23/25 06:55:58
Dilution: 10 Reagent: 010925.04; 030625 Consumables: N/A	5.24; 050725	.R36	

Extraction date:

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Extraction date Extracted by: 05/23/25 10:55:15 0.2751g 1022.4531

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086797HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/23/25 09:41:57 Analyzed Date: 05/24/25 23:23:14

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-005 Harvest/Lot ID: 3117838146230132

Batch#: 3117838146230132 Sample Size Received: 30 units Sampled: 05/22/25

Ordered: 05/22/25

Total Amount: 8248 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Batch Date: 05/23/25 10:01:59

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1 **Moisture Content** % 11.7 PASS 15 1.0

Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight: Extracted by: 1g 05/24/25 10:18:46 1879 0.495q05/23/25 11:03:15 4797

Analysis Method: SOP.T.40.090 Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/25/25 11:37:50

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Dilution: N/AReagent: 092520.50; 120324.07 Consumables : N/A

Analysis Method: SOP.T.40.021

Analyzed Date: 05/24/25 15:00:40

Analytical Batch: DA086803MOI
Instrument Used: DA-003 Moisture Analyzer

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Batch Date: 05/24/25 10:03:38

Analyte Water Activity		LOD Uni 0.010 aw		P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight:		ion date: 25 10:35:16		tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA086806WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/23/25 10:05:14

Analyzed Date: 05/24/25 15:03:55

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164