

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50522013-010

### Kaycha Labs

Supply Vape Cartridge 1g - Jack Herer (S) .

Jack Herer (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 4543969987382599

> > Batch#: 4543969987382599

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1955635556118410

Harvest Date: 05/20/25

Sample Size Received: 16 units Total Amount: 818 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/22/25 Sampled: 05/22/25

Completed: 05/26/25

Sampling Method: SOP.T.20.010

PASSED

May 26, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 05/23/25 08:31:09



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED



### Cannabinoid

Total THC

86.992% Total THC/Container: 869.920 mg



**Total CBD** 0.219%

Total CBD/Container: 2.190 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 918.770



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086788POT Instrument Used: DA-LC-003 Analyzed Date: 05/24/25 23:20:59

Reagent: 052125.R40; 021125.07; 052125.R41
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim PASSED** 


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50522013-010 Harvest/Lot ID: 4543969987382599

Sampled: 05/22/25

Ordered: 05/22/25

Batch#: 4543969987382599 Sample Size Received: 16 units Total Amount: 818 units

Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED** 

Terpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)		mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	42.89	4.289		LINALOOL	0.007	TESTED	ND	ND	
ALPHA-TERPINOLENE	0.007	TESTED	16.37	1.637		NEROL	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	6.18	0.618		PULEGONE	0.007	TESTED	ND	ND	
DCIMENE	0.007	TESTED	3.56	0.356		SABINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	2.60	0.260		SABINENE HYDRATE	0.007	TESTED	ND	ND	
LPHA-PHELLANDRENE	0.007	TESTED	2.42	0.242		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	2.01	0.201		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	1.31	0.131		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	1.24	0.124		Analyzed by:	Weight:		Extraction date	1	Extracted by:
LPHA-HUMULENE	0.007	TESTED	1.22	0.122		4451, 585, 1440	0.2083g		05/23/25 11:54	1:59	4451
LPHA-TERPINENE	0.007	TESTED	1.12	0.112		Analysis Method: SOP.T.30.061A.FL, SOP.T.	.40.061A.FL				
AMMA-TERPINENE	0.007	TESTED	0.86	0.086		Analytical Batch : DA086794TER Instrument Used : DA-GCMS-004				Batch Date : 05/23/25 09:0	15-03
LPHA-BISABOLOL	0.007	TESTED	0.72	0.072		Analyzed Date : 05/26/25 11:39:32				Daten Date 1 03/23/23 09:0	13.02
LPHA-TERPINEOL	0.007	TESTED	0.52	0.052		Dilution: 10					
ARNESENE	0.001	TESTED	0.50	0.050		Reagent: 022525.50					
ALENCENE	0.007	TESTED	0.48	0.048		Consumables: 947.110; 04312111; 224062	26; 0000355309				
ARYOPHYLLENE OXIDE	0.007	TESTED	0.37	0.037		Pipette : DA-065					
UAIOL	0.007	TESTED	0.33	0.033		Terpenoid testing is performed utilizing Gas Chron	matograpny Mass Spectrometry	r. For all Flower sa	imples, the Total	Terpenes % is any-weight corrected	
-CARENE	0.007	TESTED	0.31	0.031							
UCALYPTOL	0.007	TESTED	0.30	0.030							
ENCHYL ALCOHOL	0.007	TESTED	0.27	0.027							
AMPHENE	0.007	TESTED	0.20	0.020							
ORNEOL	0.013	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
IEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
otal (%)				1 290							

Total (%)


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

LOD Unite

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50522013-010 Harvest/Lot ID: 4543969987382599

Pacc/Eail Pacult

Batch#: 4543969987382599 Sample Size Received: 16 units Sampled: 05/22/25 Ordered: 05/22/25

Total Amount: 818 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

### **PASSED**

Dage/Eail Beauth

Pesticide	LOD Unit	s Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL	0.010	0 ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND				0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND	PACLOBUTRAZOL		0 ppm			
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET		0 ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN	0.010	0 ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	0 ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR	0.010	0 ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN	0.010	0 ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	0 ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND			0 ppm	0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	SPIROXAMINE			0.1	PASS	
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0 ppm			ND
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0 ppm	0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM		0 ppm	0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	) ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	0 ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *	0.010	0 ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *	0.070	0 ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *	0.010	0 ppm	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		D ppm	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0 ppm	0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND					PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	0 ppm	0.5	PASS	ND
DIMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction			Extracted by:	
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	<b>4056, 585, 1440</b> 0.2494g		12:54:03		4640,450,4056	5
ETOFENPROX	0.010 ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP.T.40.1 Analytical Batch: DA086799PES	02.FL				
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Rate	h Date : 05/23	/25 09-54-43	
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Analyzed Date : 05/26/25 11:42:58		Date		,23 03.3 1.13	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052125.R3	0; 052125.R2	9; 051925.R0	1; 042925.R1	3; 052125.R01	
FIPRONIL	0.010 ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02					
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	ng Liquid Chro	matography 1	riple-Quadrup	ole Mass Spectror	metry in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND		aht:	Extraction	dato	Extracted I	201
IMAZALIL	0.010 ppm	0.1	PASS	ND	<b>450, 4640, 585, 1440</b> 0.24		N/A	uute.	4640,450	,,.
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.		,		,.50	
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA086801VOL					
MALATHION	0.010 ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch D	Date: 05/23/25	09:57:23	
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date : 05/26/25 11:42:03					
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution: 25	n. 052125 5.4	2			
METHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 052125.R39; 081023.01; 052125.R4: Consumables: 040724CH01: 6822423-02: 174		3			
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218	13001				
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	ng Gas Chroma	atography Tri	ole-Ouadrunnle	Mass Spectrome	trv in
NALED	0.010 ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	,	5,	,		,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50522013-010 Harvest/Lot ID: 4543969987382599

Batch#: 4543969987382599 Sample Size Received: 16 units

Sampled: 05/22/25 Ordered: 05/22/25

Total Amount: 818 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 585, 1440	Weight: 0.0213g	Extraction date: 05/23/25 13:44:11			Extracted by: 4451

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA086813SOL

Instrument Used: DA-GCMS-002 **Analyzed Date:** 05/26/25 11:33:18

Batch Date: 05/23/25 12:28:27

Dilution: 1 Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs ■ Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-010 Harvest/Lot ID: 4543969987382599

Batch#: 4543969987382599 Sample Size Received: 16 units

Sampled: 05/22/25 Ordered: 05/22/25

Total Amount: 818 units Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 05/23/25 09:59:25



### **Microbial**



# oxins

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		1
ECOLI SHIGELLA			Not Present	PASS		Δ
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4
				_		

Analyzed by: 4520, 4044, 585, 1440 Weight: **Extraction date:** Extracted by: 0.915g 4520,4044

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086777MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 05/23/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 06:55:04

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 05/24/25 23:19:38

Dilution: 10

**Reagent :** 010925.04; 030625.24; 041525.R13; 101624.10

Consumables: 7579004042

Pipette: N/A

Ç	Mycoto
nalyte	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 585, 1440	<b>Weight:</b> 0.2494g	Extraction date: 05/23/25 12:54			acted by: 0,450,405	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA086802MYC Instrument Used : N/A

Analyzed Date: 05/26/25 11:43:41

Dilution: 250

Reagent: 052125.R39; 081023.01; 052125.R30; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

#### **PASSED**

Analyzed by: 4520, 4892, 585, 1440	Weight: 0.915g	Extraction date: 05/23/25 10:22:39	<b>Extracted by:</b> 4520,4044
Analysis Method: SOP.T.40. Analytical Batch: DA086778 Instrument Used: Incubator DA-382] Analyzed Date: 05/26/25 11	TYM (25*C) DA- 328	3 [calibrated with <b>B</b>	atch Date : 05/23/25 06:55:5
Dilution: 10 Reagent: 010925.04; 03062 Consumables: N/A	25.24; 050725.1	R36	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

.58 Metal Pass / LOD Units Result Action Fail Level PASS **TOTAL CONTAMINANT LOAD METALS** 0.080 ppm ND 1.1 ARSENIC PASS 0.020 ppm ND 0.2 CADMIUM 0.020 ppm ND PASS 0.2 0.020 ppm MERCURY ND PASS 0.2 LEAD 0.020 ppm PASS 0.5 ND

Analyzed by: 1022, 585, 1440 Extracted by: 05/23/25 11:45:03 0.2756g 1022.4531

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086798HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/23/25 09:46:52 Analyzed Date: 05/24/25 23:26:13

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50522013-010 Harvest/Lot ID: 4543969987382599

Batch#: 4543969987382599 Sample Size Received: 16 units Sampled: 05/22/25

Total Amount: 818 units Ordered: 05/22/25

Page 6 of 6 Completed: 05/26/25 Expires: 05/26/26 Sample Method: SOP.T.20.010



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/24/25 10:18:46 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/24/25 10:03:38 Analyzed Date: 05/25/25 11:37:37

Dilution: N/AReagent: N/A

Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyzed by:	Weight:	Fy	traction	date:	Fv	tracted by:
Water Activity		0.010	aw	0.510	PASS	0.85
Analyte		LOD	Units	Result	P/F	Action Level

4797, 585, 1440 05/23/25 12:32:06

Analysis Method: SOP.T.40.019 Analytical Batch: DA086808WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/23/25 10:05:46

Analyzed Date: 05/24/25 14:52:09

Dilution : N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha **Vivian Celestino** 

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors