

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50523012-006

Kaycha Labs

Supply Shake 7g - Apl and Bnanas (S)

Apl and Bnanas (S) Matrix: Flower

Classification: High THC Type: Flower-Cured

Production Method: Cured

Harvest/Lot ID: 1432697119992254 Batch#: 1432697119992254

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 3117433234964054 **Harvest Date:** 05/22/25

> Sample Size Received: 7 units Total Amount: 1461 units Retail Product Size: 7 gram

Retail Serving Size: 7 gram Servings: 1

> Ordered: 05/23/25 Sampled: 05/23/25

Completed: 05/27/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 5

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



May 27, 2025 | Sunnyside

Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 05/24/25 10:40:50



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC



Total CBD Total CBD/Container: 6.510 mg



Total Cannabinoids

Total Cannabinoids/Container: 1791.230

		ш									
%	D9-ТНС 0.501	THCA 24.485	CBD ND	CBDA 0.107	D8-THC 0.041	св с 0.095	CBGA 0.255	сви 0.023	THCV ND	CBDV ND	свс 0.082
mg/unit	35.07	1713.95	ND	7.49	2.87	6.65	17.85	1.61	ND	ND	5.74
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 144, 1665, 585,	, 1440			Weight: 0.2213g		Extraction date: 05/24/25 14:41:1	17			Extracted by: 4444	

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA086846POT Instrument Used: DA-LC-002 Analyzed Date: 05/27/25 09:38:37

Reagent: 052025.R02; 021125.07; 051225.R01 Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-006 Harvest/Lot ID: 1432697119992254

Batch#: 1432697119992254 Sample Size Received: 7 units Sampled: 05/23/25 Ordered: 05/23/25

Total Amount: 1461 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		
OTAL TERPENES	0.007	TESTED	129.01	1.843		VALENCENE	0.007	TESTED	ND	ND		
ETA-CARYOPHYLLENE	0.007	TESTED	35.70	0.510		ALPHA-CEDRENE	0.005	TESTED	ND	ND		
INALOOL	0.007	TESTED	30.38	0.434		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND		
IMONENE	0.007	TESTED	23.17	0.331		ALPHA-TERPINENE	0.007	TESTED	ND	ND		
BETA-MYRCENE	0.007	TESTED	10.36	0.148		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND		
LPHA-HUMULENE	0.007	TESTED	10.15	0.145		CIS-NEROLIDOL	0.003	TESTED	ND	ND		
LPHA-BISABOLOL	0.007	TESTED	8.75	0.125		GAMMA-TERPINENE	0.007	TESTED	ND	ND		
ETA-PINENE	0.007	TESTED	3.08	0.044	1	TRANS-NEROLIDOL	0.005	TESTED	ND	ND		
LPHA-TERPINEOL	0.007	TESTED	2.73	0.039		Analyzed by:	Weight:		Extraction date		Extracted by:	
ENCHYL ALCOHOL	0.007	TESTED	2.66	0.038		4444, 585, 1440	1.0582g		05/24/25 14:07	:58	4444	
LPHA-PINENE	0.007	TESTED	2.03	0.029		Analysis Method: SOP.T.30.061A.FL, SOP.T.4	40.061A.FL					
-CARENE	0.007	TESTED	ND	ND		Analytical Batch : DA086834TER Instrument Used : DA-GCMS-009				Batch Date : 05/24/25 10	24.44	
ORNEOL	0.013	TESTED	ND	ND		Analyzed Date : 05/27/25 11:40:32				Batch Date : U3/24/25 10	:14:44	
AMPHENE	0.007	TESTED	ND	ND		Dilution: 10						
AMPHOR	0.007	TESTED	ND	ND		Reagent : 022525.50						
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626	6; 0000355309					
EDROL	0.007	TESTED	ND	ND		Pipette : DA-065						
UCALYPTOL	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	natography Mass Spectrometry	. For all Flower s	amples, the Total	Terpenes % is dry-weight correcte	d.	
ARNESENE	0.007	TESTED	ND	ND								
ENCHONE	0.007	TESTED	ND	ND								
ERANIOL	0.007	TESTED	ND	ND								
ERANYL ACETATE	0.007	TESTED	ND	ND								
UAIOL	0.007	TESTED	ND	ND								
EXAHYDROTHYMOL	0.007	TESTED	ND	ND								
OBORNEOL	0.007	TESTED	ND	ND								
SOPULEGOL	0.007	TESTED	ND	ND								
IEROL	0.007	TESTED	ND	ND								
CIMENE	0.007	TESTED	ND	ND								
ULEGONE	0.007	TESTED	ND	ND								
ABINENE	0.007	TESTED	ND	ND								
SABINENE HYDRATE	0.007	TESTED	ND	ND								
otal (%)				1.843								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-006 Harvest/Lot ID: 1432697119992254

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 1432697119992254 Sample Size Received: 7 units Total Amount: 1461 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	-	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	(0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	(0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	(0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND							
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN	(0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	(0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	(0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	(0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND			0.010		0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			1.1.			
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.010		0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	(0.070	ppm	0.7	PASS	ND
DFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	(0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	(0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	(0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	(0.050	nnm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
IETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 4056, 585, 1440 1.0296q			on date: 16:26:32		Extracted b 4640,4056	y:
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T		24/23	10.20.32		4040,4030	
DFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086837PES	.40.102.11					
DXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch	Date: 05/24/	25 10:16:11	
NHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/27/25 11:39:22						
NOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 052325.R10; 081023.01; 05232	5.R12; 05212	5.R29;	; 051925.R01	.; 042925.R13	; 052125.R01	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 221021DD						
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed u	Hiliaina Liavid	Chro	ataaranbi T-	inla Ouada:	la Mass Caaster-	noto, ir
UDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ıtınzırıg Liquid	curon	iacograpny If	ipie-Quaurupo	ie mass spectror	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND		eiaht:	Extr	action date:		Extracted	bv:
AZALIL	0.010	ppm	0.1	PASS	ND		0296g		4/25 16:26:3		4640,4056	
IDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.	T.40.151.FL					
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086838VOL						
LATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-011			Batch Da	ite:05/24/25	10:18:11	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 05/27/25 11:37:54						
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250	F D 42 OF 212	F D 43				
THOMYL	0.010		0.1	PASS	ND	Reagent: 052325.R10; 081023.01; 05212 Consumables: 040724CH01; 221021DD;		5.K43				
VINPHOS	0.010		0.1	PASS	ND	Pipette: DA-080: DA-146: DA-218	1/4/3001					
CLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed u	itilizing Gas Ch	romat	ography Trin	o-Ouadrunolo	Mass Spectrome	try in
ALED	0.010		0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	icinzilly das Cl	uomal	ograpity ittp	c Quaurupole	nuss speculline	ay III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Supply Shake 7g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix : Flower Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-006 Harvest/Lot ID: 1432697119992254

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 1432697119992254 Sample Size Received: 7 units Total Amount: 1461 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/24/25 10:18:31



Microbial



Analytical Batch : DA086839MYC Instrument Used : N/A

Analyzed Date: 05/27/25 09:29:19

Consumables: 040724CH01; 221021DD Pipette: DA-093; DA-094; DA-219

Mycotoxins

PASSED

SALMONELLA SPECIFIC GEN	E		Not Present	Fail PASS	Level	AFLATOXIN B2		0.002	ppm	ND	Fail PASS	Level 0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:	Weight:	Extraction date	e:	E	xtracted I	bv:
TOTAL YEAST AND MOLD	10	CFU/g	840	PASS	100000		1.0296g	05/24/25 16:2	6:32		640,4056	
Analyzed by:	Weight:	Extraction of		Extracted		Analysis Method : SOF	P.T.30.102.FL, SC	P.T.40.102.FL				

Analyzed by: 4520, 4044, 585, 1440 0.8828g 05/24/25 09:51:28 4892,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA086823MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: 05/24/25 Dilution: 250

Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/27/25 09:02:43

Dilution: 10

010025 05: 020625 27: 041525 012: 002024 04 Reagent

Consum

Pipette

mables: 7579004042 e: N/A		113, 093024.04		На	Heavy Metals	PASSED
zed by: 4571, 585, 1440	Weight:	Extraction date: 05/24/25 00:51:28	Extracted by:	ц <u>а</u> п	,	

4520, 45 Analysis Method: SOP.T.40.209.FL

Analytical Batch: DA086824TYM Instrument Used : Incubator (25*C) DA- 328 [calibrated with Batch Date: 05/24/25 08:13:23

Analyzed Date: 05/27/25 09:06:02

Analyze

Dilution: 10

Reagent: 010925.05; 030625.27; 050725.R36 Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Kesuit	Pass / Fail	Level	1
TOTAL CONTAMINANT LO	AD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	< 0.100	PASS	0.2	
CADMIUM MERCURY		0.020	ppm ND	PASS	0.2		
		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Voight:	Extraction dat	۵.		vtracted	hv:	

05/24/25 12:12:00

Reagent: 052325.R10; 081023.01; 052325.R12; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2883a

Analytical Batch : DA086830HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/24/25 09:52:13 Analyzed Date: 05/27/25 10:08:07

Dilution: 50

4531, 585, 1440

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 062224CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

4531





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-006 Harvest/Lot ID: 1432697119992254

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 1432697119992254 Sample Size Received: 7 units Total Amount: 1461 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Dilution: N/A

Consumables : N/A

Pipette: DA-066

Analysis Method: SOP.T.40.021

Analyzed Date: 05/27/25 09:17:18

Reagent: 092520.50; 120324.07

Analytical Batch : DA086841MOI Instrument Used : DA-003 Moisture Analyzer

Moisture

PASSED

Batch Date: 05/24/25 10:22:28

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS **Moisture Content** % 12.3 PASS 15 1 1.0

Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight: Extracted by: 1g 05/24/25 10:18:49 1879 0.496g 05/24/25 14:59:03 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/25/25 11:37:01

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 05/24/25 10:03:38

Batch Date: 05/24/25 10:26:05

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.526 0.65 Extraction date: 05/24/25 11:45:53 Analyzed by: 4797, 585, 1440 Weight: 1.49g Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA086842WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/27/25 09:27:33

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164