

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50523012-006

Kaycha Labs

Supply Shake 7g - Apl and Bnanas (S)

Apl and Bnanas (S) Matrix: Flower

Classification: High THC Type: Flower-Cured



Batch#: 1432697119992254

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 3117433234964054

Harvest Date: 05/22/25

Sample Size Received: 7 units Total Amount: 1461 units Retail Product Size: 7 gram Retail Serving Size: 7 gram

Servings: 1

Ordered: 05/23/25 Sampled: 05/23/25

Completed: 05/27/25

Sampling Method: SOP.T.20.010

PASSED

May 27, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 05/24/25 10:40:50



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC



Total CBD

Total CBD/Container: 6.510 mg



Total Cannabinoids

Total Cannabinoids/Container: 1791.230

		ш									
%	D9-ТНС 0.501	THCA 24.485	CBD ND	CBDA 0.107	D8-ТНС 0.041	св с 0.095	CBGA 0.255	CBN 0.023	THCV ND	CBDV ND	свс 0.082
mg/unit	35.07	1713.95	ND	7.49	2.87	6.65	17.85	1.61	ND	ND	5.74
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 4444, 1665, 585, 1440			Weight: Extraction date: 0.2213g 05/24/25 14:41:17			17	Extracted by: 4444				

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA086846POT Instrument Used: DA-LC-002 Analyzed Date: 05/27/25 09:38:37

Reagent: 052025.R02; 021125.07; 051225.R01

Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-006 Harvest/Lot ID: 1432697119992254

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 1432697119992254 Sample Size Received: 7 units Total Amount: 1461 units Completed: 05/27/25 Expires: 05/27/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail		Result (%)	 Terpenes	LOD (%)	Pass/Fail		Result (%)	
TOTAL TERPENES	0.007	TESTED	129.01	1.843	VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	35.70	0.510	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	30.38	0.434	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	23.17	0.331	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	10.36	0.148	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	10.15	0.145	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	8.75	0.125	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	3.08	0.044	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	2.73	0.039	Analyzed by:	Weight:		Extraction date		Extracted by:
ENCHYL ALCOHOL	0.007	TESTED	2.66	0.038	4444, 585, 1440	1.0582g		05/24/25 14:0	7:58	4444
ALPHA-PINENE	0.007	TESTED	2.03	0.029	Analysis Method : SOP.T.30.061A.FL, SOP.	.T.40.061A.FL				
-CARENE	0.007	TESTED	ND	ND	Analytical Batch : DA086834TER Instrument Used : DA-GCMS-009				Batch Date : 05/24/25 10:14:44	
ORNEOL	0.013	TESTED	ND	ND	Analyzed Date : 05/27/25 11:40:32				Date: Date: 03/24/23 10:14:44	
AMPHENE	0.007	TESTED	ND	ND	Dilution: 10					
AMPHOR	0.007	TESTED	ND	ND	Reagent: 022525.50					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables: 947.110; 04402004; 2240	626; 0000355309				
EDROL	0.007	TESTED	ND	ND	Pipette : DA-065					
UCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Ch	romatography Mass Spectrometry	r. For all Flower s	amples, the Tota	il Terpenes % is dry-weight corrected.	
ARNESENE	0.007	TESTED	ND	ND	i					
ENCHONE	0.007	TESTED	ND	ND	i					
ERANIOL	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
UAIOL	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
SOBORNEOL	0.007	TESTED	ND	ND						
SOPULEGOL	0.007	TESTED	ND	ND						
IEROL	0.007	TESTED	ND	ND						
CIMENE	0.007	TESTED	ND	ND						
ULEGONE	0.007	TESTED	ND	ND.						
SABINENE	0.007	TESTED	ND	ND.						
ABINENE HYDRATE	0.007	TESTED	ND	ND						
Total (%)				1.843						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/25