

COMPLIANCE FOR RETAIL

Second Steen or Commission College State St. Total Second State St. Total St. Total Second St. Total Second

Laboratory Sample ID: DA50523012-018

Sunnyside

May 28, 2025 | Sunnyside

Chews

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1 7

Mixed

Matrix: Edible Classification: High THC

Type: Soft Chew Production Method: Other - Not Listed

Harvest/Lot ID: 3095552586187506

Batch#: 3095552586187506

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 9120787610421034

Harvest Date: 05/20/25

Sample Size Received: 13 units

Total Amount: 2970 units Retail Product Size: 41.7295 gram

Retail Serving Size: 4.1 gram

Servings: 10 Ordered: 05/23/25

Sampled: 05/23/25 Completed: 05/28/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 05/27/25 07:29:53



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

TESTED



Cannabinoid

Total THC

.255% Total THC/Container: 106.410 mg




Total CBD 0.246%

Total CBD/Container: 102.655 mg



Total Cannabinoids .514%

Total Cannabinoids/Container: 214.490



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086881POT Instrument Used: DA-LC-003 Analyzed Date: 05/28/25 08:52:06

Dilution: 40 Reagent: 120324.07; 052125.R40; 090924.05; 021125.07; 052125.R41 Consumables: 947.110; 04312111; 062224CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-018 Harvest/Lot ID: 3095552586187506

Batch#: 3095552586187506 Sample Size Received: 13 units Sampled: 05/23/25 Ordered: 05/23/25

Total Amount : 2970 units Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Resu |
|-----------------------------------|-------|-------|-----------------|--------------|----------|---|-----------|-------------------------|-----------------|------------------|----------|
| TAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | I F | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TAL DIMETHOMORPH | 0.010 | | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TAL PERMETHRIN | 0.010 | | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TAL PYRETHRINS | 0.010 | I F | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TAL SPINETORAM | 0.010 | | 3 | PASS | ND | PRALLETHRIN | | ppm | 0.4 | PASS | ND |
| TAL SPINOSAD | 0.010 | | 3 | PASS | ND | PROPICONAZOLE | 0.010 | | 1 | PASS | ND |
| AMECTIN B1A | 0.010 | | 0.3 | PASS | ND | | | ppm | 0.1 | PASS | ND |
| EPHATE | 0.010 | | 3 | PASS | ND | PROPOXUR | | | 3 | PASS | |
| QUINOCYL | 0.010 | | 2 | PASS | ND | PYRIDABEN | 0.010 | | | | ND |
| TAMIPRID | 0.010 | | 3 | PASS | ND | SPIROMESIFEN | | ppm | 3 | PASS | ND |
| DICARB | 0.010 | 111 | 0.1 | PASS | ND | SPIROTETRAMAT | | ppm | 3 | PASS | ND |
| DXYSTROBIN | 0.010 | | 3 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| ENAZATE | 0.010 | | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ENTHRIN | 0.010 | | 0.5 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| SCALID | 0.010 | | 3 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| RBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| RBOFURAN | 0.010 | 111 | 0.1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | | ppm | 0.2 | PASS | ND |
| LORANTRANILIPROLE | 0.010 | | 3 | PASS | ND | PARATHION-METHYL * | | ppm | 0.1 | PASS | ND |
| LORMEQUAT CHLORIDE | 0.010 | | 3 0.1 | PASS | ND | | 0.010 | | 3 | PASS | ND |
| ORPYRIFOS | 0.010 | | | PASS | ND | CAPTAN * | | | | | |
| PENTEZINE | 0.010 | 111 | 0.5 | PASS PASS | ND | CHLORDANE * | | ppm | 0.1 | PASS | ND |
| JMAPHOS | 0.010 | | 0.1 | | ND | CHLORFENAPYR * | | ppm | 0.1 | PASS | ND |
| INOZIDE | 0.010 | | | PASS PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 1 | PASS | ND |
| ZINON | 0.010 | 111 | 3 | | ND | CYPERMETHRIN * | 0.050 | ppm | 1 | PASS | ND |
| HLORVOS | 0.010 | | 0.1 | PASS | ND | Analyzed by: Weight: | Ext | raction da | te: | Extracted | by: |
| IETHOATE | 0.010 | | 0.1 | PASS PASS | ND | 4056, 3379, 585, 1440 0.8387g | 05/ | 24/25 16:29 | 9:43 | 4640,4050 | 5 |
| IOPROPHOS | 0.010 | | 0.1 | | ND | Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.F | - | | | | |
| DFENPROX | 0.010 | | 0.1 1.5 | PASS | ND ND | Analytical Batch : DA086856PES | | | | | |
| DXAZOLE | 0.010 | | 3 | PASS | ND ND | Instrument Used : DA-LCMS-004 (PES) Analyzed Date : 05/28/25 10:09:58 | | Bato | h Date: 05/24/ | 25 13:18:38 | |
| IHEXAMID | 0.010 | 1111 | | PASS | | Dilution: 250 | | | | | |
| IOXYCARB | 0.010 | 1111 | 0.1 | | ND ND | Reagent: 052325.R10; 081023.01; 052325.R12; 05 | 2125 R29 | · 051925 RI | 11: 042925 R13 | ₹ 052125 R01 | |
| NPYROXIMATE | 0.010 | | | PASS | | Consumables: 040724CH01; 221021DD | LILDINES | , 051525 | ,, 0 1232311123 | ,, 05212511101 | |
| RONIL | 0.010 | | 0.1 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | | | | | |
| ONICAMID | 0.010 | 1111 | 2 | PASS | ND ND | Testing for agricultural agents is performed utilizing Lic | uid Chron | natography ¹ | Friple-Quadrupo | le Mass Spectror | netry in |
| JDIOXONIL | 0.010 | | 2 | PASS | ND ND | accordance with F.S. Rule 64ER20-39. | | | | | |
| XYTHIAZOX | | 1.1. | 0.1 | PASS | ND ND | Analyzed by: Weight: | | action date | | Extracted | |
| AZALIL | 0.010 | 1111 | 1 | PASS | ND ND | 4640, 450, 585, 1440 0.8387g | | 4/25 16:29 | 43 | 4640,4056 |) |
| DACLOPRID ESOXIM-METHYL | | | 1 | PASS | ND | Analysis Method: SOP.T.30.151A.FL, SOP.T.40.151. Analytical Batch: DA086857VOL | r L | | | | |
| | 0.010 | | 2 | PASS | ND ND | Instrument Used : DA-GCMS-001 | | Batch I | Date: 05/24/25 | 13:19:53 | |
| LATHION | 0.010 | | 3 | PASS | ND ND | Analyzed Date : 05/27/25 10:28:29 | | | | | |
| TALAXYL | | | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| THIOCARB | 0.010 | | | PASS | | Reagent: 052325.R10; 081023.01; 052125.R42; 05 | | | | | |
| THOMYL | 0.010 | | 0.1 | | ND | Consumables: 040724CH01; 221021DD; 17473601 | | | | | |
| VINPHOS | 0.010 | 1111 | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | - | | | | |
| CLOBUTANIL LED | 0.010 | | 3 0.5 | PASS PASS | ND ND | Testing for agricultural agents is performed utilizing Ga accordance with F.S. Rule 64ER20-39. | s Chroma | tography Tri | pie-Quadrupole | Mass Spectrome | try in |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-018 Harvest/Lot ID: 3095552586187506

Batch#: 3095552586187506 Sample Size Received: 13 units

Sampled: 05/23/25 Ordered: 05/23/25

Total Amount : 2970 units **Completed:** 05/28/25 **Expires:** 05/28/26 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

| л | | _ | п |
|---|---|----|---|
| н | Э | Е. | ш |
| - | _ | _ | _ |

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|------------------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: | Weight: | Extraction date: | | Extracte | |

4451, 585, 1440 0.0259g 05/25/25 09:54:29 4571,4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086872SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** 05/28/25 09:49:16

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$

Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Batch Date: 05/25/25 09:20:25

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/28/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-018 Harvest/Lot ID: 3095552586187506

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 3095552586187506 Sample Size Received: 13 units Total Amount: 2970 units Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/24/25 13:20:09



Microbial

PASSED



Mycotoxins

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|-----|-------|-------------|----------------|-----------------|-----------------------|---------|------------|-------|--------|----------------|-----------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | Analyzed by: | Weight: | Extraction | date: | | Extracted | hv: |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | 4056, 3379, 585, 1440 | 0.8387g | 05/24/25 | | | 4640,405 | |

Analyzed by: 1879, 4044, 585, 1440 Weight: **Extraction date:** Extracted by: 1.0815g 05/24/25 10:06:32 4520,4892

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA086825MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: 05/24/25 Dilution: 250

Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 05/27/25 09:45:54

Dilution: 10

Reagent: 010925.05; 030625.27; 041525.R13; 101624.10

Consumables: 7579004049

| Pipette : N/A | | | | _ ∏ լ |
|---------------------------------------|--------------------|------------------------------------|-------------------------|-------|
| Analyzed by: 1879, 4571, 585, 1440 | Weight: 1.0815g | Extraction date: 05/24/25 10:06:32 | Extracted by: 4520,4892 | - 4. |

Analysis Method: SOP.T.40.209.FL Analytical Batch: DA086826TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 05/24/25 08:24:50 T

Analyzed Date: 05/27/25 09:47:02

Dilution: 10

Reagent: 010925.05; 030625.27; 050725.R36 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| ÷. | |
|----|--|
| | |

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA086858MYC Instrument Used : N/A

Analyzed Date: 05/28/25 10:05:40

Reagent: 052325.R10; 081023.01; 052325.R12; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Consumables: 040724CH01; 221021DD Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | | LOD | Units | Result | Pass / Fail | Action Level | |
|---------------------------------|--------------------|-----------------------------------|-------|--------|----------------|-----------------|--|
| TOTAL CONTAMINAN | T LOAD METAI | L S 0.080 | ppm | ND | PASS | 5 | |
| ARSENIC | | 0.020 | ppm | ND | PASS | 1.5 | |
| CADMIUM | | 0.020 | ppm | ND | PASS | 0.5 | |
| MERCURY | | 0.020 | ppm | ND | PASS | 3 | |
| LEAD | | 0.020 | ppm | ND | PASS | 0.5 | |
| Analyzed by: 4531, 585, 1440 | Weight: 0.2605a | Extraction date 05/24/25 14:42 | | | tracted b | y: | |
| | | | | | | | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086849HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/24/25 11:14:13 Analyzed Date: 05/27/25 09:45:06

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-018 Harvest/Lot ID: 3095552586187506

Batch#: 3095552586187506 Sample Size Received: 13 units Sampled: 05/23/25

Total Amount: 2970 units Ordered: 05/23/25 Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 5 of 5

Pass/Fail

PASS

PASS



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Action Level

Result

1.056 25

0.983 25

Amount of tests conducted: 24

| Analyte | | LOD | Units | Result | P/F | Action Level |
|-------------------------|-----|-------|-------|--------|------|--------------|
| Filth and Foreign Mater | ial | 0.100 | % | ND | PASS | 1 |
| | | | | | | |

Analyzed by: 1879, 585, 1440 Weight: 1g 05/25/25 10:45:31 1879 Analysis Method: SOP.T.40.090

Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/24/25 10:03:38 Analyzed Date: 05/25/25 11:36:53

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyzed by | Average Weight | Extraction date : | Extracted By: | |
|--|-------------------|-------------------|---------------|--|
| 4621, 3335, 585, 1440 | 4.113g | 05/24/25 09:49:33 | 4512,4621 | |
| Analysis Method : SOP T 30 111 FL SOP T 40 111 | FI | | | |

LOD

0.001 %

0.001

Units

Analytical Batch: DA086820HOM

Instrument Used : DA-LC-006 Batch Date: 05/24/25 07:54:35

Analyzed Date: 05/27/25 12:14:10

TOTAL THC - HOMOGENEITY

TOTAL CBD - HOMOGENEITY

Dilution: 40 Reagent: 120324.07; 051225.R04; 090924.05; 051925.R14

Consumables: 947.110; 04312111; LCJ0311R; 040724CH01; 1009487156; 1009372593;

0000355309

Analyte

(RSD)

(RSD)

Pipette: DA-055; DA-063; DA-067

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.682 0.85 Extraction date: 05/24/25 14:50:36 Analyzed by: 4797, 585, 1440 Weight: 7.197g Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA086843WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/24/25 10:26:53

Analyzed Date: 05/27/25 09:36:56

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

 $Homogeneity\ testing\ is\ performed\ utilizing\ High\ Performance\ Liquid\ Chromatography\ with\ UV\ detection\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164