

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50523012-021

Kaycha Labs

Supply Disposable Vape 500mg - Trainwreck (S)

Trainwreck (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 1295965405322345

> > Batch#: 1295965405322345

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9456381022309786

Harvest Date: 05/21/25

Sample Size Received: 31 units

Total Amount: 155 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 05/23/25 Sampled: 05/23/25

Completed: 05/28/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

indiantown, FL, 34956, US SAFETY RESULTS

22205 Sw Martin Hwv



Pesticides





Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 05/24/25 10:46:01



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

May 28, 2025 | Sunnyside

Total THC 85.833%

Total THC/Container: 429.165 mg



Total CBD 0.301%

Total CBD/Container: 1.505 mg



Total Cannabinoids

Total Cannabinoids/Container: 451.175



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA086847POT Instrument Used: DA-LC-003 Analyzed Date: 05/27/25 09:40:01

Reagent: 052125.R40; 021125.07; 052125.R41

Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-021 Harvest/Lot ID: 1295965405322345

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 1295965405322345 Sample Size Received: 31 units Total Amount: 155 units

Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

0			mg/unit	Result (%)		_	LOD (%)	Pass/Fail	mg/unit		
0	1.007					Terpenes				Result (%)	
			21.76	4.351		ISOBORNEOL	0.007	TESTED	ND	ND	
			8.70	1.739		ISOPULEGOL	0.007	TESTED	ND	ND	
			3.99	0.798		PULEGONE	0.007	TESTED	ND	ND	
			1.99	0.397		SABINENE	0.007	TESTED	ND	ND	
			1.65	0.330		SABINENE HYDRATE	0.007	TESTED	ND	ND	
							0.003		ND	ND	
						TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
						Analyzed by:	Weight:			Extrac	ted by:
0	0.007	TESTED	0.41	0.081		4451, 585, 1440	0.2249g	05/2	5/25 13:29:58	4451,	4444
0	0.007	TESTED	0.35	0.069			0.061A.FL				
0	0.007	TESTED	0.32	0.063						Part Part 05/25/25 10:40:13	
0	0.007	TESTED	0.27	0.054						Battin Date: 03/23/23 10:49:12	
0	0.007	TESTED	0.23	0.046							
0	0.007	TESTED	0.18	0.036		Reagent: 022525.50					
0	0.007	TESTED	0.18	0.035			i; 0000355309				
0	0.007	TESTED	0.16	0.031							
0	0.007	TESTED	0.16	0.031		Terpenoid testing is performed utilizing Gas Chromi	atography Mass Spectrometry.	For all Flower sai	nples, the Total	Terpenes % is dry-weight corrected.	
0	0.007	TESTED	0.15	0.029							
0	0.007	TESTED	0.14	0.027							
0	0.007	TESTED	0.13	0.026							
0	0.007	TESTED	0.13	0.025							
0	0.013	TESTED	ND	ND							
0	0.007	TESTED	ND	ND							
		TESTED	ND	ND							
		TESTED	ND	ND							
		TESTED	ND	ND							
		TESTED									
		0.007 0.007	0.007 TESTED	0.007 TESTED 0.67 0.007 TESTED 0.67 0.007 TESTED 0.67 0.007 TESTED 0.59 0.007 TESTED 0.59 0.007 TESTED 0.52 0.007 TESTED 0.52 0.007 TESTED 0.52 0.007 TESTED 0.52 0.007 TESTED 0.7 0.007 TESTED 0.7 0.007 TESTED 0.7 0.007 TESTED 0.18 0.007 TESTED 0.16 0.007 TESTED 0.10	0.007	0.007	APPLACIDANE	APPIACEDRENE 0.05 0.15 APPIACEDRENE 0.05 0.007 TESTED 0.65 0.113 CS-MERCIDICO, 0.003 0.007 TESTED 0.65 0.116 TAMAS-MERCIDICO, 0.005	APPIACEDRENE 0.055 TESTED	A.PHA-CEDRENE 0.05 0.151 A.PHA-CEDRENE 0.003 TESTED ND	APPHA-CEDREN 0.05 TESTED ND ND ND

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-021 Harvest/Lot ID: 1295965405322345

Batch#: 1295965405322345 Sample Size Received: 31 units

Sampled: 05/23/25 Total Amount: 155 units Ordered: 05/23/25

Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LO	D Units	Action Level	Pass/Fail	Resi
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.0	10 ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.0	10 ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.0	10 ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.0	10 ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		10 ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1	0.1	PASS	ND	PROPICONAZOLE		10 ppm	0.1	PASS	ND
BAMECTIN B1A	0.010	1.1	0.1	PASS	ND				0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		10 ppm			
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		10 ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		10 ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.0	10 ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.0	10 ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.0	10 ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.0	10 ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		10 ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		10 ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND			10 ppm	0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)			0.13	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		10 ppm			
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		70 ppm	0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		10 ppm	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.0	10 ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.0	50 ppm	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.0	50 ppm	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weigh	t: Evtra	tion date:		Extracted b	ıv:
METHOATE	0.010		0.1	PASS	ND	4056, 585, 1440 0.2546		25 15:54:59		4640,4056	.,.
IOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.	, , , ,			,	
DFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA086833PES					
DXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Bato	h Date: 05/24/	25 10:13:33	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 05/27/25 10:02:43					
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 250	25 012 052125	20 051025 5	1 042025 223	052125 005	
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 052325.R10; 081023.01; 0523 Consumables: 040724CH01; 221021DD		29; 051925.RI)1; U42925.R13	s; U52125.R01	
PRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed	utilizina Liquid Chi	omatography	Friple-Quadrupo	le Mass Spectror	netry in
UDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		acography	Quaurupo		111
XYTHIAZOX	0.010		0.1	PASS	ND			xtraction date	2:	Extracted	
AZALIL	0.010		0.1	PASS	ND			5/24/25 15:54	59	4640,4056	5
IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP	P.T.40.151.FL				
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA086835VOL		D-4 1 1		10.15.00	
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-011 Analyzed Date : 05/27/25 09:34:09		Batch I	Date: 05/24/25	10:15:00	
TALAXYL	0.010		0.1	PASS	ND	Dilution: 250					
THIOCARB	0.010		0.1	PASS	ND	Reagent: 052325.R10; 081023.01; 0521	25.R42: 052125 R	43			
THOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 221021DD;					
VINPHOS	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Gas Chron	natography Tri	ple-Quadrupole	Mass Spectrome	try in
ALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50523012-021 Harvest/Lot ID: 1295965405322345

Batch#: 1295965405322345 Sample Size Received: 31 units Sampled: 05/23/25 Ordered: 05/23/25

Total Amount: 155 units Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

п.	_			_	
_	ш	-	-	т.	
- 4					

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Extracte	d by:	

4571,4451 4451, 585, 1440 0.0214g 05/25/25 09:54:29

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086872SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** 05/27/25 09:48:48

Dilution: 1 Reagent: N/A Consumables: N/A

Pipette : N/A

Batch Date: 05/25/25 09:20:25

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-021 Harvest/Lot ID: 1295965405322345

Batch#: 1295965405322345 Sample Size Received: 31 units Sampled: 05/23/25

Total Amount: 155 units Ordered: 05/23/25 Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 05/24/25 10:15:18



Microbial



Mycotoxins

PASSED

Analyte	LO	D Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction date	e:	E	xtracted b	ov:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4056, 585, 1440	0.2546g	05/24/25 15:5	4:59		640,4056	,
Analyzed by:	Weight:	Extraction	date:	Extracted	l by:	Analysis Method : SOF	P.T.30.102.FL, SC	DP.T.40.102.FL				

Analyzed by: 1879, 4044, 585, 1440 Weight: **Extraction date:** Extracted by: 1.0525g 05/24/25 10:06:32 4520,4892

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA086825MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: 05/24/25 Dilution: 250

Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367,DA-402 Thermo Scientific

Analyzed Date : 05/27/25 09:45:55

Dilution: 10

Reagent: 010925.05; 030625.27; 041525.R13; 101624.10

Consumables: 7579004049 Pipette: N/A				Нд	Heavy Metals	PASSED
Analyzed by: 1879, 4571, 585, 1440	Weight: 1.0525q	Extraction date: 05/24/25 10:06:32	Extracted by: 4520,4892	цтор		
,,,,,	1.00209	03/2-1/23 10:00:32	-520,-F032			

Metal

Analysis Method: SOP.T.40.209.FL Analytical Batch: DA086826TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with Batch Date: 05/24/25 08:24:50

Analyzed Date: 05/27/25 09:47:03

Dilution: 10

Reagent: 010925.05; 030625.27; 050725.R36 Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

rictar		200	Oilles	resure	Fail	Level	
TOTAL CONTAMINA	NT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: Weight:		Extraction date:		Extracted by:			
4531, 585, 1440	0.2601g	05/24/25 14:0)5:25		4531		

LOD

Units

Result Pass /

Action

Reagent: 052325.R10; 081023.01; 052325.R12; 052125.R29; 051925.R01; 042925.R13; 052125.R01

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086831HEA Instrument Used : DA-ICPMS-004

Analytical Batch : DA086836MYC Instrument Used : N/A

Analyzed Date : 05/27/25 10:04:02

Consumables: 040724CH01; 221021DD Pipette: DA-093; DA-094; DA-219

Batch Date: 05/24/25 09:56:44 Analyzed Date: 05/27/25 09:41:33

Dilution: 50

Reagent: 051225.R09; 051425.R13; 051925.R18; 050925.R16; 051925.R16; 051925.R17;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50523012-021 Harvest/Lot ID: 1295965405322345

Sampled: 05/23/25 Ordered: 05/23/25

Batch#: 1295965405322345 Sample Size Received: 31 units Total Amount: 155 units Completed: 05/28/25 Expires: 05/28/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % NDPASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/25/25 10:45:31 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA086832FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/24/25 10:03:38

Analyzed Date: 05/25/25 11:36:52

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.468	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	Weight: 0.5278g		Extraction date: 05/24/25 16:07:35		Ex t	tracted by: 97

Analysis Method: SOP.T.40.019 Analytical Batch: DA086843WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date: 05/24/25 10:26:53 Analyzed Date: 05/27/25 09:36:57

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director