

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50528008-005

# Kaycha Labs

Supply Vape Cartridge 500mg - King Louis XIII (I)

King Louis XIII (I) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 4284249631377825

> > Batch#: 4284249631377825

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 3018054380365230

> > Harvest Date: 05/22/25

Sample Size Received: 31 units

Total Amount: 410 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram Servings: 1

Ordered: 05/28/25 Sampled: 05/28/25

Completed: 05/31/25

Sampling Method: SOP.T.20.010

PASSED

**Sunnyside** 

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 05/29/25 08:38:22



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED



## Cannabinoid

May 31, 2025 | Sunnyside

Total THC

88.720% Total THC/Container: 443.600 mg



**Total CBD** 0.216%

Total CBD/Container: 1.080 mg



**Total Cannabinoids** 3.108%

Total Cannabinoids/Container: 465.540



Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch: DA086942POT Instrument Used: DA-LC-003

Analyzed Date: 05/30/25 09:39:51

Reagent: 031125.07; 052825.R21; 052125.R41

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 



### Kaycha Labs Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative Type: Extract for Inhalation

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-005 Harvest/Lot ID: 4284249631377825

Sampled: 05/28/25 Ordered: 05/28/25

Batch#: 4284249631377825 Sample Size Received: 31 units Total Amount: 410 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)		mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	20.20	4.040		VALENCENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	6.26	1.252		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	4.78	0.956		ALPHA-HUMULENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	4.27	0.854		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.52	0.303		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	1.14	0.227		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.58	0.115		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.48	0.096		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.48	0.096		Analyzed by:	Weight:		Extraction		Extracted by:
LPHA-TERPINEOL	0.007	TESTED	0.45	0.089		4444, 4451, 585, 1440	0.2102g		05/29/25 1	2:29:38	4444,4451
LPHA-TERPINOLENE	0.007	TESTED	0.14	0.028		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A	LFL				
AMPHENE	0.007	TESTED	0.12	0.024		Analytical Batch : DA086973TER Instrument Used : DA-GCMS-009				Batch Date : 05/29/25 10:53	.00
CARENE	0.007	TESTED	ND	ND		Analyzed Date: 05/30/25 09:39:53				Date: Date 1 03/29/23 10:33	.00
DRNEOL	0.013	TESTED	ND	ND	ĺ	Dilution: 10					
AMPHOR	0.007	TESTED	ND	ND		Reagent: 022525.50					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 00003	355309				
DROL	0.007	TESTED	ND	ND		Pipette : DA-065					
JCALYPTOL	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	hy Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ARNESENE	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
ULEGONE	0.007	TESTED	ND	ND							
ABINENE	0.007	TESTED	ND	ND							
SABINENE HYDRATE	0.007	TESTED	ND	ND							
Total (%)				4.040							
otal (%)				4.040							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

LOD Units

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50528008-005 Harvest/Lot ID: 4284249631377825

Batch#: 4284249631377825 Sample Size Received: 31 units Sampled: 05/28/25

Total Amount: 410 units Ordered: 05/28/25

Pass/Fail Result

Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

### **PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	1.1.	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM						
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZ	ZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	mag	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND			Extraction				IND
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 1440	<b>Weight:</b> 0.2567a	05/29/25 1			Extracted by: 4640.3621.4056	
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30			2.57.04		+0+0,5021,+050	,
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA08696		.UZ.II L				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS	6-005 (PES)		Batch	Date: 05/29	/25 10:13:15	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date: 05/30/25 1	1:23:51					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 052825.R10; 081		0; 052825.R08	; 052925.R2	1; 042925.R13	3; 052825.R09	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH0 Pipette: DA-093; DA-094; D						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agent		na Liauid Chron	antagraphy T	rinla Ouadruna	la Mass Chastrai	noto, in
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64		ng Liquid Cilion	latography i	ripie-Quadrupo	не маза эресстог	neu y m
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	date:		extracted by:	
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.2567g	05/29/25 12			1640,3621,4056	
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30		.151.FL				
CRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA08696						
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCM:			Batch D	ate:05/29/25	10:14:39	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 05/30/25 1	1:22:57					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 052825.R10: 081	023 01- 052125 04	2-052125 042				
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH0						
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; [		.,5001				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agent		ng Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64I		-				-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-005 Harvest/Lot ID: 4284249631377825

Batch#: 4284249631377825 Sample Size Received: 31 units Sampled: 05/28/25 Ordered: 05/28/25

Total Amount: 410 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 4451, 585, 1440	<b>Weight:</b> 0.0213g	Extraction date: 05/29/25 11:20:3	1		xtracted by: 451	

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA086915SOL Instrument Used: DA-GCMS-003

**Analyzed Date:** 05/30/25 09:07:59Dilution: 1 Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 05/28/25 09:15:37

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs ■ Supply Vape Cartridge 500mg - King Louis XIII (I) King Louis XIII (I) Matrix : Derivative Type: Extract for Inhalation

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50528008-005 Harvest/Lot ID: 4284249631377825

Batch#: 4284249631377825 Sample Size Received: 31 units Sampled: 05/28/25

Ordered: 05/28/25 Sample Method: SOP.T.20.010

Total Amount: 410 units Completed: 05/31/25 Expires: 05/31/26 Page 5 of 6



#### **Microbial**

Extracted by:

4571



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Annalass of hear	Malaka	Fortun attance	1-4	Francisco et a	al Janes

Weight: **Extraction date:** Extracted by: 4571, 4520, 585, 1440 0.93g 05/29/25 09:12:10

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086936MIC

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95\*C Heat Block),DA-402 (55\*C Heat Block) 07:48:38 **Batch Date:** 05/29/25

0.93g

Analyzed Date: 05/30/25 10:49:31

Reagent: 030625.17; 031325.07; 051325.R51; 101624.10

Consumables : 7582002049

Pipette: N/A

Analyzed by: 4571, 4520, 585, 1440

$\mathcal{Q}_{\circ}$	Mycotoxins			
alyte		LOD	Units	Resul
LATOXIN B	2	0.002	mag	ND

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 585, 1440	Extraction date: 05/29/25 12:37:0	)4		ted by: 3621,405	66	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA086965MYC Instrument Used: DA-LCMS-005 (MYC)

Analyzed Date: 05/30/25 09:59:28

Dilution: 250

Reagent: 052825.R10; 081023.01; 052925.R20; 052825.R08; 052925.R21; 042925.R13; 052825.R09

Consumables: 040724CH01; 6822423-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

### **PASSED**

Batch Date: 05/29/25 10:14:15

Analytical Batch: DA086938TYM           Instrument Used: DA-328 (25*C Incubator)         Batch Date: 05/29/25 07:54:33	Analyzed Date: 05/31/25 14:55:40	
Analytical Batch : DA086938TYM		<b>Batch Date :</b> 05/29/25 07:54:31
CODT 40 200 FL		

05/29/25 09:12:10

Reagent: 030625.17: 031325.07: 050725.R36 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT L	OAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2875g	Extraction dat 05/29/25 10:4			Extracted 4531	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086954HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/29/25 09:37:06

Analyzed Date: 05/30/25 10:58:32

Dilution: 50

Reagent: 051225.R09; 051425.R13; 052725.R17; 050925.R16; 052725.R15; 052725.R16;

120324.07; 052225.R12

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50528008-005 Harvest/Lot ID: 4284249631377825

Sampled: 05/28/25 Ordered: 05/28/25

Batch#: 4284249631377825 Sample Size Received: 31 units Total Amount: 410 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 6 of 6



## Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/29/25 14:53:35 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA086980FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/29/25 14:48:57 Analyzed Date: 05/29/25 15:02:37

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	Result 0.581	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.3027g		raction o		<b>Ext</b> 479	racted by: 97

Analysis Method: SOP.T.40.019 Analytical Batch: DA086957WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date: 05/29/25 09:48:08 Analyzed Date: 05/30/25 09:39:08

Dilution: N/A

Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors