

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50528008-007

### Kaycha Labs

Supply Vape Cartridge 1g - Grn Crck (S)

Grn Crck (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 6563882952520799

> > Batch#: 6563882952520799

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 2024239948986729

Harvest Date: 05/22/25

Sample Size Received: 16 units Total Amount: 817 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/28/25 Sampled: 05/28/25

Completed: 05/31/25

Sampling Method: SOP.T.20.010

PASSED

**Certificate of Analysis** 

May 31, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 05/29/25 08:38:22



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED



### Cannabinoid

Total THC 88.039%

Total THC/Container: 880.390 mg




**Total CBD** 0.214%

Total CBD/Container: 2.140 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 924.030



Analyzed by: 3335, 1665, 585, 1440 Extraction date: 05/29/25 12:19:18 Extracted by: 3335

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA086942POT Instrument Used: DA-LC-003

Analyzed Date: 05/30/25 09:39:57

Reagent: 031125.07; 052825.R21; 052125.R41

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

**PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-007 Harvest/Lot ID: 6563882952520799

Batch#: 6563882952520799 Sample Size Received: 16 units Sampled: 05/28/25 Ordered: 05/28/25

Total Amount: 817 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 2 of 6



### **Terpenes**

**TESTED** 

Extracted by:
4444,4451
*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

LOD Unite

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-007 Harvest/Lot ID: 6563882952520799

Pacc/Eail Pacult

Sampled: 05/28/25

Ordered: 05/28/25

Batch#: 6563882952520799 Sample Size Received: 16 units Total Amount: 817 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

### **PASSED**

Dage/Eail Beauth

Pesticide	LOD Uni	its Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm		PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm		PASS	ND				0.3	PASS	ND
TOTAL PERMETHRIN	0.010 ppm		PASS	ND	PACLOBUTRAZOL		ppm			
TOTAL PYRETHRINS	0.010 ppm		PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010 ppm		PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppm		PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm		PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm		PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm		PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm		PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010 ppm		PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm		PASS	ND			ppm	0.1	PASS	ND
BIFENAZATE	0.010 ppm		PASS	ND	SPIROXAMINE		1111	0.1	PASS	
BIFENTHRIN	0.010 ppm		PASS	ND	TEBUCONAZOLE		ppm			ND
BOSCALID	0.010 ppm		PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
CARBARYL	0.010 ppm		PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBOFURAN	0.010 ppm		PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm		PASS	ND	PENTACHLORONITROBENZENE (PCNB)	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm		PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm		PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm		PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010 ppm		PASS	ND	CHLORFENAPYR *		mag	0.1	PASS	ND
DAMINOZIDE	0.010 ppm		PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
DIAZINON	0.010 ppm		PASS	ND				0.5	PASS	ND
DICHLORVOS	0.010 ppm		PASS	ND	CYPERMETHRIN *		ppm			ND
DIMETHOATE	0.010 ppm		PASS	ND	Analyzed by: Weight:				Extracted by:	
ETHOPROPHOS	0.010 ppm		PASS	ND	<b>4056, 585, 1440</b> 0.2492g		12:37:04		4640,3621,4056	1
ETOFENPROX	0.010 ppm		PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP. Analytical Batch: DA086964PES	1.40.102.FL				
ETOXAZOLE	0.010 ppm		PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batcl	Date: 05/29/	/25 10:13:15	
FENHEXAMID	0.010 ppm	n 0.1	PASS	ND	Analyzed Date : 05/30/25 11:23:53					
FENOXYCARB	0.010 ppm	n 0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010 ppm	n 0.1	PASS	ND	Reagent: 052825.R10; 081023.01; 05292		3; 052925.R2	1; 042925.R13	3; 052825.R09	
FIPRONIL	0.010 ppm	n 0.1	PASS	ND	Consumables: 040724CH01; 6822423-02	2				
FLONICAMID	0.010 ppm	n 0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010 ppm	n 0.1	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	utilizing Liquid Chroi	matograpny i	ripie-Quadrupo	ile Mass Spectror	netry in
HEXYTHIAZOX	0.010 ppm	n 0.1	PASS	ND	Analyzed by: Weight:	Extraction	date:		extracted by:	
IMAZALIL	0.010 ppm	n 0.1	PASS	ND	<b>450, 585, 1440</b> 0.2492g	05/29/25 13			1640,3621,4056	
IMIDACLOPRID	0.010 ppm	n 0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOF					
KRESOXIM-METHYL	0.010 ppm	n 0.1	PASS	ND	Analytical Batch : DA086966VOL					
MALATHION	0.010 ppm	n 0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch D	ate:05/29/25	10:14:39	
METALAXYL	0.010 ppm	n 0.1	PASS	ND	Analyzed Date : 05/30/25 11:22:59					
METHIOCARB	0.010 ppm	n 0.1	PASS	ND	Dilution: 250 Reagent: 052825.R10; 081023.01; 05212	25 DA2- 052125 DA	2			
METHOMYL	0.010 ppm	n 0.1	PASS	ND	Consumables: 040724CH01: 6822423-02		,			
MEVINPHOS	0.010 ppm	n 0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218	-, 1, 7/3001				
MYCLOBUTANIL	0.010 ppm	n 0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Gas Chroma	tography Trip	ole-Quadrupole	Mass Spectrome	try in
NALED	0.010 ppm	n 0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.		'			-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-007 Harvest/Lot ID: 6563882952520799

Sampled: 05/28/25 Ordered: 05/28/25

Batch#: 6563882952520799 Sample Size Received: 16 units Total Amount: 817 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:	0		extracted by:	

4451, 585, 1440 0.0208g 05/29/25 13:23:10 4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086978SOL Instrument Used: DA-GCMS-012 **Analyzed Date:** 05/30/25 09:49:07

Dilution: 1 Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 05/29/25 13:07:38

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs Supply Vape Cartridge 1g - Grn Crck (S) Grn Crck (S) Matrix: Derivative Type: Extract for Inhalation

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50528008-007 Harvest/Lot ID: 6563882952520799

Sampled: 05/28/25 Ordered: 05/28/25

Batch#: 6563882952520799 Sample Size Received: 16 units Total Amount: 817 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**

Extracted by:

4571



# **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Annalass of hear	Maria la la	Francisco de la constante	J_4	Francisco et a	al Janes

Weight: **Extraction date:** Extracted by: 4571, 4520, 585, 1440 1.091g 05/29/25 09:12:11

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086936MIC

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95\*C Heat Block),DA-402 (55\*C Heat Block) 07:48:38 **Batch Date:** 05/29/25

Weight:

1.091g

Analyzed Date: 05/30/25 10:49:32

Reagent: 030625.17; 031325.07; 051325.R51; 101624.10

Consumables : 7582002049

Pipette: N/A

Analyzed by: 4571, 4520, 585, 1440

0 8 0					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

AFLATOXIN G2		0.002 ppm	ND	PASS	0.02
Analyzed by: 4056, 585, 1440	<b>Weight:</b> 0.2492g	Extraction date: 05/29/25 12:37:04		cted by: ,3621,405	56

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086965MYC

Instrument Used: DA-LCMS-005 (MYC)

Analyzed Date: 05/30/25 09:59:29

Dilution: 250

Reagent: 052825.R10; 081023.01; 052925.R20; 052825.R08; 052925.R21; 042925.R13; 052825.R09

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

### **PASSED**

Batch Date: 05/29/25 10:14:15

Analysis Method : SOP.T.40.209.FL	
Analytical Batch : DA086938TYM	
Instrument Used : DA-328 (25*C Incubator)	Batch Date: 05/29/25 07:54:31
<b>Analyzed Date :</b> 05/31/25 14:55:42	

05/29/25 09:12:11

Reagent: 030625.17: 031325.07: 050725.R36

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2608g	Extraction dat 05/29/25 10:4			Extracted 4531	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA086954HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/29/25 09:37:06

Analyzed Date: 05/30/25 10:58:34

Dilution: 50

Reagent: 051225.R09; 051425.R13; 052725.R17; 050925.R16; 052725.R15; 052725.R16;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50528008-007 Harvest/Lot ID: 6563882952520799

Batch#: 6563882952520799 Sample Size Received: 16 units Sampled: 05/28/25 Ordered: 05/28/25

Total Amount: 817 units Completed: 05/31/25 Expires: 05/31/26 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/29/25 14:53:35 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA086980FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/29/25 14:48:57 Analyzed Date: 05/29/25 15:02:36

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.490	PASS	0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.1966g		Extraction date: 05/29/25 12:05:32		<b>Ex</b> : 47	tracted by: 97

Analysis Method: SOP.T.40.019

Analytical Batch: DA086957WAT Instrument Used : DA-028 Rotronic Hygropalm

Batch Date: 05/29/25 09:48:08 Analyzed Date: 05/30/25 09:39:09

Dilution: N/A Reagent: 101724.36

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164