

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Kaycha Labs

..... Supply Disposable Vape 1g - Master Kush (I) Master Kush (I)



Matrix: Derivative Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 6641903439059407 Batch#: 6641903439059407 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9661698574295159 Harvest Date: 05/22/25 Sample Size Received: 16 units Total Amount: 676 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 05/28/25 Sampled: 05/28/25

Completed: 05/31/25 Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED



COMPLIANCE FOR RETAIL

May 31, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

	n									PASSED
Full Spectrum car	nnabinoid analysis util	izing High Performance	Liquid Chromatography v	ith UV detection in accordance	with F.S. Rule 64ER20-39.					
Consumables : 9	25.07; 052825.R21 947.110; 04312111 9; DA-108; DA-078	; 062224CH01; 000	0355309							
Analytical Batch Instrument Used Analyzed Date :	1 : SOP.T.40.031, S 1 : DA086942POT d : DA-LC-003 05/30/25 09:40:03					Batch Date : 05/29/25	08:38:22			
3335, 1665, 585				0.1115g	05/29/25 12:19:	18			3335	
Analyzed by:	%	%	%	% %	% Extraction date:	%	%	%	% Extracted by:	%
LOD	0.001	0.001	0.001	0.001 0.00		0.001	0.001	0.001	0.001	0.001
mg/unit	863.12	0.65	2.12	ND ND	20.13	ND	13.33	3.67	ND	3.34
%	^{D9-тнс} 86.312	тнса 0.065	CBD 0.212	CBDA D8-TH ND ND	іс сво 2.013	CBGA ND	свм 1.333	тнсу 0.367	CBDV ND	свс 0.334
	1	THC 3.369 THC/Container			Total CBD 0.212% Total CBD/Container	•		390	I Cannabinoids 0.636% Cannabinoids/Cont	, D
Ä	Cannal	oinoid								TESTED
Pestici PASS		avy Metals ASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filth PASSED		Activity SED	Moisture NOT TESTED	Terpenes TESTED
R 0		Hg	Ċ.	٠¢٠	Ä			$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$		Ô

Sunnyside*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/25



..... Supply Disposable Vape 1g - Master Kush (I) Master Kush (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-008 Harvest/Lot ID: 6641903439059407 Batch#: 6641903439059407 Sample Size Received: 16 units Sampled : 05/28/25 Ordered : 05/28/25

Total Amount : 676 units Completed : 05/31/25 Expires: 05/31/26 Sample Method : SOP.T.20.010

Page 2 of 6

\bigcirc
\mathcal{S}

Terpenes

erpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	42.30	4.230	SABINENE HYDRATE	0.007	TESTED	ND	ND	
TA-MYRCENE	0.007	TESTED	17.37	1.737	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	8.17	0.817	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	5.18	0.518	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	4.23	0.423	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	2.86	0.286	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
RNESENE	0.007	TESTED	0.98	0.098	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	0.96	0.096	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
PHA-BISABOLOL	0.007	TESTED	0.93	0.093	Analyzed by:	Weight:		Extraction	date:	Extracted by:
IALOOL	0.007	TESTED	0.87	0.087	4444, 4451, 585, 1440	0.2203g		05/29/25 1	2:29:38	4444,4451
LENCENE	0.007	TESTED	0.34	0.034	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.F	1				
NCHYL ALCOHOL	0.007	TESTED	0.21	0.021	Analytical Batch : DA086973TER Instrument Used : DA-GCMS-009				Batch Date : 05/29/25 10:	53-08
PHA-TERPINEOL	0.007	TESTED	0.20	0.020	Analyzed Date : 05/30/25 09:40:05				Descer Desd 103/25/23 10.	33.00
CARENE	0.007	TESTED	ND	ND	Pilution: 10					
RNEOL	0.013	TESTED	ND	ND	Reagent : 022525.50					
MPHENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 000035 Pipette : DA-065	5309				
MPHOR	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography					
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	y. For all Flower sa	mpies, the Total	Terpenes % is dry-weight corrected	1.
DROL	0.007	TESTED	ND	ND						
CALYPTOL	0.007	TESTED	ND	ND						
NCHONE	0.007	TESTED	ND	ND						
RANIOL	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
JAIOL	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
OPULEGOL	0.007	TESTED	ND	ND						
ROL	0.007	TESTED	ND	ND						
IMENE	0.007	TESTED	ND	ND						
LEGONE	0.007	TESTED	ND	ND						
ABINENE	0.007	TESTED	ND	ND						
otal (%)				4.230						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/25



..... Supply Disposable Vape 1g - Master Kush (I) Master Kush (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-008 Harvest/Lot ID: 6641903439059407

Sampled : 05/28/25 Ordered : 05/28/25

Batch#: 6641903439059407 Sample Size Received: 16 units Total Amount : 676 units Completed : 05/31/25 Expires: 05/31/26 Sample Method : SOP.T.20.010

Page 3 of 6



Sunnyside

Pesticides

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	P.P.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
DTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
DTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
DTAL PYRETHRINS	0.010	1.1.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nom	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND						PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010	P.P.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
DSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010	1.1.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBEN	ZENE (DCNR) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010	1.1.	1	PASS	ND	PARATHION-METHYL *	LENE (FCND)	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND			0.010		0.7	PASS	ND
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *						
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1		ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
AZINON	0.010		0.1		ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010	1.1.	0.1	PASS	ND ND	Analyzed by:	Weight:	Extraction	date:		Extracted by:	
METHOATE	0.010		0.1	PASS		4056, 585, 1440	0.2492g	05/29/25 1	2:37:04		4640,3621,4056	5
HOPROPHOS	0.010		0.1	PASS	ND ND	Analysis Method : SOP.T.30		102.FL				
OFENPROX	0.010 0.010		0.1	PASS	ND	Analytical Batch : DA08696					VOF 10 10 15	
	0.010		0.1	PASS	ND	Instrument Used : DA-LCM Analyzed Date : 05/30/25 1			Batc	h Date :05/29	9/25 10:13:15	
			0.1	PASS	ND	Dilution : 250	1.23.33					
NOXYCARB	0.010 0.010		0.1	PASS	ND	Reagent : 052825.R10; 081	1023.01: 052925.R	0: 052825.R08	: 052925.R2	21: 042925.R1	3: 052825.R09	
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Consumables : 040724CH0		,		-,	-,	
ONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094;						
	0.010		0.1	PASS	ND	Testing for agricultural agent		ing Liquid Chron	natography T	Friple-Quadrup	ole Mass Spectror	metry in
UDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64						
IAZALIL	0.010		0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2492g	Extraction 05/29/25 12			Extracted by: 4640.3621.4056	
IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30			.37.04		4040,3021,4030	
IDACLOPRID RESOXIM-METHYL	0.010		0.4	PASS	ND	Analytical Batch : DA08696		JI.FL				
	0.010		0.2	PASS	ND	Instrument Used : DA-GCM			Batch I	Date : 05/29/2	5 10:14:39	
TALAXYL	0.010		0.2	PASS	ND	Analyzed Date :05/30/25 1	1:22:59					
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
THOCARD	0.010		0.1	PASS	ND	Reagent: 052825.R10; 081						
ETHOMYE	0.010		0.1	PASS	ND	Consumables : 040724CH0 Pipette : DA-080; DA-146;		4/3601				
YCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agent		ing Cas Chroma	tography Tri	ala Quadrupali	Mass Coostroms	truin
ICLODUIANIL	0.010	Phili	0.25	1 433	110	resung for agricultural agent	ER20-39.	ing gas chroma	lography in	his-Angurabole	e mass spectrome	eu y In

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/31/25



. Supply Disposable Vape 1g - Master Kush (I) Master Kush (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-008 Harvest/Lot ID: 6641903439059407 Batch#: 6641903439059407 Sample Size Received: 16 units Sampled : 05/28/25 Ordered : 05/28/25

Total Amount : 676 units Completed : 05/31/25 Expires: 05/31/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
THYLENE OXIDE	0.500	ppm	5	PASS	ND	
IEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 1451, 585, 1440	Weight: 0.0246g	Extraction date: 05/29/25 13:23:13	L	Extracted by 4451		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA086978SOL Instrument Used : DA-GCMS-012 Analyzed Date : 05/30/25 09:49:07			Batch Date : 05/29/25 1	3:07:38		

Dilution: 1

Reagent : 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/25

PASSED



. Supply Disposable Vape 1g - Master Kush (I) Master Kush (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50528008-008 Harvest/Lot ID: 6641903439059407

Sampled : 05/28/25 Ordered : 05/28/25

Batch#: 6641903439059407 Sample Size Received: 16 units Total Amount : 676 units Completed : 05/31/25 Expires: 05/31/26 Sample Method : SOP.T.20.010

Page 5 of 6

						oumpro inc	1								
Ţ	Microl	bial			PAS	SED	သို့	Му	coto	xin	S			PAS	SEC
nalyte		LOD) Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
SPERGILLU	IS TERREUS			Not Present	PASS	Level	AFLATOXIN	32			0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN				0.002		ND	PASS	0.02
ASPERGILLUS FUMIGATUS Not Present PASS						OCHRATOXII				0.002		ND	PASS	0.02	
ASPERGILLUS FLAVUS Not Present PASS				PASS		AFLATOXIN				0.002		ND	PASS	0.02	
ALMONELL	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
COLI SHIGE OTAL YEAS	ELLA T AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 4056, 585, 144	0	Weight: 0.2492g		ction date: 9/25 12:37:0)4		cted by: 3621,405	6
alyzed by:		Weight:	Extraction	late.	Extracte		Analysis Metho		5			-	4040,	5021,400	
571, 4520, 58	85, 1440	0.9565g	05/29/25 09		4571	eu by.	Analytical Bate			30F.1.40).102.1 L				
	od : SOP.T.40.0560 ch : DA086936MIC		58.FL, SOP.T.	40.209.FL			Instrument Us Analyzed Date	ed : DA-LCI	MS-005 (M)	(C)	Ba	atch Date	: 05/29/25	5 10:14:1	5
lution : 10	2:05/30/25 10:49: 625.17; 031325.07 :7582002049		1; 101624.10)			052825.R09 Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA-094 ing utilizing	; DA-219 Liquid Chror		ny with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 571, 4520, 58	85 1440	Weight: 0.9565a	Extraction of 05/29/25 09		Extracto 4571	ed by:	<u>л</u> т			_	_				
nalysis Meth nalytical Bato strument Us	od : SOP.T.40.209. ch : DA086938TYM ed : DA-328 (25*C	FL I Incubator)		atch Date : 05/2		:31	Metal	Неа	avy l	1et		Units	Result	PAS	SE
nalyzed Date	: 05/31/25 14:55:	42					Metal				LOD	Units	Result	Fail	Level
lution:10							TOTAL CONT	AMINANT	LOAD ME	TALS	0.080	ppm	ND	PASS	1.1
agent:030 nsumables:	625.17; 031325.07 • N/A	/; 050725.R3	6				ARSENIC				0.020	ppm	ND	PASS	0.2
pette : N/A	i N/A						CADMIUM				0.020	ppm	ND	PASS	0.2
	mold tasting is parfa	man d utilizing	MDN and traditi	ional cultura haco	d to choice o	a in	MERCURY				0.020	ppm	ND	PASS	0.2
	mold testing is perfo n F.S. Rule 64ER20-39		MPN and tradit	Ional culture base	u technique	5 111	LEAD				0.020	ppm	ND	PASS	0.5
							Analyzed by: 1022, 585, 144	0	Weight: 0.2628g		Atraction da 5/29/25 10:4			Extracted 4531	by:
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA0869 ed:DA-ICP	954HEA MS-004	SOP.T.40		h Date : ()5/29/25 0	9:37:06	
							Dilution : 50 Reagent : 0512 120324.07; 05	2225.R12				25.R16; ()52725.R1	5; 05272	5.R16;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/25



Supply Disposable Vape 1g - Master Kush (I) Master Kush (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA50528008-008

 Harvest/Lot ID: 6641903439059407

 Batch# : 6641903439059407

 Sampled : 05/28/25

 Total Amount : 676 units

 Batch#:6641903439059407
 Sample Size Received:16 units

 Sampled:05/28/25
 Total Amount:676 units

 Ordered:05/28/25
 Completed:05/21/25 Expires:05/31/26

 Sample Method:SOP.T.20.010
 Sample Method:SOP.T.20.010

Filth/Foreign PASSED **Material** Analyte LOD Units Result P/F Action Level Filth and Foreign Material 0.100 % ND PASS 1 Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 05/29/25 14:53:35 1879 Analysis Method : SOP.T.40.090 Analytical Batch : DA086980FIL Instrument Used : Filth/Foreign Material Microscope Batch Date : 05/29/25 14:48:57 Analyzed Date : 05/29/25 15:02:36 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		LOD 0.010	Units aw	Result 0.476	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	Weight: 0.2949g		traction 0			tracted by: 797
Analysis Method : SOP Analytical Batch : DA03 Instrument Used : DA-0 Analyzed Date : 05/30/	86957WAT 028 Rotronic Hy	gropal	m	Batch Da	te : 05/29/	25 09:48:08
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sellion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/25

Page 6 of 6