

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50529014-001

Production Method: Other - Not Listed

Harvest/Lot ID: 8159485124660970

Batch#: 8159485124660970

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 4034229290953619

Harvest Date: 05/27/25

Sample Size Received: 16 units

Total Amount: 679 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/29/25

Sampled: 05/29/25

Completed: 06/02/25

Sampling Method: SOP.T.20.010


Jun 02, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
88.538%

Total THC/Container : 885.380 mg


Total CBD
0.171%

Total CBD/Container : 1.710 mg


Total Cannabinoids
92.893%

Total Cannabinoids/Container : 928.930 mg

| | D9-THC | THCA | CBD | CBDa | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 88.406 | 0.151 | 0.171 | ND | ND | 3.084 | ND | 0.668 | 0.346 | ND | 0.067 |
| mg/unit | 884.06 | 1.51 | 1.71 | ND | ND | 30.84 | ND | 6.68 | 3.46 | ND | 0.67 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1047g

 Extraction date:
 05/30/25 12:35:05

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086994POT

Instrument Used : DA-LC-003

Analyzed Date : 06/02/25 08:13:32

Batch Date : 05/30/25 09:05:11

Dilution : 400

Reagent : 052825.R21; 021125.07; 052125.R41

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 06/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 1g - Trcna Cks (S)
Trcna Cks (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50529014-001

Harvest/Lot ID: 8159485124660970

Batch# : 8159485124660970

Sampled : 05/29/25

Ordered : 05/29/25

Sample Size Received : 16 units

Total Amount : 679 units

Completed : 06/02/25 Expires: 06/02/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|--|---------|-------------------|---------|--------------------------------|
| TOTAL TERPENES | 0.007 | TESTED | 40.92 | 4.092 | SABINENE | 0.007 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 11.41 | 1.141 | SABINENE HYDRATE | 0.007 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 7.68 | 0.768 | VALENE | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 7.43 | 0.743 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| LINALOOL | 0.007 | TESTED | 3.19 | 0.319 | ALPHA-PIELANDRENE | 0.007 | TESTED | ND | ND |
| BETA-PINENE | 0.007 | TESTED | 2.34 | 0.234 | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND |
| ALPHA-BISABOLOL | 0.007 | TESTED | 1.56 | 0.156 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| FENCHYL ALCOHOL | 0.007 | TESTED | 1.41 | 0.141 | TRANS-NEROLIDOL | 0.005 | TESTED | ND | ND |
| ALPHA-PINENE | 0.007 | TESTED | 1.26 | 0.126 | | | | | |
| ALPHA-TERPINEOL | 0.007 | TESTED | 1.18 | 0.118 | Analized by: | Weight: | Extraction date: | | Extracted by: |
| ALPHA-HUMULENE | 0.007 | TESTED | 0.50 | 0.050 | 684, 443, 585, 1440 | 0.2046g | 05/30/25 12:14:27 | | 4444 |
| ALPHA-TERPINOLENE | 0.007 | TESTED | 0.48 | 0.048 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| GERANIOL | 0.007 | TESTED | 0.47 | 0.047 | Analytical Batch : DA086988TER | | | | |
| NEROL | 0.007 | TESTED | 0.45 | 0.045 | Instrument Used : DA-GC/MS-004 | | | | |
| CAMPHERE | 0.007 | TESTED | 0.38 | 0.038 | Analysis Date : 06/02/25 08:52:45 | | | | Batch Date : 05/30/25 09:47:21 |
| GAMMA-TERPINENE | 0.007 | TESTED | 0.33 | 0.033 | Dilution : NA | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | 0.30 | 0.030 | Reagent : 022525.50 | | | | |
| OCIMENE | 0.007 | TESTED | 0.30 | 0.030 | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | |
| HEXAHYDROTHYMOL | 0.007 | TESTED | 0.25 | 0.025 | Pipette : DA-065 | | | | |
| 3-CARENE | 0.007 | TESTED | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| BORNEOL | 0.013 | TESTED | ND | ND | | | | | |
| CAMPOR | 0.007 | TESTED | ND | ND | | | | | |
| CEDIOL | 0.007 | TESTED | ND | ND | | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | | | | | |
| FARNESENE | 0.001 | TESTED | ND | ND | | | | | |
| FENCHONE | 0.007 | TESTED | ND | ND | | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| GUAIOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | |
| PULEGONE | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | | 4.092 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
06/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - Trcna Cks (S)

Trcna Cks (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50529014-001

Harvest/Lot ID: 8159485124660970

Batch# : 8159485124660970

Sampled : 05/29/25

Ordered : 05/29/25

Sample Size Received : 16 units

Total Amount : 679 units

Completed : 06/02/25 Expires: 06/02/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|------------------------------|--------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 4056, 3379, 585, 1440 | Weight: 0.2394g | Extraction date: 05/30/25 12:12:00 | Extracted by: 4640,4056,3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA087011PES | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | | | Batch Date : 05/30/25 10:00:28 | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 06/02/25 12:43:13 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 052925.R20; 052825.R08; 052825.R10; 052925.R21; 042925.R13; 052825.R09; 081023.01 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 6822423-02 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 4640, 450, 585, 1440 | Weight: 0.2394g | Extraction date: 05/30/25 12:12:00 | Extracted by: 4640,4056,3379 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA087013VOL | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-011 | | | | Batch Date : 05/30/25 10:04:05 | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 06/02/25 12:41:36 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 052825.R10; 081023.01; 052125.R42; 052125.R43 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 6822423-02; 040724CH01; 17473601 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - Trcna Cks (S)

Trcna Cks (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50529014-001

Harvest/Lot ID: 8159485124660970

Batch# : 8159485124660970

Sampled : 05/29/25

Ordered : 05/29/25

Sample Size Received : 16 units

Total Amount : 679 units

Completed : 06/02/25 Expires: 06/02/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
4451, 585, 1440

Weight:
0.0248g

Extraction date:
05/30/25 11:03:07

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA087021SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 06/02/25 09:31:43

Batch Date : 05/30/25 10:56:20

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/02/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

Sample : DA50529014-001

Harvest/Lot ID: 8159485124660970

Batch# : 8159485124660970

Sampled : 05/29/25

Ordered : 05/29/25




Sample Size Received : 16 units

Total Amount : 679 units

Completed : 06/02/25 Expires: 06/02/26

Sample Method : SOP.T.20.010


Page 5 of 6

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|---|-----|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | |
| Analyzed by: 4777, 4520, 585, 1440 Weight: 0.811g Extraction date: 05/30/25 09:41:30 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA086981MIC Instrument Used : DA-111 (PathogenDx Scanner), DA-010 (Thermocycler), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) 07:15:52 Batch Date : 05/30/25 Analyzed Date : 06/02/25 08:09:21 Dilution : 10 Reagent : 030625.21; 030625.31; 051325.R51; 101624.10 Consumables : 7582002002 Pipette : N/A | | | | | | Analyzed by: 4056, 3379, 585, 1440 Weight: 0.2394g Extraction date: 05/30/25 12:12:00 Extracted by: 4640, 4056, 3379 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA087012MYC Instrument Used : N/A Batch Date : 05/30/25 10:04:03 Analyzed Date : 06/02/25 08:52:15 Dilution : 250 Reagent : 052925.R20; 052825.R08; 052825.R10; 052925.R21; 042925.R13; 052825.R09; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Analyzed by: 4777, 4892, 585, 1440 Weight: 0.811g Extraction date: 05/30/25 09:41:30 Extracted by: 4520 Analysis Method : SOP.T.40.209.FL Analytical Batch : DA086982TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 05/30/25 07:16:46 Analyzed Date : 06/02/25 08:10:30 Dilution : 10 Reagent : 030625.21; 030625.31; 050725.R36 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |  Heavy Metals PASSED | | | | | |
| Metal | | | | | | Metal | | | | | |
| | | | | | | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | | | | | | TOTAL CONTAMINANT LOAD METALS | | | | | |
| ARSENIC | | | | | | ARSENIC | | | | | |
| CADMIUM | | | | | | CADMIUM | | | | | |
| MERCURY | | | | | | MERCURY | | | | | |
| LEAD | | | | | | LEAD | | | | | |
| Analyzed by: 1022, 585, 1440 Weight: 0.2221g Extraction date: 05/30/25 12:21:43 Extracted by: 1022, 4531 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA087019HEA Instrument Used : DA-ICPMS-004 Batch Date : 05/30/25 10:18:25 Analyzed Date : 06/02/25 08:16:51 Dilution : 50 Reagent : 051225.R09; 051425.R13; 052725.R17; 050925.R16; 052725.R15; 052725.R16; 120324.07; 052225.R12 Consumables : 040724CH01; 015403; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - Trcna Cks (S)

Trcna Cks (S)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50529014-001

Harvest/Lot ID: 8159485124660970

Batch# : 8159485124660970

Sampled : 05/29/25

Ordered : 05/29/25

Sample Size Received : 16 units

Total Amount : 679 units

Completed : 06/02/25 Expires: 06/02/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 05/30/25 15:45:10 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA087026FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 05/30/25 11:09:39

Analyzed Date : 05/30/25 16:18:39

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.492 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4797, 585, 1440 | Weight: 0.2918g | Extraction date: 05/30/25 13:44:37 | Extracted by: 4797 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA087025WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 05/30/25 11:03:28

Analyzed Date : 05/31/25 15:05:11

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/02/25