

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix: Derivative Classification: High THC Type: Extract for Inhalation



Batch#: 4759463878693687

Harvest Date: 05/27/25 Sample Size Received: 16 units Total Amount: 669 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 05/29/25 Sampled: 05/29/25 Completed: 06/02/25

> > PASSED

Seed to Sale#: 5930605655357701

Sampling Method: SOP.T.20.010

Pages 1 of 6

Production Method: Other - Not Listed **Certificate of Analysis** Harvest/Lot ID: 4759463878693687 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Laboratory Sample ID: DA50529014-004



Jun 02, 2025 | Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US

SAFETY RI	ESULTS										MISC.
R€ ⊘		Hg	Ċ	ۍ ډ	,	Ä			$\mathbf{\tilde{\mathbf{S}}}$		Ô
Pesticic PASSI		ovy Metals ASSED	Microbials PASSED	Mycotox PASSE		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid									TESTED
	1	THC 307 HC/Container) 0.	al CBD 191% I CBD/Container :]9:	al Cannabinoids)
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
% mg/unit	86.197 861.97	0.126 1.26	0.191 1.91	ND ND	ND ND	2.504 25.04	ND ND	1.267 12.67	0.373 3.73	ND ND	0.439 4.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585,	1440			Weight: 0.0938q		Extraction date: 05/30/25 12:35:06				Extracted by: 3335	
Analytical Batch Instrument Used						В	atch Date : 05/30/25	09:05:11			
Consumables : 94	5.R21; 021125.07; 47.110; 04312111 ; DA-108; DA-078	052125.R41 ; 062224CH01; 000	00355309								
Full Spectrum can	nabinoid analysis utili:	zing High Performance	e Liquid Chromatography	with UV detection in acc	ordance with F.S	64ER20-39.					
Label Claim	ı										PASSED

Sunnyside*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/02/25



..... Supply Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50529014-004 Harvest/Lot ID: 4759463878693687 Batch#: 4759463878693687 Sample Size Received: 16 units Sampled : 05/29/25 Ordered : 05/29/25

Total Amount : 669 units Completed : 06/02/25 Expires: 06/02/26 Sample Method : SOP.T.20.010

Page 2 of 6

•	
8	

Terpenes

erpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	38.81	3.881		ISOPULEGOL	0.007	TESTED	ND	ND	
LPHA-TERPINOLENE	0.007	TESTED	14.60	1.460		LINALOOL	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	5.51	0.551		NEROL	0.007	TESTED	ND	ND	
IMENE	0.007	TESTED	3.09	0.309		PULEGONE	0.007	TESTED	ND	ND	
IONENE	0.007	TESTED	2.38	0.238		SABINENE	0.007	TESTED	ND	ND	
PHA-PHELLANDRENE	0.007	TESTED	2.15	0.215		SABINENE HYDRATE	0.007	TESTED	ND	ND	
TA-CARYOPHYLLENE	0.007	TESTED	1.90	0.190		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
TA-PINENE	0.007	TESTED	1.17	0.117	1	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
HA-HUMULENE	0.007	TESTED	1.15	0.115		Analyzed by:	Weigh	t	Extract	ion date:	Extracted by:
HA-PINENE	0.007	TESTED	1.13	0.113		4444, 4451, 585, 1440	0.2211	lg	05/30/2	25 12:14:28	4444
HA-TERPINENE	0.007	TESTED	1.00	0.100		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061	A.FL				
4MA-TERPINENE	0.007	TESTED	0.81	0.081		Analytical Batch : DA086998TER Instrument Used : DA-GCMS-004				Batch Date : 05/30/25 09:47:21	
HA-BISABOLOL	0.007	TESTED	0.67	0.067		Analyzed Date : 06/02/25 08:52:50				Batch Date 105/30/25 09:47:21	
INCENE	0.007	TESTED	0.48	0.048		Dilution : N/A					
HA-TERPINEOL	0.007	TESTED	0.48	0.048		Reagent : 022525.50					
NESENE	0.001	TESTED	0.46	0.046		Consumables : 947.110; 04312111; 2240626; 0000	0355309				
IS-NEROLIDOL	0.005	TESTED	0.40	0.040		Pipette : DA-065					
YOPHYLLENE OXIDE	0.007	TESTED	0.34	0.034		Terpenoid testing is performed utilizing Gas Chromatograp	phy Mass Spectrometry	. For all Flower sa	imples, the Tota	I Terpenes % is dry-weight corrected.	
OL	0.007	TESTED	0.31	0.031							
RENE	0.007	TESTED	0.28	0.028							
CHYL ALCOHOL	0.007	TESTED	0.25	0.025							
AHYDROTHYMOL	0.007	TESTED	0.25	0.025							
NEOL	0.013	TESTED	ND	ND							
PHENE	0.007	TESTED	ND	ND							
PHOR	0.007	TESTED	ND	ND							
ROL	0.007	TESTED	ND	ND							
ALYPTOL	0.007	TESTED	ND	ND							
CHONE	0.007	TESTED	ND	ND							
ANIOL	0.007	TESTED	ND	ND							
ANYL ACETATE	0.007	TESTED	ND	ND							
BORNEOL	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/02/25



..... Supply Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sample : DA50529014-004

Sampled : 05/29/25

Ordered : 05/29/25

Harvest/Lot ID: 4759463878693687

Batch#: 4759463878693687 Sample Size Received: 16 units

Total Amount : 669 units

Sample Method : SOP.T.20.010

Completed : 06/02/25 Expires: 06/02/26

Page 3 of 6

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sunnyside

R

0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		mag	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
BAMECTIN B1A	0.010	P.P.	0.1	PASS	ND					PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1		
CEQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	maa	0.5	PASS	ND
ARBARYL	0.010	P.P.	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND			mag	0.15	PASS	ND
HLORANTRANILIPROLE	0.010	1.1.	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		1° I°	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		ppm			
HLORPYRIFOS	0.010	T P	0.1	PASS	ND	CAPTAN *		ppm	0.7	PASS	ND
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		ppm	0.1	PASS	ND
OUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
IAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extra	ction date:		Extracted by	
IMETHOATE	0.010		0.1	PASS	ND	4056, 3379, 585, 1440 0.2938q)/25 12:13:52		4640,4056,33	
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102	.FL				
TOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA087011PES					
TOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch	Date :05/30/2	25 10:00:28	
ENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :06/02/25 12:43:14					
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250	052025 02	1 042025 01		0 001022 01	
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 052925.R20; 052825.R08; 052825.R10 Consumables : 6822423-02	; 052925.Rz	1; 042925.RI	3; 052825.RU	9; 081023.01	
IPRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chror	natography Trij	ole-Quadrupol	e Mass Spectron	netry in
LUDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IEXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extra	ction date:		Extracted by:	
MAZALIL	0.010		0.1	PASS	ND	4640, 450, 585, 1440 0.2938g	05/30/	25 12:13:52		4640,4056,33	79
MIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.15	1.FL				
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087013VOL			05/00/05	10.04.05	
IALATHION	0.010	1.1.	0.2	PASS	ND	Instrument Used :DA-GCMS-011 Analyzed Date :06/02/25 12:41:38		Batch Dat	te:05/30/25	10:04:05	
IETALAXYL	0.010		0.1	PASS	ND	Dilution : 250					
IETHIOCARB	0.010	1.1.	0.1	PASS	ND	Reagent : 052825.R10; 081023.01; 052125.R42;	052125.R43	1			
ETHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473					
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	-Quadrupole	Mass Spectrome	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/02/25



Supply Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50529014-004 Harvest/Lot ID: 4759463878693687 Batch# : 4759463878693687 Sample Size Received : 16 units

Sampled:
05/29/25
Total Amount:
669 units

Ordered:
05/29/25
Completed:
06/02/25
Expires:
06/02/26

Sample Method:
SOP.T.20.010
Soperation
Sop

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 451, 585, 1440	Weight: 0.0261g	Extraction date: 05/30/25 11:03:0	7	Ext 445	tracted by: 51
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA087021SOL nstrument Used : DA-GCMS-002 Analyzed Date : 06/02/25 09:35:02			Batch Date : 05/30/25 1	0:56:20	

Dilution: 1

Reagent : 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/02/25

PASSED



..... Supply Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50529014-004 Harvest/Lot ID: 4759463878693687

Sampled : 05/29/25 Ordered : 05/29/25

Batch#: 4759463878693687 Sample Size Received: 16 units Total Amount : 669 units Completed : 06/02/25 Expires: 06/02/26 Sample Method : SOP.T.20.010

Page 5 of 6

						ounipie i ie								
Ę	Microb	bial			PAS	SED	స్తో	Мус	otoxi	ns			PAS	SED
Analyte		LOD) Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	IS TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	maa	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN			0.002	I. I.	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002		ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
COLI SHIGE		_		Not Present	PASS									
	T AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 58	5, 1440	Weight: 0.2938g	Extraction d 05/30/25 12			racted by: 10,4056,3	
nalyzed by: 777, 4520, 58	35, 1440	Weight: 0.8475g	Extraction 05/30/25 0		Extracte 4520	ed by:	Analysis Meth			T.40.102.FL				
nalytical Bate strument Us hermocycler nalyzed Date ilution : 10 eagent : 030	od : SOP.T.40.056(ch : DA086981MIC ed : DA-111 (Pathc -),DA-049 (95*C He : 06/02/25 08:09: 625.21; 030625.31 7582002002 35, 1440	ogenDx Scan eat Block),DA 24	ner),DA-010 A-402 (55*C H	Batch leat Block) 07:15	Date : 05/ 5:52 Extracte 4520		081023.01 Consumables : Pipette : DA-0 Mycotoxins tes accordance wit	: 06/02/25 0 925.R20; 052 6822423-02 93; DA-094; [ing utilizing Lic n F.S. Rule 64E	2825.R08; 052 DA-219 quid Chromatog	1825.R10; 0529; graphy with Triple-	25.R21; (le Mass Spe	3; 052825	in
nalytical Bate	od : SOP.T.40.209. ch : DA086982TYM ed : DA-328 (25*C	1	в	atch Date : 05/3	0/25 07:16	5:46	[Hg] Metal	пеа	vy Me		Units	Result		Actio
nalyzed Date	: 06/02/25 08:10:	32					Metal			LOD	Units	Result	Fail	Level
lution:10							TOTAL CONT	AMINANT L	OAD METAL	s 0.080	ppm	ND	PASS	1.1
	625.21; 030625.31	1; 050725.R3	36				ARSENIC			0.020	ppm	ND	PASS	0.2
onsumables : pette : N/A	: N/A						CADMIUM			0.020	ppm	ND	PASS	0.2
							MERCURY			0.020	ppm	ND	PASS	0.2
	mold testing is perfo r F.S. Rule 64ER20-39		MPN and tradit	ional culture base	d techniques	s in	LEAD			0.020	ppm	ND	PASS	0.5
							Analyzed by: 1022, 585, 144		Weight: 0.2681g	Extraction date 05/30/25 12:2			xtracted b 022,4531	y:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	h:DA08701 ed:DA-ICPM	9HEA S-004		h Date : ()5/30/25 1	0:18:25	
							Dilution : 50	225.R09; 051	425.R13; 052	2725.R17; 05092	25.R16; ()52725.R1	5; 05272!	5.R16;

Consumables : 040724CH01; 015403; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/02/25



Page 6 of 6

Supply Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50529014-004 Harvest/Lot ID: 4759463878693687 Batch# : 4759463878693687 Sample Size Received : 16 units

Sampled : 05/29/25 Ordered : 05/29/25 Sample Size Received :16 units Total Amount : 669 units Completed : 06/02/25 Expires: 06/02/26 Sample Method : SOP.T.20.010

	Filth/For Material		n		PA	SSED	
Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 05/30/25 15:45:10			Extracted by: 1879		
		ial Micro	scope	Batch D)ate : 05/30)/25 11:09:39	
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A	Ά						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		DD 010	Units aw	Resul	-	P/F PASS	Action Level 0.85	
Analyzed by: 4797, 585, 1440	Weight: 0.2742g		traction d 5/30/25 13			Extracted by: 4797		
Analysis Method : SOP Analytical Batch : DA03 Instrument Used : DA-0 Analyzed Date : 05/31/	87025WAT 028 Rotronic Hygi	ropal	m	Batch	Date	:05/30/	25 11:03:28	
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/02/25