

Kaycha Labs

Cresco Premium Flower 3.5g - Hrlgn (S - CBD)

Hrlqn (S - CBD)

Matrix: Flower

Classification: CBD - Full or Broad Spectrum - THC present Type: Flower-Cured

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50529014-006



Production Method: Other - Not Listed Harvest/Lot ID: 2848294604714220

Batch#: 2848294604714220

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 4871779888129435

Harvest Date: 05/28/25

Sample Size Received: 11 units

Total Amount: 2815 units Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 05/29/25 Sampled: 05/29/25

Completed: 06/02/25 Revision Date: 06/03/25

Sampling Method: SOP.T.20.010

PASSED

22205 Sw Martin Hwv indiantown, FL, 34956, US

Jun 03, 2025 | Sunnyside

Sunnyside

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mvcotoxins PASSED



Residuals Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 05/30/25 09:02:22



Water Activity **PASSED**



Moisture **PASSED**





Terpenes TESTED

TESTED



Cannabinoid

Total THC

Total THC/Container: 275.415 mg

.869%



Total CBD

Total CBD/Container: 417.270 mg



Total Cannabinoids

Total Cannabinoids/Container: 820.330

ma



Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA086993POT

Instrument Used: DA-LC-002 Analyzed Date: 06/02/25 08:13:50

Reagent: 052825.R22; 021125.07; 053025.R06

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED

Signature 06/02/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50529014-006 Harvest/Lot ID: 2848294604714220

Sampled: 05/29/25 Ordered: 05/29/25

Batch#: 2848294604714220 Sample Size Received: 11 units Total Amount: 2815 units **Completed:** 06/02/25 **Expires:** 06/03/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)				
TOTAL TERPENES	0.007	TESTED	45.99	1.314		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND				
BETA-CARYOPHYLLENE	0.007	TESTED	14.70	0.420		ALPHA-PINENE	0.007	TESTED	ND	ND				
LINALOOL	0.007	TESTED	7.98	0.228		ALPHA-TERPINENE	0.007	TESTED	ND	ND				
ALPHA-BISABOLOL	0.007	TESTED	5.53	0.158		ALPHA-TERPINEOL	0.007	TESTED	ND	ND				
ALPHA-HUMULENE	0.007	TESTED	4.80	0.137		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND				
BETA-MYRCENE	0.007	TESTED	4.06	0.116		BETA-PINENE	0.007	TESTED	ND	ND				
GUAIOL	0.007	TESTED	3.85	0.110		CIS-NEROLIDOL	0.003	TESTED	ND	ND				
LIMONENE	0.007	TESTED	3.85	0.110		GAMMA-TERPINENE	0.007	TESTED	ND	ND				
TRANS-NEROLIDOL	0.005	TESTED	1.23	0.035		Analyzed by:	Weigh	nt:	Extractio	on date:	Extracted by:			
3-CARENE	0.007	TESTED	ND	ND		4444, 4451, 585, 1440	1.169	g	05/30/25	5 12:11:32	4444			
BORNEOL	0.013	TESTED	ND	ND		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL								
CAMPHENE	0.007	TESTED	ND	ND		Analytical Batch : DA086997TER Instrument Used : DA-GCMS-009				Batch Date : 05/30/25 09:45:12				
CAMPHOR	0.007	TESTED	ND	ND		Analyzed Date : 06/02/25 08:52:57								
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Dilution: 10								
CEDROL	0.007	TESTED	ND	ND		Reagent (02555.50 Consumables 947.110; 04312111; 2240626; 0000355309 Pipette: 10.40655								
EUCALYPTOL	0.007	TESTED	ND	ND										
FARNESENE	0.007	TESTED	ND	ND										
FENCHONE	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry, For all Flower samples, the Total Terpenes % is dry-weight corrected.								
FENCHYL ALCOHOL	0.007	TESTED	ND	ND										
GERANIOL	0.007	TESTED	ND	ND										
GERANYL ACETATE	0.007	TESTED	ND	ND										
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND										
ISOBORNEOL	0.007	TESTED	ND	ND										
ISOPULEGOL	0.007	TESTED	ND	ND										
NEROL	0.007	TESTED	ND	ND										
OCIMENE	0.007	TESTED	ND	ND										
PULEGONE	0.007	TESTED	ND	ND										
SABINENE	0.007	TESTED	ND	ND										
SABINENE HYDRATE	0.007	TESTED	ND	ND										
VALENCENE	0.007	TESTED	ND	ND										
ALPHA-CEDRENE	0.005	TESTED	ND	ND		l								
Total (%)				1.314										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50529014-006 Harvest/Lot ID: 2848294604714220

Sampled: 05/29/25 Ordered: 05/29/25

Batch#: 2848294604714220 Sample Size Received: 11 units Total Amount: 2815 units **Completed:** 06/02/25 **Expires:** 06/03/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND			0.010		Level	B.4.6.6	ND
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	0.2	PASS	ND	OXAMYL		0.010	1.1	0.5	PASS	ND
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAR		ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD		ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPOXUR		0.010	nnm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACEQUINOCYL ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND					0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010				
BIFENAZATE		ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN		ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID			0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL CARBOFURAN		ppm	0.5	PASS	ND ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
		ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PARATHION-METHYL *	()	0.010	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND			0.010	1.1	0.1	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *						
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	1.1	0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS		ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extra	ction date:		Extracted by:	
DIMETHOATE ETHOPROPHOS		ppm	0.1	PASS	ND	4056, 3379, 585, 1440	0.9667g	05/30	/25 12:17:51		4056,4640,33	79
		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.	FL, SOP.T.40.102.FL					
ETOFENPROX		ppm	0.1	PASS	ND	Analytical Batch : DA087001PES	(DEC)		D-4-b D	OF /20 /	25.00-52-57	
ETOXAZOLE FENHEXAMID		ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES) Batch Date : 05/30/25 09:52:57 Analyzed Date : 06/02/25 12:45:37						
FENOXYCARB		ppm	0.1	PASS	ND	Dilution : 250	J1					
		ppm	0.1	PASS	ND	Reagent: 052925.R20; 052825.I	R08: 052825.R10: 05	2925.R2	1: 042925.R13	8: 052825.R0	9: 081023.01	
FENPYROXIMATE		ppm	0.1	PASS	ND	Consumables : 6822423-02	,,		_,	,	-,	
FIPRONIL		ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-21	9					
FLONICAMID		ppm	0.1	PASS	ND	Testing for agricultural agents is pe		id Chron	natography Trip	le-Quadrupol	le Mass Spectron	netry in
FLUDIOXONIL		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-			_			
HEXYTHIAZOX		ppm	0.1	PASS	ND			traction /30/25 1			Extracted by: 1056.4640.3379	
IMAZALIL IMIDAGI ODDID		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151/			Z:17:D1	4	1030,4040,3379	
IMIDACLOPRID		ppm	0.4	PASS	ND	Analytical Batch : DA087004VOL		L				
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011			Batch Dat	e:05/30/25	09:55:44	
MALATHION		ppm	0.2	PASS	ND	Analyzed Date: 06/02/25 08:18:						
METALAXYL			0.1	PASS	ND	Dilution: 250						
METHIOCARB		ppm		PASS	ND ND	Reagent: 052825.R10; 081023.0						
METHOMYL		ppm	0.1	PASS		Consumables: 6822423-02; 040						
MEVINPHOS		ppm	0.1		ND	Pipette : DA-080; DA-146; DA-21		-				
MYCLOBUTANIL	0.010		0.1 0.25	PASS	ND ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						
NALED	0.010											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Cresco Premium Flower 3.5g - Hrlqn (S - CBD) Hrlgn (S - CBD) Matrix: Flower

Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50529014-006 Harvest/Lot ID: 2848294604714220

Batch#: 2848294604714220 Sample Size Received: 11 units Sampled: 05/29/25

Total Amount : 2815 units Ordered: 05/29/25 Completed: 06/02/25 Expires: 06/03/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 05/30/25 09:55:42



Microbial

PASSED

4520



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 0.9245g 4777, 4520, 585, 1440 05/30/25 09:41:31

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA086981 \\ \textbf{MIC} \end{array}$

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block) 07:15:52 **Batch Date:** 05/30/25

Weight: 0.9245a

Analyzed Date: 06/02/25 08:09:25

Reagent: 030625.21; 030625.31; 051325.R51; 101624.10

Consumables : 7582002002

Pipette: N/A

Analyzed by: 4777, 4892, 585, 1440

Ç	Mycotoxins
nalyte	

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Extraction date: Extracted by: Analyzed by: Weight: 4056, 3379, 585, 1440 0.9667g 05/30/25 12:17:51 4056,4640,3379 Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch: DA087003MYC Instrument Used : N/A

Analyzed Date: 06/02/25 12:44:32

Dilution: 250

Reagent: 052925.R20; 052825.R08; 052825.R10; 052925.R21; 042925.R13; 052825.R09; 081023.01

Consumables: 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analysis Method: SOP.T.40.209.FL Analytical Batch: DA086982TYM Instrument Used: DA-328 (25*C Incubator) Analyzed Date: 06/02/25 08:10:33	Batch Date : 05/30/25 07:16:46
Dilution: 10 Reagent: 030625.21; 030625.31; 050725.R36 Consumables: N/A	

05/30/25 09:41:31

Pipette: N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

LOD	Units	Result	Pass / Fail	Action Level
0.080	ppm	ND	PASS	1.1
0.020	ppm	ND	PASS	0.2
0.020	ppm	ND	PASS	0.2
0.020	ppm	ND	PASS	0.2
0.020	ppm	ND	PASS	0.5
	0.080 0.020 0.020 0.020	0.080 ppm 0.020 ppm 0.020 ppm 0.020 ppm	0.080 ppm ND 0.020 ppm ND 0.020 ppm ND 0.020 ppm ND	Fail

Analyzed by: 1022, 585, 1440 Extraction date 0.2304g 05/30/25 11:14:41 1022.4531

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA087018HEA Instrument Used : DA-ICPMS-004

Batch Date: 05/30/25 10:14:57 Analyzed Date: 06/02/25 08:25:24

Dilution: 50

Reagent: 051225.R09; 051425.R13; 052725.R17; 050925.R16; 052725.R15; 052725.R16;

120324.07; 052225.R12

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50529014-006 Harvest/Lot ID: 2848294604714220

Sampled: 05/29/25 Ordered: 05/29/25

Batch#: 2848294604714220 Sample Size Received: 11 units Total Amount : 2815 units Completed: 06/02/25 Expires: 06/03/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Dilution: N/A

Consumables : N/A

Analysis Method: SOP.T.40.021

Analyzed Date: 05/31/25 15:08:03

Reagent: 092520.50; 120324.07

Analytical Batch: DA087023MOI Instrument Used: DA-003 Moisture Analyzer

Moisture

PASSED

Batch Date: 05/30/25 10:58:51

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS **Moisture Content** % 11.7 PASS 15 1 1.0

Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight: Extracted by: 1g 05/30/25 15:45:10 1879 0.505q05/30/25 12:58:14 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA087026FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/30/25 16:18:36

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 05/30/25 11:09:39

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Pipette: DA-066 Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Analyte Water Activity	LOD 0.010	Units aw	Result 0.525	P/F PASS	Action Leve 0.65	1
Analyzed by: 4444, 4797, 585, 1440	Weight: 1.759q	Extraction date: 05/30/25 11:57:35			Extracted by: 1797	

Analysis Method: SOP.T.40.019 Analytical Batch: DA087024WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/30/25 11:02:30

Analyzed Date: 05/31/25 15:06:34 Dilution: N/A

Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164