

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

## Kaycha Labs

infuesd gummies

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS

Matrix: Edible OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.

Type: Soft Chew

# **Certificate of Analysis**

### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50529015-001



Jun 03, 2025 | factoryfwd

2030 Stirling rd apt 102 Hollywood, FL, 33020, US Production Method: Other - Not Listed

Batch#: NR26NR041525 Harvest Date: 05/30/25

Sample Size Received: 1 units

Total Amount: 1 units

Retail Product Size: 3.6945 gram

Retail Serving Size: 1 gram

**Servings:** 3.6945

Ordered: 05/29/25 Sampled: 05/29/25

Completed: 06/03/25

Sampling Method: SOP.T.20.010.FL

# TESTED

## Pages 1 of 1

**SAFETY RESULTS** 



**NOT TESTED** 





**NOT TESTED** 

Microbials



Mycotoxins **NOT TESTED** 



Residuals Solvents **NOT TESTED** 



**NOT TESTED** 

Batch Date: 05/30/25 09:57:01



Water Activity **NOT TESTED** 




**Terpenes** NOT **TESTED** 

MISC.

Cannabinoid

TESTED



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA087007POT Instrument Used: DA-LC-008 Analyzed Date: 06/02/25 23:03:00

Reagent: 120324.07; 053025.R03; 090924.05; 021125.07; 053025.R04
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/03/25