



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50530012-010


Production Method: Other - Not Listed

Harvest/Lot ID: 7478309984995089

Batch#: 7478309984995089

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 0820354833972844

Harvest Date: 05/27/25

Sample Size Received: 16 units

Total Amount: 678 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 05/30/25

Sampled: 05/30/25

Completed: 06/03/25

Revision Date: 06/04/25

Sampling Method: SOP.T.20.010

Jun 04, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
85.840%
Total THC/Container : 858.400 mg

Total CBD
0.205%
Total CBD/Container : 2.050 mg

Total Cannabinoids
90.639%
Total Cannabinoids/Container : 906.390 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.741	0.114	0.205	ND	ND	2.497	ND	1.267	0.377	ND	0.438
mg/unit	857.41	1.14	2.05	ND	ND	24.97	ND	12.67	3.77	ND	4.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1108g

Extraction date:
06/02/25 10:10:22

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087074POT

Instrument Used : DA-LC-003

Analyzed Date : 06/03/25 09:44:49

Batch Date : 06/02/25 07:17:44

Dilution : 400

Reagent : 052825.R21; 021125.07; 052125.R41

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
06/03/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - King Louis XIII (I)
King Louis XIII (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50530012-010
Harvest/Lot ID: 7478309984995089

Batch# : 7478309984995089 Sample Size Received : 16 units
Sampled : 05/30/25 Total Amount : 678 units
Ordered : 05/30/25 Completed : 06/03/25 Expires: 06/04/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	41.88	4.188	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	12.69	1.269	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	9.78	0.978	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.50	0.850	ALPHA-HUMULENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.15	0.315	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.38	0.238	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.26	0.126	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.23	0.123	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENICYL ALCOHOL	0.007	TESTED	1.03	0.103	Analyzed by: 4831, 385, 5440				
ALPHA-TERPINEOL	0.007	TESTED	0.96	0.096	Weight: 0.2015g				
ALPHA-TERPINOLENE	0.007	TESTED	0.29	0.029	Extraction date: 06/01/25 08:42:36				
CAMPHERE	0.007	TESTED	0.24	0.024	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GUAIOL	0.007	TESTED	0.20	0.020	Analytical Batch: DA087059TER				
TRANS-NEROLIDOL	0.005	TESTED	0.17	0.017	Instrument Used: DA-GCME-009				
3-CARENE	0.007	TESTED	ND	ND	Analyzed Date: 06/03/25 09:44:51				
BORNEOL	0.013	TESTED	ND	ND	Dilution: 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent: 022525.50				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables: 947.110; 04402004; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette: DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	TESTED	ND	ND	Batch Date: 05/31/25 12:31:43				
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				4.188					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
06/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - King Louis XIII (I)

King Louis XIII (I)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50530012-010

Harvest/Lot ID: 7478309984995089

Batch# : 7478309984995089

Sampled : 05/30/25

Ordered : 05/30/25

Sample Size Received : 16 units

Total Amount : 678 units

Completed : 06/03/25 Expires: 06/04/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	4056, 3379, 585, 1440	Weight:	0.2514g	Extraction date:	06/01/25 11:11:08
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	4640,4056,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA087050PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	05/31/25 12:17:09
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	06/03/25 19:00:24				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	081023.01; 052925.R24; 060225.R01; 052825.R08; 052825.R07; 042925.R13; 052825.R09				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 221021DD				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	4640, 450, 585, 1440	Weight:	0.2514g	Extraction date:	06/01/25 11:11:08
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	4640,4056,3379
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA087052VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	05/31/25 12:26:46
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	06/02/25 10:35:15				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	081023.01; 052925.R24; 052125.R42; 052125.R43				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 221021DD; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/03/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - King Louis XIII (I)
King Louis XIII (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50530012-010

Harvest/Lot ID: 7478309984995089

Batch# : 7478309984995089

Sampled : 05/30/25

Ordered : 05/30/25

Sample Size Received : 16 units

Total Amount : 678 units

Completed : 06/03/25 Expires: 06/04/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.023g

Extraction date:
05/31/25 15:51:43

Extracted by:
4571,4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA087066SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 06/03/25 09:38:18

Batch Date : 05/31/25 15:36:10

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/03/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - King Louis XIII (I)
King Louis XIII (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50530012-010
Harvest/Lot ID: 7478309984995089

Batch# : 7478309984995089 Sample Size Received : 16 units
Sampled : 05/30/25 Total Amount : 678 units
Ordered : 05/30/25 Completed : 06/03/25 Expires: 06/04/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.905g	Extraction date: 05/31/25 10:34:02	Extracted by: 4520,3621				
Analytical Batch : DA087030MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:41:38	Batch Date : 05/31/25						
Analysis Date : 06/02/25 11:40:03							
Dilution : 10							
Reagent : 030625.21; 030625.31; 051325.R51; 101624.10							
Consumables : 7582002056							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 0.905g	Extraction date: 05/31/25 10:34:02	Extracted by: 4520,3621				
Analytical Batch : DA087031TYM							
Instrument Used : DA-328 (25°C Incubator)	Batch Date : 05/31/25 07:42:21						
Analysis Date : 06/03/25 09:39:13							
Dilution : 10							
Reagent : 030625.21; 030625.31; 050725.R36							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	Mycotoxins	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.2514g	Extraction date: 06/01/25 11:11:08	Extracted by: 4640,4056,3379				
Analytical Batch : DA087053MYC							
Instrument Used : N/A	Batch Date : 05/31/25 12:27:12						
Analysis Date : 06/03/25 19:01:46							
Dilution : 250							
Reagent : 081023.01; 052925.R24; 060225.R01; 052825.R08; 052825.R07; 042925.R13; 052825.R09							
Consumables : 040724CH01; 221021DD							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals	PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2772g	Extraction date: 05/31/25 12:03:24	Extracted by: 4531				
Analytical Batch : DA087038HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 05/31/25 10:31:50						
Analysis Date : 06/03/25 10:13:00							
Dilution : 50							
Reagent : 051225.R09; 051425.R13; 052725.R17; 053025.R23; 052725.R15; 052725.R16; 120324.07; 052225.R12							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 1g - King Louis XIII (I)
King Louis XIII (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50530012-010

Harvest/Lot ID: 7478309984995089

Batch# : 7478309984995089

Sampled : 05/30/25

Ordered : 05/30/25

Sample Size Received : 16 units

Total Amount : 678 units

Completed : 06/03/25 Expires: 06/04/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 06/01/25 12:03:43	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA087073FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 06/01/25 11:47:27

Analyzed Date : 06/02/25 10:25:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.531	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.323g	Extraction date: 05/31/25 15:03:50	Extracted by: 4797
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA087049WAT

Instrument Used : DA-028 Rotronic HygroPalm

Batch Date : 05/31/25 12:16:10

Analyzed Date : 06/02/25 10:33:44

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/03/25

Revision: #1

This revision supersedes any and all previous versions of this document.