



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50604002-001



Jun 07, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
0.247%

Total THC/Container : 103.150 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
0.247%

Total Cannabinoids/Container : 103.150 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.247	ND	ND	ND	ND	<0.010	ND	ND	ND	ND	<0.010
mg/unit	103.15	ND	ND	ND	ND	<4.18	ND	ND	ND	ND	<4.18
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3621, 1665, 585, 4571

Weight:
3.0958g

Extraction date:
06/05/25 11:44:22

Extracted by:
3335,3621

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087178POT

Instrument Used : DA-LC-008

Analyzed Date : 06/06/25 08:25:47

Batch Date : 06/05/25 08:40:59

Dilution : 40

Reagent : 060425.01; 051625.R03; 090924.05; 031125.07; 053025.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164


Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Sunnyside Chews 100mg 10pk Blue Raspberry
Blue Raspberry
Matrix : Edible
Type: Other Edible Product

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50604002-001

Harvest/Lot ID: 1512926830600348

Batch# : 1512926830600348

Sampled : 06/04/25

Ordered : 06/04/25

Sample Size Received : 11 units

Total Amount : 1926 units

Completed : 06/07/25 Expires: 06/07/26

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 4056, 585, 4571	Weight: 1.0837g	Extraction date: 06/05/25 13:20:42	Extracted by: 4056,450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087199PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 06/05/25 10:23:52	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/06/25 11:19:26					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 060225.R01; 060325.R08; 052925.R24; 060425.R42; 042925.R13; 060425.R03; 043025.28					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 4571	Weight: 1.0837g	Extraction date: 06/05/25 13:20:42	Extracted by: 4056,450,585		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA087201VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 06/05/25 10:27:32	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 06/06/25 11:17:53					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 052925.R24; 043025.28; 052125.R42; 052125.R43					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Sunnyside Chews 100mg 10pk Blue Raspberry
Blue Raspberry
Matrix : Edible
Type: Other Edible Product

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50604002-001

Harvest/Lot ID: 1512926830600348

Batch# : 1512926830600348

Sampled : 06/04/25

Ordered : 06/04/25

Sample Size Received : 11 units

Total Amount : 1926 units

Completed : 06/07/25 Expires: 06/07/26

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 4571

Weight:
0.02g

Extraction date:
06/05/25 12:52:38

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08720250L
Instrument Used : DA-GCMS-002
Analyzed Date : 06/06/25 09:53:39

Batch Date : 06/05/25 10:41:55

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Blue Raspberry
Blue Raspberry
Matrix : Edible
Type: Other Edible Product



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50604002-001

Harvest/Lot ID: 1512926830600348

Batch# : 1512926830600348

Sampled : 06/04/25

Ordered : 06/04/25



Sample Size Received : 11 units

Total Amount : 1926 units

Completed : 06/07/25 Expires: 06/07/26

Sample Method : SOP.T.20.010

Page 4 of 5


	<h1>Microbial</h1>	<h2>PASSED</h2>
	<h1>Mycotoxins</h1>	<h2>PASSED</h2>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4520, 585, 4571	Weight: 0.9529g	Extraction date: 06/05/25 10:54:11	Extracted by: 4044,4777		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA087169MIC					
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 08:12:31					
Batch Date : 06/05/25					
Analyzed Date : 06/06/25 09:36:08					
Dilution : 10					
Reagent : 030625.15; 031325.02; 051325.R51; 093024.05					
Consumables : 7582002018					
Pipette : N/A					


Analyzed by: 4520, 585, 4571	Weight: 0.9529g	Extraction date: 06/05/25 10:54:11	Extracted by: 4044,4777
---------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.209.FL					
Analytical Batch : DA087170TYM					
Instrument Used : DA-328 (25°C Incubator)					
Batch Date : 06/05/25 08:14:08					
Analyzed Date : 06/07/25 15:58:05					
Dilution : 10					
Reagent : 030625.15; 031325.02; 050725.R36					
Consumables : N/A					
Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>
---	-----------------------	-----------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 585, 4571	Weight: 1.0837g	Extraction date: 06/05/25 13:20:42	Extracted by: 4056,450,585		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA087200MYC					
Instrument Used : N/A					
Batch Date : 06/05/25 10:27:30					
Analyzed Date : 06/06/25 10:43:47					
Dilution : 250					
Reagent : 060225.R01; 060325.R08; 052925.R24; 060425.R42; 042925.R13; 060425.R03; 043025.28					
Consumables : 6822423-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>
---	-----------------------	-----------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Blue Raspberry
Blue Raspberry
Matrix : Edible
Type: Other Edible Product



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50604002-001
Harvest/Lot ID: 1512926830600348

Batch# : 1512926830600348 Sample Size Received : 11 units
Sampled : 06/04/25 Total Amount : 1926 units
Ordered : 06/04/25 Completed : 06/07/25 Expires: 06/07/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 20

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 06/06/25 14:22:26	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA087218FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 06/05/25 20:11:41
Analyzed Date : 06/07/25 14:16:23

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.708	PASS	0.85

Analyzed by: 4797, 585, 4571	Weight: 7.4103g	Extraction date: 06/05/25 14:07:47	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA087214WAT
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 06/05/25 11:18:10
Analyzed Date : 06/06/25 07:21:49

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.040	25

4512, 3335, 4571	Average Weight 4.289g	Extraction date : 06/05/25 11:02:14	Extracted By : 3335,4512
------------------	--------------------------	--	-----------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA087162HOM
Instrument Used : DA-LC-006 Batch Date : 06/05/25 07:09:11
Analyzed Date : 06/06/25 08:19:52

Dilution : 40
Reagent : 060425.01; 053025.R02; 090924.05; 051925.R14
Consumables : 947.110; 04312111; 062224CH01; 1009318445; 1009468945; 0000355309
Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25