



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50604002-007



Jun 07, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

92.970%

Total THC/Container : 464.850 mg



Total CBD

0.263%

Total CBD/Container : 1.315 mg



Total Cannabinoids

93.563%

Total Cannabinoids/Container : 467.815 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 92.630 | 0.388 | 0.263 | ND | ND | ND | ND | ND | ND | ND | 0.282 |
| mg/unit | 463.15 | 1.94 | 1.32 | ND | ND | ND | ND | ND | ND | ND | 1.41 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3621, 1665, 585, 4571

Weight:
0.1085g

Extraction date:
06/05/25 22:29:33

Extracted by:
3335, 3621, 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087177POT

Instrument Used : DA-LC-008

Analyzed Date : 06/06/25 11:26:05

Batch Date : 06/05/25 08:40:25

Dilution : 400

Reagent : 051625.R03; 031125.07; 053025.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Chmpgne Kush (H)
Chmpgne Kush (H)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50604002-007
Harvest/Lot ID: 1692787755215137

Batch# : 1692787755215137 Sample Size Received : 31 units
Sampled : 06/04/25 Total Amount : 795 units
Ordered : 06/04/25 Completed : 06/07/25 Expires: 06/07/26
Sample Method : SOP.T.20.010

Page 2 of 6

| Terpenes | | | | | TESTED | | | | |
|---------------------|---------|-----------|---------|------------|--|---------|-----------|---------|------------|
| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
| TOTAL TERPENES | 0.007 | TESTED | 32.03 | 6.406 | ISOPULEGOL | 0.007 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 9.87 | 1.974 | OCIMENE | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 7.24 | 1.448 | PULEGONE | 0.007 | TESTED | ND | ND |
| VALENCENE | 0.007 | TESTED | 3.76 | 0.751 | SABINENE HYDRATE | 0.007 | TESTED | ND | ND |
| ALPHA-HUMULENE | 0.007 | TESTED | 2.48 | 0.495 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 1.44 | 0.288 | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND |
| GAMMA-TERPINENE | 0.007 | TESTED | 1.23 | 0.246 | ALPHA-TERPINEOL | 0.007 | TESTED | ND | ND |
| ALPHA-BISABOLOL | 0.007 | TESTED | 0.96 | 0.191 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| BETA-PINENE | 0.007 | TESTED | 0.86 | 0.172 | Analyzed by: 4851, 389, 4571 | | | | |
| LINALOOL | 0.007 | TESTED | 0.80 | 0.159 | Weight: 0.2236g | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | 0.55 | 0.110 | Extraction date: 06/05/25 12:17:58 | | | | |
| BORNEOL | 0.013 | TESTED | 0.43 | 0.086 | Extracted by: 4451 | | | | |
| ALPHA-PINENE | 0.007 | TESTED | 0.32 | 0.064 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| FENCHYL ALCOHOL | 0.007 | TESTED | 0.28 | 0.056 | Analytical Batch : DA087185TER | | | | |
| HEXANYLOTYNYL | 0.007 | TESTED | 0.28 | 0.056 | Instrument Used : DA-GC/MS-004 | | | | |
| GERANIOL | 0.007 | TESTED | 0.26 | 0.052 | Analyzed Date : 06/06/25 11:26:07 | | | | |
| NEROL | 0.007 | TESTED | 0.22 | 0.043 | Dilution : 10 | | | | |
| TRANS-NEROLIDOL | 0.005 | TESTED | 0.21 | 0.041 | Reagent : 051525.11 | | | | |
| ALPHA-TERPINOLENE | 0.007 | TESTED | 0.17 | 0.033 | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | |
| 3-CARENE | 0.007 | TESTED | 0.16 | 0.031 | Pipette : DA-065 | | | | |
| GUAIOL | 0.007 | TESTED | 0.15 | 0.029 | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| SABINENE | 0.007 | TESTED | 0.15 | 0.029 | | | | | |
| ALPHA-PHILLANDRENE | 0.007 | TESTED | 0.14 | 0.027 | | | | | |
| CAMPHERE | 0.007 | TESTED | 0.13 | 0.025 | | | | | |
| CAMPHOR | 0.007 | TESTED | ND | ND | | | | | |
| CEADOL | 0.007 | TESTED | ND | ND | | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | | | | | |
| FARNESENE | 0.001 | TESTED | ND | ND | | | | | |
| FENCHONE | 0.007 | TESTED | ND | ND | | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | | 6.406 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Chmpgne Kush (H)
Chmpgne Kush (H)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50604002-007
Harvest/Lot ID: 1692787755215137

Batch# : 1692787755215137 Sample Size Received : 31 units
Sampled : 06/04/25 Total Amount : 795 units
Ordered : 06/04/25 Completed : 06/07/25 Expires: 06/07/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|------------------------|--------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 4056, 585, 4571 | Weight: 0.2527g | Extraction date: 06/05/25 13:21:34 | Extracted by: 4056,450 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA087196PES | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-005 (PES) | | | | Batch Date : 06/05/25 10:21:35 | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 06/06/25 09:55:57 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 060225.R01; 060325.R08; 052925.R24; 060425.R42; 042925.R13; 060425.R03; 043025.28 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 6822423-02 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 4571 | Weight: 0.2527g | Extraction date: 06/05/25 13:21:34 | Extracted by: 4056,450 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA087198VOL | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | | Batch Date : 06/05/25 10:23:24 | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 06/06/25 09:55:10 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 052925.R24; 043025.28; 052125.R42; 052125.R43 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 6822423-02; 040724CH01; 17473601 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Chmpgne Kush (H)
Chmpgne Kush (H)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50604002-007
Harvest/Lot ID: 1692787755215137

Batch# : 1692787755215137 Sample Size Received : 31 units
Sampled : 06/04/25 Total Amount : 795 units
Ordered : 06/04/25 Completed : 06/07/25 Expires: 06/07/26
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
4451, 585, 4571

Weight:
0.0209g

Extraction date:
06/05/25 12:52:40

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08720250L
Instrument Used : DA-GCMS-002
Analyzed Date : 06/06/25 09:53:43

Batch Date : 06/05/25 10:41:55

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Chmpgne Kush (H)

Chmpgne Kush (H)

Matrix : Derivative

Type: Vape

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50604002-007
Harvest/Lot ID: 1692787755215137

Batch# : 1692787755215137 Sample Size Received : 31 units
Sampled : 06/04/25 Total Amount : 795 units
Ordered : 06/04/25 Completed : 06/07/25 Expires: 06/07/26
Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | |
|--|------------------|------------------------------------|-------------------------|--------------------|---------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 4520, 585, 4571 | Weight: 1.156g | Extraction date: 06/05/25 10:54:11 | Extracted by: 4044,4777 | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA087169MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 08:12:31 Batch Date : 06/05/25 Analyzed Date : 06/06/25 09:36:11 Dilution : 10 Reagent : 030625.15; 031325.02; 051325.R51; 093024.05 Consumables : 7582002018 Pipette : N/A | | | | | |
| Analyzed by: 4520, 585, 4571 | Weight: 1.156g | Extraction date: 06/05/25 10:54:11 | Extracted by: 4044,4777 | | |
| Analysis Method : SOP.T.40.209.FL Analytical Batch : DA087170TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 06/05/25 08:14:08 Analyzed Date : 06/07/25 15:58:30 Dilution : 10 Reagent : 030625.15; 031325.02; 050725.R36 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|--|-------------------|------------------------------------|------------------------|--------------------|---------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 4056, 585, 4571 | Weight: 0.2527g | Extraction date: 06/05/25 13:21:34 | Extracted by: 4056,450 | | |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA087197MYC Instrument Used : N/A Batch Date : 06/05/25 10:23:23 Analyzed Date : 06/06/25 09:38:51 Dilution : 250 Reagent : 060225.R01; 060325.R08; 052925.R24; 060425.R42; 042925.R13; 060425.R03; 043025.28 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|--|---------------------|------------------------------------|-------------------------|--------------------|---------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 4531, 585, 4571 | Weight: 0.2858g | Extraction date: 06/05/25 12:38:15 | Extracted by: 1022,4531 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA087208HEA Instrument Used : DA-ICPMS-004 Batch Date : 06/05/25 10:57:52 Analyzed Date : 06/06/25 11:04:24 Dilution : 50 Reagent : 060425.R41; 051425.R13; 060225.R06; 053025.R23; 060225.R04; 060225.R05; 120324.07; 052225.R12 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 500mg - Chmpgne Kush (H)
Chmpgne Kush (H)
Matrix : Derivative
Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50604002-007

Harvest/Lot ID: 1692787755215137

Batch# : 1692787755215137

Sampled : 06/04/25

Ordered : 06/04/25

Sample Size Received : 31 units

Total Amount : 795 units

Completed : 06/07/25 Expires: 06/07/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 4571 | Weight: 1g | Extraction date: 06/06/25 14:22:27 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA087218FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 06/05/25 20:11:41

Analyzed Date : 06/07/25 14:16:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.500 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4797, 585, 4571 | Weight: 0.3253g | Extraction date: 06/05/25 14:14:46 | Extracted by: 4797 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA087214WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 06/05/25 11:18:10

Analyzed Date : 06/06/25 07:21:53

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/07/25