

COMPLIANCE FOR RETAIL


Laboratory Sample ID: DA50605013-006

Kaycha Labs

Supply Vape Cartridge 1g - Tropic Thunder (H)

Tropic Thunder (H) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation



Batch#: 4121224012104910

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 9733959985251045

Harvest Date: 06/03/25

Sample Size Received: 16 units Total Amount: 813 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 06/05/25 Sampled: 06/05/25

Completed: 06/09/25

Sampling Method: SOP.T.20.010

PASSED

Jun 09, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 06/06/25 08:53:47



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 88.601%

Total THC/Container: 886.010 mg




Total CBD 0.218%

Total CBD/Container: 2.180 mg



Total Cannabinoids

Total Cannabinoids/Container: 929.580



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA087230POT Instrument Used: DA-LC-003

Analyzed Date: 06/09/25 10:20:25

Reagent: 052825.R21; 021125.07; 052125.R41

Consumables: 947.110; 04402004; 070424CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED





Type: Extract for Inhalation

PASSED

Certificate of Analysis Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-006 Harvest/Lot ID: 4121224012104910

Batch#: 4121224012104910 Sample Size Received: 16 units

Sampled: 06/05/25 Ordered: 06/05/25

Total Amount: 813 units

Completed: 06/09/25 **Expires:** 06/09/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	41.73	4.173		NEROL	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	11.21	1.121		OCIMENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	8.25	0.825		PULEGONE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	7.11	0.711		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	3.20	0.320		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	2.55	0.255		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.08	0.108		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.06	0.106	i	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
FARNESENE	0.001	TESTED	1.04	0.104	i	Analyzed by:	Weigh	t-	Extraction	on date:	Extracted by:
LINALOOL	0.007	TESTED	1.01	0.101		4444, 4451, 585, 4571	0.2055	ig	06/06/2	5 13:36:44	4444
VALENCENE	0.007	TESTED	0.61	0.061		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ALPHA-TERPINEOL	0.007	TESTED	0.55	0.055		Analytical Batch : DA087262TER Instrument Used : DA-GCMS-004				Batch Date : 06/06/25 10:58:17	
FENCHYL ALCOHOL	0.007	TESTED	0.52	0.052		Analyzed Date : 06/09/25 10:20:27				Batch Date 1 00/00/25 10:56:17	
CARYOPHYLLENE OXIDE	0.007	TESTED	0.50	0.050		Dilution : N/A					
HEXAHYDROTHYMOL	0.007	TESTED	0.44	0.044		Reagent: 051525.11					
ISOBORNEOL	0.007	TESTED	0.40	0.040		Consumables: 947.110; 04402004; 2240626; 0000355	309				
ALPHA-CEDRENE	0.005	TESTED	0.37	0.037		Pipette : DA-065					
GUAIOL	0.007	TESTED	0.35	0.035		Terpenoid testing is performed utilizing Gas Chromatography N	lass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ALPHA-TERPINOLENE	0.007	TESTED	0.35	0.035		ĺ					
3-CARENE	0.007	TESTED	0.31	0.031		ĺ					
CAMPHENE	0.007	TESTED	0.31	0.031							
ALPHA-TERPINENE	0.007	TESTED	0.26	0.026							
SABINENE	0.007	TESTED	0.25	0.025		ĺ					
BORNEOL	0.013	TESTED	ND	ND		ĺ					
CAMPHOR	0.007	TESTED	ND	ND		ĺ					
CEDROL	0.007	TESTED	ND	ND							
EUCALYPTOL	0.007	TESTED	ND	ND		ĺ					
FENCHONE	0.007	TESTED	ND	ND		ĺ					
GERANIOL	0.007	TESTED	ND	ND		ĺ					
GERANYL ACETATE	0.007	TESTED	ND	ND		ĺ					
ISOPULEGOL	0.007	TESTED	ND	ND		ĺ					
Total (%)				4.173							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-006 Harvest/Lot ID: 4121224012104910

Sampled: 06/05/25 Ordered: 06/05/25

Batch#: 4121224012104910 Sample Size Received: 16 units Total Amount: 813 units

Completed: 06/09/25 **Expires:** 06/09/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.01) ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.01) ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.01) ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010) ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN) ppm	0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE) ppm	0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND						
EPHATE	0.010		0.1	PASS	ND	PROPOXUR) ppm	0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN) ppm	0.2	PASS	ND
ETAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN	0.01) ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.01) ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.01) ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.01) ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID) ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM) ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN) ppm	0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND			111	0.15		
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *) ppm		PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *) ppm	0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07) ppm	0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01) ppm	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01) ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05) ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050) ppm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
METHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 4056, 3621, 585, 4571 0.2566q		raction date: 06/25 13:26:2	Ω	Extracted b 4056,4640,5	
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.		00/23 13.20.2	0	4030,4040,3	703
DFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087253PES					
OXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch	Date: 06/06/	25 10:50:09	
NHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/09/25 10:19:09					
NOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 060525.R09; 043025.28; 060425.R43; 0	60325.R0	8; 060325.R0	5; 042925.R13	3; 060425.R03	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02					
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219	in the Chan		:-!- 0!	I- M C	
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing L accordance with F.S. Rule 64ER20-39.	iquia Chro	matograpny II	ipie-Quadrupo	ie mass spectror	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction	on date:		Extracted by:	
AZALIL	0.010	ppm	0.1	PASS	ND	4640, 585, 4571 0.2566q		13:26:28		4056,4640,585	
IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.153					
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087257VOL					
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch D	ate:06/06/25	10:53:14	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 06/09/25 10:18:11					
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND	Reagent: 060525.R09; 043025.28; 052125.R42; 0		3			
VINPHOS	0.010		0.1	PASS	ND	Consumables: 040724CH01; 6822423-02; 174736 Pipette: DA-080: DA-146: DA-218	001				
CLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing C	Cac Chrom	atography Trip	lo Ouadrupolo	Mass Sportrome	try in
ALED		ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	Jas CIIIOM	acograpity ITIP	ie-Quaurup01e	mass spectrome	LI y III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA50605013-006 Harvest/Lot ID: 4121224012104910

Batch#:4121224012104910 Sample Size Received:16 units

Sampled: 06/05/25 Ordered: 06/05/25 Total Amount: 813 units
Completed: 06/09/25 Expires: 06/09/26
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:	0		extracted by:	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 4451, 585, 4571
 0.0227g
 06/06/25 12:18:49
 4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA087250SOL Instrument Used : DA-GCMS-002 Analyzed Date : 06/09/25 10:26:19

Dilution: 1
Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date : 06/06/25 10:47:03

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino

Lab Director

1/2





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50605013-006 Harvest/Lot ID: 4121224012104910

Sampled: 06/05/25 Ordered: 06/05/25

Batch#: 4121224012104910 Sample Size Received: 16 units Total Amount: 813 units Completed: 06/09/25 Expires: 06/09/26 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

4520.4571



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000 4

Analyzed by: Weight: **Extraction date:** Extracted by: 4571, 4892, 585 06/06/25 10:30:39 4520,4571 1.15g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA087222MIC

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block) 07:16:03 **Batch Date:** 06/06/25

Analyzed Date: 06/09/25 09:01:42

Reagent: 031325.02; 031325.04; 051325.R51; 093024.05 Consumables: 7582002060; 7582002064

Weight:

1.15g

Pipette: N/A Analyzed by: 4571, 1879, 585

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

AFLATOXIN G2		0.002 ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:	Ex	tracted b	y:
4056, 3621, 585, 4571	0.2566a	06/06/25 13:26:28	40	56.4640.	585

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA087259MYC Instrument Used: DA-LCMS-005 (MYC)

Analyzed Date: 06/09/25 10:19:50

Dilution: 250

Reagent: 060525.R09; 043025.28; 060425.R43; 060325.R08; 060325.R06; 042925.R13; 060425.R03

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Batch Date: 06/06/25 10:54:25

Analysis Method: SOP.T.40.209.FL Analytical Batch: DA087223TYM Instrument Used: DA-328 (25*C Incubator) Analyzed Date: 06/09/25 09:18:55	Batch Date : 06/06/25 07:16:54
Dilution: 10 Reagent: 031325.02; 031325.04; 050725.R36 Consumables: N/A Pipette: N/A	
Total yeast and mold testing is performed utilizing MPN a accordance with F.S. Rule 64ER20-39.	nd traditional culture based techniques in

Extraction date

06/06/25 10:30:39

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT I	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4571	Weight: 0.22g	Extraction date 06/06/25 12:3			Extracted 4531	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA087242HEA Instrument Used : DA-ICPMS-004

Batch Date: 06/06/25 10:26:55

Analyzed Date: 06/09/25 08:58:53

Dilution: 50 Reagent: 060425.R41; 051425.R13; 060225.R06; 053025.R23; 060225.R04; 060225.R05;

120324.07; 052225.R12

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50605013-006 Harvest/Lot ID: 4121224012104910

Sampled: 06/05/25 Ordered: 06/05/25

Batch#: 4121224012104910 Sample Size Received: 16 units Total Amount: 813 units Completed: 06/09/25 Expires: 06/09/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % NDPASS Analyzed by: 1879, 4571 Extraction date: Weight: Extracted by: 1g 06/06/25 14:13:17 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA087267FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 06/06/25 12:37:19 Analyzed Date: 06/08/25 12:01:00

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	L	OD Units	Result	P/F	Action Level	
Water Activity	C	0.010 aw	0.493	PASS	0.85	
Analyzed by: 4797, 585, 4571	Weight: 0.1167a	Extraction date: 06/06/25 13:52:47		Extracted by: 4797		
4797, 363, 4371	0.11679	00/00/25 13	1:52:47	47	97	

Analysis Method: SOP.T.40.019 Analytical Batch: DA087264WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 06/06/25 11:21:26

Analyzed Date: 06/07/25 14:23:32

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors