



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50605013-006


Production Method: Other - Not Listed

Harvest/Lot ID: 4121224012104910

Batch#: 4121224012104910

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9733959985251045

Harvest Date: 06/03/25

Sample Size Received: 16 units

Total Amount: 813 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 06/05/25

Sampled: 06/05/25

Completed: 06/09/25

Sampling Method: SOP.T.20.010

Jun 09, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
88.601%
Total THC/Container : 886.010 mg

Total CBD
0.218%
Total CBD/Container : 2.180 mg

Total Cannabinoids
92.958%
Total Cannabinoids/Container : 929.580 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.573	0.033	0.218	ND	ND	2.062	ND	1.357	0.373	ND	0.342
mg/unit	885.73	0.33	2.18	ND	ND	20.62	ND	13.57	3.73	ND	3.42
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 4571

Weight:
0.103g

Extraction date:
06/06/25 12:05:43

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087230POT

Instrument Used : DA-LC-003

Analyzed Date : 06/09/25 10:20:25

Batch Date : 06/06/25 08:53:47

Dilution : 400

Reagent : 052825.R21; 021125.07; 052125.R41

Consumables : 947.110; 04402004; 070424CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Tropic Thunder (H)
Tropic Thunder (H)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50605013-006

Harvest/Lot ID: 4121224012104910

Batch# : 4121224012104910

Sampled : 06/05/25

Ordered : 06/05/25

Sample Size Received : 16 units

Total Amount : 813 units

Completed : 06/09/25 Expires: 06/09/26

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	41.73	4.173	NEROL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	11.21	1.121	OCIMENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.25	0.825	PULEGONE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	7.11	0.711	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	3.20	0.320	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	2.55	0.255	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.08	0.108	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.06	0.106	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
FARNESENE	0.001	TESTED	1.04	0.104					
LINALOOL	0.007	TESTED	1.01	0.101	Analysis by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	TESTED	0.61	0.061	6846, 4451, 585, 4571	0.2055g	06/06/25 13:36:44	4444	
ALPHA-TERPINEOL	0.007	TESTED	0.55	0.055	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	TESTED	0.52	0.052	Analytical Batch : DA087262TER				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.50	0.050	Instrument Used : DA-GCNE-004				
HEXANYLOTHTYNYL	0.007	TESTED	0.44	0.044	Analysis Date : 06/05/25 10:20:27				
ISOBORNEOL	0.007	TESTED	0.40	0.040	Dilution : NA				
ALPHA-CEDRENE	0.005	TESTED	0.37	0.037	Reagent : 051525.11				
GUAIOL	0.007	TESTED	0.35	0.035	Consumables : 947.110; 04402004; 2240626; 0000355309				
ALPHA-TERPINOLENE	0.007	TESTED	0.35	0.035	Pipette : DA-065				
3-CARENE	0.007	TESTED	0.31	0.031	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHERE	0.007	TESTED	0.31	0.031					
ALPHA-TERPINENE	0.007	TESTED	0.26	0.026					
SABINENE	0.007	TESTED	0.25	0.025					
BORNEOL	0.013	TESTED	ND	ND					
CAMPOR	0.007	TESTED	ND	ND					
CEODOL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				4.173					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/09/25