



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50605013-010



Jun 09, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 2

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



Total THC

**89.342%**

Total THC/Container : 446.710 mg



Total CBD

**0.277%**

Total CBD/Container : 1.385 mg



Total Cannabinoids

**93.879%**

Total Cannabinoids/Container : 469.395 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.340	0.003	0.256	0.024	ND	2.103	ND	1.389	0.410	ND	0.354
mg/unit	446.70	0.02	1.28	0.12	ND	10.52	ND	6.95	2.05	ND	1.77
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 4571

Weight:  
0.1096g

Extraction date:  
06/06/25 12:05:44

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087230POT

Instrument Used : DA-LC-003

Analyzed Date : 06/09/25 10:20:46

Batch Date : 06/06/25 08:53:47

Dilution : 400

Reagent : 052825.R21; 021125.07; 052125.R41

Consumables : 947.110; 04402004; 070424CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/09/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)  
Tropic Thunder (H)  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50605013-010  
Harvest/Lot ID: 8748123066147182

Batch# : 8748123066147182 Sample Size Received : 31 units  
Sampled : 06/05/25 Total Amount : 410 units  
Ordered : 06/05/25 Completed : 06/09/25 Expires: 06/09/26  
Sample Method : SOP.T.20.010

Page 2 of 2

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	20.98	4.196	NEROL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	5.68	1.135	OCIMENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	4.17	0.833	PULEGONE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	3.57	0.714	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.60	0.320	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	1.29	0.257	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.55	0.109	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.55	0.109	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FARNESENE	0.001	TESTED	0.52	0.104	Analyzed by: 6846, 4631, 585, 4571 Weight: 0.2144g Extraction date: 06/06/25 13:36:45 Extracted by: 4444				
LINALOOL	0.007	TESTED	0.50	0.100	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA087262TER Instrument Used : DA-GCNE-004				
VALENCENE	0.007	TESTED	0.29	0.057	Dilution : N/A Batch Date : 06/06/25 10:58:17				
ALPHA-TERPINEOL	0.007	TESTED	0.27	0.053	Reagent : 051525.11				
FENCHYL ALCOHOL	0.007	TESTED	0.26	0.051	Consumables : 947.110; 04402004; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.25	0.049	Pipette : DA-065				
GERANIOL	0.007	TESTED	0.24	0.047	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
HEXAHYDROTHYMOL	0.007	TESTED	0.21	0.041					
TRANS-NEROLIDOL	0.005	TESTED	0.21	0.041					
GUAJOL	0.007	TESTED	0.17	0.034					
ALPHA-TERPINOLENE	0.007	TESTED	0.17	0.034					
3-CARENE	0.007	TESTED	0.15	0.030					
CAMPHERE	0.007	TESTED	0.15	0.030					
ALPHA-TERPINENE	0.007	TESTED	0.13	0.025					
SABINENE	0.007	TESTED	0.12	0.023					
BORNEOL	0.013	TESTED	ND	ND					
CAMPOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				4.196					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/09/25