



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50605013-012



Jun 09, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

90.278%

Total THC/Container : 451.390 mg



Total CBD

0.220%

Total CBD/Container : 1.100 mg



Total Cannabinoids

94.727%

Total Cannabinoids/Container : 473.635 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.278	ND	0.220	ND	ND	2.106	ND	1.387	0.380	ND	0.356
mg/unit	451.39	ND	1.10	ND	ND	10.53	ND	6.94	1.90	ND	1.78
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 4351, 1665, 585, 4571

 Weight:
 0.1057g

 Extraction date:
 06/06/25 12:05:44

 Extracted by:
 3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087230POT

Instrument Used : DA-LC-003

Analyzed Date : 06/09/25 10:20:54

Batch Date : 06/06/25 08:53:47

Dilution : 400

Reagent : 052825.R21; 021125.07; 052125.R41

Consumables : 947.110; 04402004; 070424CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 06/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Tropic Thunder (H)

Tropic Thunder (H)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50605013-012
Harvest/Lot ID: 8634119760525505

Batch# : 8634119760525505 Sample Size Received : 31 units
Sampled : 06/05/25 Total Amount : 155 units
Ordered : 06/05/25 Completed : 06/09/25 Expires: 06/09/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	20.77	4.153	OCIMENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	5.72	1.143	PULEGONE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	4.18	0.836	SABINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	3.64	0.728	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.64	0.328	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	1.29	0.257	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.55	0.109	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.54	0.107	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FARNESENE	0.001	TESTED	0.52	0.104	Analyzed by: 6846, 4631, 585, 4571				
LINALOOL	0.007	TESTED	0.50	0.099	Weight: 0.2118g				
VALENCENE	0.007	TESTED	0.29	0.058	Extraction date: 06/06/25 13:36:45				
ALPHA-TERPINEOL	0.007	TESTED	0.27	0.053	Extracted by: 4444				
FENCHYL ALCOHOL	0.007	TESTED	0.26	0.051	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANIOL	0.007	TESTED	0.24	0.047	Analytical Batch : DA087262TER				
TRANS-NEROLIDOL	0.005	TESTED	0.21	0.041	Instrument Used : DA-GC/MS-004				
ISOBORNEOL	0.007	TESTED	0.20	0.039	Analyzed Date : 06/05/25 10:20:56				
GUAJOL	0.007	TESTED	0.17	0.034	Batch Date : 06/06/25 10:58:17				
ALPHA-TERPINOLENE	0.007	TESTED	0.17	0.034	Dilution : N/A				
CAMPHERE	0.007	TESTED	0.16	0.031	Reagent : 051525.11				
3-CARENE	0.007	TESTED	0.15	0.029	Consumables : 947.110; 04402004; 2240626; 0000355309				
ALPHA-TERPINENE	0.007	TESTED	0.13	0.025	Pipette : DA-065				
BORNEOL	0.013	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
Total (%)				4.153					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Tropic Thunder (H)

Tropic Thunder (H)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50605013-012

Harvest/Lot ID: 8634119760525505

Batch# : 8634119760525505

Sampled : 06/05/25

Ordered : 06/05/25

Sample Size Received : 31 units

Total Amount : 155 units

Completed : 06/09/25 Expires: 06/09/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3621, 585, 4571	Weight: 0.246g	Extraction date: 06/06/25 13:26:29	Extracted by: 4056,4640,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087253PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 06/06/25 10:50:09	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/09/25 10:19:14					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 060525.R09; 043025.28; 060425.R43; 060325.R08; 060325.R06; 042925.R13; 060425.R03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 4571	Weight: 0.246g	Extraction date: 06/06/25 13:26:29	Extracted by: 4056,4640,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087257VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 06/06/25 10:53:14	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 06/09/25 10:18:18					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 060525.R09; 043025.28; 052125.R42; 052125.R43					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
06/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Tropic Thunder (H)

Tropic Thunder (H)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50605013-012

Harvest/Lot ID: 8634119760525505

Batch# : 8634119760525505

Sampled : 06/05/25

Ordered : 06/05/25

Sample Size Received : 31 units

Total Amount : 155 units

Completed : 06/09/25 Expires: 06/09/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 4571

Weight:
0.0212g

Extraction date:
06/06/25 12:18:49

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA087250SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 06/09/25 10:26:26

Batch Date : 06/06/25 10:47:03

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Tropic Thunder (H)

Tropic Thunder (H)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50605013-012

Harvest/Lot ID: 8634119760525505

Batch# : 8634119760525505

Sampled : 06/05/25

Ordered : 06/05/25



Sample Size Received : 31 units


Total Amount : 155 units

Completed : 06/09/25 Expires: 06/09/26

Sample Method : SOP.T.20.010

Page 5 of 6

<div>Microbial</div> <div>PASSED</div>						<div><div></div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3621, 585, 4571	Weight: 0.246g	Extraction date: 06/06/25 13:26:29	Extracted by: 4056,4640,585		
Analyzed by: 4571, 4892, 585	Weight: 0.832g	Extraction date: 06/06/25 10:30:39	Extracted by: 4520,4571			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA087259MYC Instrument Used : DA-LCMS-005 (MYC) Batch Date : 06/06/25 10:54:25 Analyzed Date : 06/09/25 10:19:54					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA087222MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 Batch Date : 06/06/25 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:16:03 Analyzed Date : 06/09/25 09:02:18						Dilution : 250 Reagent : 060525.R09; 043025.28; 060425.R43; 060325.R08; 060325.R06; 042925.R13; 060425.R03 Consumables : 040724CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219					
Dilution : 10 Reagent : 031325.02; 031325.04; 051325.R51; 093024.05 Consumables : 7582002060; 7582002064 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4571, 1879, 585						Analyzed by: 4571, 1879, 585					
Weight: 0.832g						Weight: 0.832g					
Extraction date: 06/06/25 10:30:39						Extraction date: 06/06/25 10:30:39					
Extracted by: 4520,4571						Extracted by: 4520,4571					
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA087223TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 06/06/25 07:16:54 Analyzed Date : 06/09/25 09:18:58						Analysis Method : SOP.T.40.209.FL Analytical Batch : DA087223TYM Instrument Used : DA-328 (25°C Incubator) Batch Date : 06/06/25 07:16:54 Analyzed Date : 06/09/25 09:18:58					
Dilution : 10 Reagent : 031325.02; 031325.04; 050725.R36 Consumables : N/A Pipette : N/A						Dilution : 10 Reagent : 031325.02; 031325.04; 050725.R36 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/09/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Tropic Thunder (H)

Tropic Thunder (H)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50605013-012

Harvest/Lot ID: 8634119760525505

Batch# : 8634119760525505

Sampled : 06/05/25

Ordered : 06/05/25

Sample Size Received : 31 units

Total Amount : 155 units

Completed : 06/09/25 Expires: 06/09/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4571	Weight: 1g	Extraction date: 06/06/25 14:13:18	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA087267FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/08/25 12:00:55

Batch Date : 06/06/25 12:37:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.531	PASS	0.85

Analyzed by: 4797, 585, 4571	Weight: 0.3215g	Extraction date: 06/06/25 14:05:42	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA087264WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/07/25 14:23:35

Batch Date : 06/06/25 11:21:26

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/09/25