

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50605013-013

DAVIE, FL, 33314, US

Kaycha Labs

Type: Extract for Inhalation

Supply Disposable Vape 500mg - White RNTZ (H) White RNTZ (H) Matrix: Derivative Classification: High THC



PASSED


(954) 368-7664 **Certificate of Analysis**

Production Method: Other - Not Listed Harvest/Lot ID: 0846088949086215 Batch#: 0846088949086215 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Seed to Sale#: 3486845498701741 Harvest Date: 06/03/25 Sample Size Received: 31 units Total Amount: 155 units Retail Product Size: 0.5 gram Servings: 1 Ordered: 06/05/25 Sampled: 06/05/25 Completed: 06/09/25 Sampling Method: SOP.T.20.010

Pages 1 of 6

Jun 09, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside^{*}

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/09/25



Supply Disposable Vape 500mg - White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-013 Harvest/Lot ID: 0846088949086215 Batch#:0846088949086215 Sample Size Received:31 units Sampled : 06/05/25 Ordered : 06/05/25

Total Amount : 155 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 2 of 6

	_
d	3
Xι	JK.
ar	עכ
0	2

Terpenes

erpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
DTAL TERPENES	0.007	TESTED	21.89	4.378		PULEGONE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	9.55	1.910		SABINENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	5.97	1.194		SABINENE HYDRATE	0.007	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	1.20	0.240		VALENCENE	0.007	TESTED	ND	ND	
TA-PINENE	0.007	TESTED	1.07	0.213		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
TA-CARYOPHYLLENE	0.007	TESTED	0.55	0.109	1	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
IALOOL	0.007	TESTED	0.47	0.093		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
MPHENE	0.007	TESTED	0.41	0.081		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
IMENE	0.007	TESTED	0.28	0.056		Analyzed by:	Weig		Extractio		Extracted by:
PHA-BISABOLOL	0.007	TESTED	0.27	0.053		4444, 4451, 585, 4571	0.22	3	06/06/25	13:36:45	4444
PHA-HUMULENE	0.007	TESTED	0.27	0.053		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061	LA.FL				
ICHYL ALCOHOL	0.007	TESTED	0.26	0.052		Analytical Batch : DA087262TER Instrument Used : DA-GCMS-004				Batch Date : 06/06/25 10:58:	17
PHA-TERPINOLENE	0.007	TESTED	0.25	0.049		Analyzed Date : 06/09/25 10:21:00				Batch Date 100/00/25 10:58:	1
HA-TERPINEOL	0.007	TESTED	0.24	0.048		Dilution : N/A					
YOPHYLLENE OXIDE	0.007	TESTED	0.23	0.046		Reagent : 051525.11					
RNESENE	0.001	TESTED	0.22	0.044		Consumables : 947.110; 04402004; 2240626; 0000 Pipette : DA-065	0355309				
NS-NEROLIDOL	0.005	TESTED	0.20	0.039							
AIOL	0.007	TESTED	0.17	0.034		Terpenoid testing is performed utilizing Gas Chromatogra	sphy Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ARENE	0.007	TESTED	0.17	0.033							
HA-TERPINENE	0.007	TESTED	0.16	0.031							
INEOL	0.013	TESTED	ND	ND							
IPHOR	0.007	TESTED	ND	ND							
DROL	0.007	TESTED	ND	ND							
CALYPTOL	0.007	TESTED	ND	ND							
CHONE	0.007	TESTED	ND	ND							
RANIOL	0.007	TESTED	ND	ND							
RANYL ACETATE	0.007	TESTED	ND	ND							
XAHYDROTHYMOL	0.007	TESTED	ND	ND							
BORNEOL	0.007	TESTED	ND	ND							
DPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25



Supply Disposable Vape 500mg - White RNTZ (H) White RNTZ (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-013 Harvest/Lot ID: 0846088949086215

Sampled : 06/05/25 Ordered : 06/05/25

Batch#:0846088949086215 Sample Size Received:31 units Total Amount : 155 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 3 of 6

	R 0				
Ì	Pesticide				

Pesticides

esticide	LOD U	nits Act Lev		Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010 pp		PASS		ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010 pp		PASS		ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010 pp		PASS		ND	PHOSMET		0.010	maa	0.1	PASS	ND
TAL PYRETHRINS	0.010 pp		PASS		ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010 pp		PASS		ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010 pp		PASS		ND			0.010		0.1	PASS	ND
BAMECTIN B1A	0.010 pp		PASS		ND	PROPICONAZOLE						
EPHATE	0.010 pp		PASS		ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010 pp		PASS		ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010 pp		PASS		ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010 pp		PASS		ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010 pp		PASS		ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010 pp		PASS		ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010 pp		PASS		ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
OSCALID	0.010 pp		PASS		ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010 pp		PASS		ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010 pp		PASS		ND					0.15	PASS	ND
ILORANTRANILIPROLE	0.010 pp		PASS		ND	PENTACHLORONITROBENZ	LENE (PCNB) *	0.010				
ILORMEQUAT CHLORIDE	0.010 pp		PASS		ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010 pp		PASS		ND	CAPTAN *		0.070		0.7	PASS	ND
DFENTEZINE	0.010 pp		PASS		ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010 pp		PASS		ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010 pp		PASS		ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
AZINON	0.010 pp		PASS		ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010 pp		PASS		ND	Analyzed by:	Weight	. Evtr	action dat	01	Extracted b	
METHOATE	0.010 pp		PASS		ND	4056, 3621, 585, 4571	0.2572		6/25 13:26		4056,4640,5	
HOPROPHOS	0.010 pp		PASS		ND	Analysis Method : SOP.T.30						
OFENPROX	0.010 pp		PASS		ND	Analytical Batch : DA08725						
OXAZOLE	0.010 pp		PASS		ND	Instrument Used : DA-LCMS			Bat	ch Date :06/06	/25 10:50:09	
NHEXAMID	0.010 pp	pm 0.1	PASS		ND	Analyzed Date :06/09/25 1	0:19:14					
NOXYCARB	0.010 pp		PASS		ND	Dilution : 250	0.05 0.0 0.0 0.0 5 5 5	000000 000	000000	00 040005 55	0.000000 0000	
NPYROXIMATE	0.010 pp		PASS		ND	Reagent : 060525.R09; 043 Consumables : 040724CH0		; 060325.R08	; 060325.R	U6; 042925.R1	3; Ub0425.R03	
PRONIL	0.010 pp		PASS		ND	Pipette : DA-093; DA-094; D						
ONICAMID	0.010 pp		PASS		ND	Testing for agricultural agents		a Liquid Chron	natography	Triple-Quadrup	le Mass Spectro	netrv in
UDIOXONIL	0.010 pp		PASS		ND	accordance with F.S. Rule 64E		5 9010 011011				
XYTHIAZOX	0.010 pp		PASS		ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by:	
AZALIL	0.010 pp		PASS		ND	4640, 585, 4571	0.2572g	06/06/25	13:26:29		4056,4640,585	5
IDACLOPRID	0.010 pp	pm 0.4	PASS		ND	Analysis Method : SOP.T.30		151.FL				
ESOXIM-METHYL	0.010 pp		PASS		ND	Analytical Batch : DA08725					10 52 14	
LATHION	0.010 pp	pm 0.2	PASS		ND	Analyzed Date :06/09/25 10			Batch	Date : 06/06/25	10:53:14	
TALAXYL	0.010 pp	pm 0.1	PASS		ND	Dilution : 250	0.10.10					
THIOCARB	0.010 pp	pm 0.1	PASS		ND	Reagent: 060525.R09; 043	025 28· 052125 843	· 052125 B43				
THOMYL	0.010 pp	pm 0.1	PASS		ND	Consumables : 040724CH0						
EVINPHOS	0.010 pp	pm 0.1	PASS		ND	Pipette : DA-080; DA-146; D						
CLOBUTANIL	0.010 pp	pm 0.1	PASS		ND	Testing for agricultural agents	s is performed utilizir	g Gas Chroma	tography Tr	iple-Quadrupole	Mass Spectrome	etry in
ALED	0.010 pp	om 0.25	PASS		ND	accordance with F.S. Rule 64F	ER 20-39					-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25

PASSED

PASSED



Supply Disposable Vape 500mg - White RNTZ (H) White RNTZ (H) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-013 Harvest/Lot ID: 0846088949086215 Batch#:0846088949086215 Sample Size Received:31 units

Sampled : 06/05/25 Total Amount : 155 units Ordered : 06/05/25 Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	<2500.000
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 451, 585, 4571	Weight: 0.0201g	Extraction date: 06/06/25 12:18:4	9		tracted by: 51
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA087250SOL Instrument Used : DA-GCMS-002 Analyzed Date : 06/09/25 10:26:27			Batch Date : 06/06/25	10:47:03	

Dilution: 1

Reagent : 030420.09 Consumables : 429651: 315545

Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25



Supply Disposable Vape 500mg - White RNTZ (H) White RNTZ (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-013 Harvest/Lot ID: 0846088949086215

Sampled : 06/05/25 Ordered : 06/05/25

Batch#:0846088949086215 Sample Size Received:31 units Total Amount : 155 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 5 of 6

(Ct-s	Microbia	al			PAS	SED	သို့	M	ycoto	xins	5			PAS	SED
ECOLI SHIGEL TOTAL YEAST Analyzed by: 4571, 4892, 585	NIGER FUMIGATUS FLAVUS SPECIFIC GENE LA	06/06/	CFU/g tion date: (25 10:30:39 3 EL SOP T 4	4	Pass / Fail PASS PASS PASS PASS PASS PASS PASS PAS	Action Level 100000 /:	Analyte AFLATOXIN I AFLATOXIN I OCHRATOXIN AFLATOXIN (AFLATOXIN (AFLATOXIN (Analyzed by: 4056, 3621, 58 Analysis Metho Analysis Metho Analytical Batc Instrument Use	81 81 81 82 5,4571 rd : SOP. h : DA08	87259MYC	2g (OP.T.40.		ppm ppm ppm ppm Jate: 3:26:29		Fail PASS PASS PASS PASS PASS PASS	585
nstrument Used Thermocycler), Analyzed Date : Dilution : 10 Reagent : 03132	: DA087222MIC I: DA-111 (PathogenE DA-049 (95*C Heat Bl 06/09/25 09:02:21 IS.02; 031325.04; 053 582002060; 7582002	lock),DA-4	02 (55*C He		Date : 06/0	06/25	Analyzed Date Dilution : 250 Reagent : 0605 060425.R03 Consumables : Pipette : DA-05 Mycotoxins test accordance with	525.R09; 040724 93; DA-0 ing utilizi	; 043025.28; 0 CH01; 682242 994; DA-219 ng Liquid Chrom	3-02					
	Weight: 0.92g : SOP.T.40.209.FL		tion date: /25 10:30:39		xtracted by 520,4571	<i>/</i> :	Hg	Не	eavy M	leta	als			PAS	SED
Instrument Used	: DA087223TYM I: DA-328 (25*C Incul 06/09/25 09:19:00	oator)	Bat	ch Date : 06/0	6/25 07:16:	54	Metal				LOD	Units	Result	Pass / Fail	Action Level
Consumables : M Pipette : N/A Total yeast and m	25.02; 031325.04; 050 I/A old testing is performed .S. Rule 64ER20-39.		PN and traditio	nal culture base	d techniques	in	TOTAL CONT ARSENIC CADMIUM MERCURY LEAD	AMINAI	NT LOAD MET	TALS	0.080 0.020 0.020 0.020 0.020	ppm ppm ppm ppm ppm	ND ND ND ND	PASS PASS PASS PASS PASS	1.1 0.2 0.2 0.2 0.5
accordance with F	.5. KUIE 64EK2U-39.						Analyzed by: 1022, 585, 457 Analysis Metho Analytical Bato	d:SOP.		06	traction da /06/25 12:4	te:		Extracted 4531	
							Instrument Use Analyzed Date Dilution : 50	:06/09/					06/06/25 1		

Reagent : 060425.R41; 051425.R13; 060225.R06; 053025.R23; 060225.R04; 060225.R05; 120324.07; 052225.R12 Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/09/25



Supply Disposable Vape 500mg - White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

Certificate of Analysis

PASSED

Sunnyside

(101)

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-013 Harvest/Lot ID: 0846088949086215

PASSED

Sampled : 06/05/25 Ordered : 06/05/25

Batch#:0846088949086215 Sample Size Received:31 units Total Amount : 155 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010



	Materia	I					
Analyte Filth and Foreign	Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	
Analyzed by: 1879, 4571	Weight: 1g		t ion date: 25 14:13:	18	Ext 187	racted by: '9	
Analysis Method : SC Analytical Batch : DA Instrument Used : Fi Analyzed Date : 06/0 Dilution : N/A Reagent : N/A Consumables : N/A	087267FIL h/Foreign Mate	rial Micro	oscope	Batch D	Pate : 06/0	6/25 12:37:19	
Pipette : N/A Filth and foreign mater technologies in accorda				spection utilizi	ng naked ey	ve and microscope	
۱ (ڳ	Nater A	ctiv	ity		ΡΑ	SSED	
Analyte		LOD	Units	Result	P/F	Action Level	
Water Activity		0.010	aw	0.540	PASS	0.85	
Analyzed by:	Weight:		traction d				

4797, 585, 4571	0.3133g	06/06/25 14:06:25	4797
Analysis Method : SOP.T. Analytical Batch : DA0877 Instrument Used : DA-027 Analyzed Date : 06/07/25	264WAT 8 Rotronic Hyg	ropalm Batch Da	ate:06/06/25 11:21:26
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25