

Production Method: Other - Not Listed

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9618503055459713

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Pages 1 of 6

Harvest/Lot ID: 5621727618966997

Batch#: 5621727618966997

Harvest Date: 05/30/25

Servings: 1 Ordered: 06/05/25 Sampled: 06/05/25 Completed: 06/09/25

PASSED

Sample Size Received: 31 units Total Amount: 765 units Retail Product Size: 0.5 gram

Sampling Method: SOP.T.20.010

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I) Black Maple (I) Matrix: Derivative Classification: High THC Type: Extract for Inhalation

.....

Certificate of Analysis


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50605013-015



Jun 09, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/09/25



Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I) Black Maple (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-015 Harvest/Lot ID: 5621727618966997 Batch#: 5621727618966997 Sample Size Received: 31 units Sampled : 06/05/25 Ordered : 06/05/25

Total Amount : 765 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 2 of 6

\sim
d Ob
-0-

Terpenes

penes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
L TERPENES	0.007	TESTED	23.40	4.679		NEROL	0.007	TESTED	ND	ND	
-CARYOPHYLLENE	0.007	TESTED	8.43	1.685		PULEGONE	0.007	TESTED	ND	ND	
ONENE	0.007	TESTED	2.81	0.561		SABINENE	0.007	TESTED	ND	ND	
PHA-HUMULENE	0.007	TESTED	2.57	0.513		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ALOOL	0.007	TESTED	1.71	0.342		VALENCENE	0.007	TESTED	ND	ND	
NOL	0.007	TESTED	1.23	0.246		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
PHA-PINENE	0.007	TESTED	0.92	0.184		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
PHA-BISABOLOL	0.007	TESTED	0.79	0.158	1	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ICHYL ALCOHOL	0.007	TESTED	0.66	0.131		Analyzed by:	Weigh	tı	Extract	on date:	Extracted by:
PHA-TERPINEOL	0.007	TESTED	0.60	0.120		4444, 4451, 585, 4571	0.2344	4g	06/06/2	5 13:36:45	4444
RNESENE	0.001	TESTED	0.58	0.115		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.	.FL				
NS-NEROLIDOL	0.005	TESTED	0.53	0.106	1	Analytical Batch : DA087262TER Instrument Used : DA-GCMS-004				Batch Date : 06/06/25	10-58-17
RNEOL	0.013	TESTED	0.46	0.092	1	Analyzed Date : 06/09/25 10:21:08				Date: Date 100/00/2.	
MENE	0.007	TESTED	0.35	0.069		Dilution : N/A					
TA-PINENE	0.007	TESTED	0.33	0.066	1	Reagent : 051525.11					
TA-MYRCENE	0.007	TESTED	0.29	0.057		Consumables : 947.110; 04402004; 2240626; 00003 Pipette : DA-065	355309				
ANIOL	0.007	TESTED	0.23	0.045							
PHA-TERPINOLENE	0.007	TESTED	0.20	0.040		Terpenoid testing is performed utilizing Gas Chromatograph	ny Mass Spectrometry	. For all Flower sa	mpres, the Total	Terpenes % is dry-weight corr	ected.
CHONE	0.007	TESTED	0.19	0.037							
MPHENE	0.007	TESTED	0.16	0.032							
CALYPTOL	0.007	TESTED	0.15	0.029							
MMA-TERPINENE	0.007	TESTED	0.14	0.028							
PHA-TERPINENE	0.007	TESTED	0.12	0.023							
CARENE	0.007	TESTED	ND	ND							
MPHOR	0.007	TESTED	ND	ND							
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
DROL	0.007	TESTED	ND	ND							
RANYL ACETATE	0.007	TESTED	ND	ND							
AHYDROTHYMOL	0.007	TESTED	ND	ND							
DBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25



Page 3 of 6

Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I) Black Maple (I)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sample : DA50605013-015

Sampled : 06/05/25

Ordered : 06/05/25

Harvest/Lot ID: 5621727618966997

Batch#: 5621727618966997 Sample Size Received: 31 units

Total Amount : 765 units

Sample Method : SOP.T.20.010

Completed : 06/09/25 Expires: 06/09/26

PASSED

Sunnyside

0

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Pesticides

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010 ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND				0.1	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010				
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND	Analyzed by: Weight:		action date:		Extracted b	
DIMETHOATE	0.010 ppm	0.1	PASS	ND	4056, 3621, 585, 4571 0.2551g		6/25 13:26:29		4056.4640.5	
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102		0,20 10.20.20		1050,1010,5	00
ETOFENPROX	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA087253PES					
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch	Date :06/06/	25 10:50:09	
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Analyzed Date :06/09/25 10:19:16					
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Reagent: 060525.R09; 043025.28; 060425.R43; Consumables: 040724CH01; 6822423-02	J60325.R08	3; 060325.R06;	042925.RI3	;060425.R03	
FIPRONIL	0.010 ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Tri	nle-Quadruno	e Mass Spectron	netry in
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		nacography in	pie quadrapo.	ie mass speed on	icci y in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by:	
IMAZALIL	0.010 ppm	0.1	PASS	ND	4640, 585, 4571 0.2551g	06/06/25	13:26:29		4056,4640,585	
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.15	1.FL				
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA087257VOL				10 50 14	
MALATHION	0.010 ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-001 Analyzed Date :06/09/25 10:18:19		Batch Da	te:06/06/25	10:53:14	
METALAXYL	0.010 ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010 ppm	0.1	PASS	ND	Reagent : 060525.R09: 043025.28: 052125.R42: 0)52125 R43	3			
METHOMYL	0.010 ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473		•			
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	e-Quadrupole	Mass Spectrome	try in
NALED	0.010 ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED



Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I) Black Maple (I)



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-015 Harvest/Lot ID: 5621727618966997 Batch#: 5621727618966997 Sample Size Received: 31 units Sampled : 06/05/25 Ordered : 06/05/25

Total Amount : 765 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

0.800 0.200 50.000 75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500 500.000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	8 2 500 750 60 1 5000 2 125 5000 400 500 5	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND <2500.000 ND ND ND
50.000 75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	500 750 60 1 5000 2 125 5000 400 500	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND <2500.000 ND ND
75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	750 60 1 5000 2 125 5000 400 500	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND <2500.000 ND ND
6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm ppm ppm	60 1 5000 2 125 5000 400 500	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND <2500.000 ND ND
0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm ppm	1 5000 2 125 5000 400 500	PASS PASS PASS PASS PASS PASS PASS	ND ND ND <2500.000 ND ND
500.000 0.200 12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm	5000 2 125 5000 400 500	PASS PASS PASS PASS PASS PASS	ND ND <2500.000 ND ND
0.200 12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm ppm	2 125 5000 400 500	PASS PASS PASS PASS PASS	ND ND <2500.000 ND ND
12.500 500.000 40.000 50.000 0.500	ppm ppm ppm ppm ppm	125 5000 400 500	PASS PASS PASS PASS	ND <2500.000 ND ND
500.000 40.000 50.000 0.500	ppm ppm ppm ppm	5000 400 500	PASS PASS PASS	<2500.000 ND ND
40.000 50.000 0.500	ppm ppm ppm	400 500	PASS	ND ND
50.000 0.500	ppm ppm	500	PASS	ND
0.500	ppm			
		5	PASS	ND
500.000	12 12 122			ND
	ppm	5000	PASS	ND
25.000	ppm	250	PASS	ND
25.000	ppm	250	PASS	ND
75.000	ppm	750	PASS	ND
500.000	ppm	5000	PASS	ND
15.000	ppm	150	PASS	ND
15.000	ppm	150	PASS	ND
2.500	ppm	25	PASS	ND
n t: 6g	Extraction date: 06/06/25 12:18:49	9	Ex 1 44	tracted by: 51
1	15.000 15.000 2.500	15.000 ppm 15.000 ppm 2.500 ppm at: Extraction date:	15.000 ppm 150 15.000 ppm 150 2.500 ppm 25 ht: Extraction date: 6g 06/06/25 12:18:49	DS0000 ppm DS000 PASS 15.000 ppm 150 PASS 15.000 ppm 150 PASS 2.500 ppm 25 PASS ut: Extraction date: Ext

Dilution: 1

Reagent : 030420.09 Consumables : 429651: 315545

Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/09/25



Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I) Black Maple (I)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-015 Harvest/Lot ID: 5621727618966997 Batch#: 5621727618966997 Sample Size Received: 31 units

Total Amount : 765 units Sampled : 06/05/25 Ordered : 06/05/25 Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	S Microbial PASSED						သို့	Μ	lycotoxi	ns			PAS	SEC	
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present			AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
SPERGILLUS	5 NIGER				Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
SPERGILLU	5 FUMIGATUS				Not Present	PASS		OCHRATOXII	N A		0.002	ppm	ND	PASS	0.02
SPERGILLU					Not Present			AFLATOXIN			0.002		ND	PASS	0.02
	SPECIFIC GEN	NE			Not Present			AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
	ILI SHIGELLA Not Present PASS CAL YEAST AND MOLD 10 CFU/q <10				100000	Analyzed by: Weight: Extraction date: 0 4056, 3621, 585, 4571 0.2551g 06/06/25 13:26:29					tracted b 56.4640.				
nalyzed by:	Wei	aht:		tion date:	-20	Extracted b		_		P.T.30.102.FL, SOP.1		5.20.25	40	/50,4040,	505
571, 4892, 58)78g		/25 10:30:40)	4520,4571		Analytical Bate	:h : DA0	87259MYC					
nalysis Metho	d: SOP.T.40.056	6C, SOP.T.	40.058	.FL, SOP.T.4	0.209.FL			Instrument Used : DA-LCMS-005 (MYC) Batch Date : 06/06/25 10 Analyzed Date : 06/09/25 10:19:55					5 10:54:2	:54:25	
	h: DA087222MI						0000		:06/09	/25 10:19:55					
	ed : DA-111 (Path) ,DA-049 (95*C F					h Date : 06/ 6.03	/06/25	Dilution : 250	525 BUG	9; 043025.28; 06042	25 B/13· 06032	5 BU8. 06	0325 B06	· 0/2025	R13.
	: 06/09/25 09:02		())=)()	02 (00 0110				060425.R03	525.1105	, 043023.20, 0004	19.1149, 00092	5.1100, 00	0525.1100	, 042525.	N10,
ilution : 10										4CH01; 6822423-02					
	25.02; 031325.0	04; 05132	5.R51;	093024.05				Pipette : DA-0	93; DA-I	094; DA-219					
onsumables : ipette : N/A	7582002064							Mycotoxins test accordance wit		ing Liquid Chromatogi le 64ER20-39.	aphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 571, 1879, 58		ght:)78g		tion date: /25 10:30:40)	Extracted b 4520,4571					tala			PAS	CEF
nalysis Metho	d:SOP.T.40.209	9.FL						Hg	П	eavy Me	tais			PAS	JEL
	h: DA087223TY		o)	D -4	-h D-h 06/0	06/25 07.16	. E 4								
	ed:DA-328 (25*) :06/09/25 12:38		01)	Bat	ch Date : 06/0	0/25 07:10	:54	Metal			LOD	Units	Result	Pass / Fail	Action Level
lution : 10	25 02. 021225	04.05070	E DOC					TOTAL CONT	AMINA	NT LOAD METALS	0.080	ppm	ND	PASS	1.1
eagent:0313 onsumables:	25.02; 031325.0 N/A	04; 05072	J.K30					ARSENIC			0.020	I. I.	ND	PASS	0.2
i pette : N/A								CADMIUM			0.020		ND	PASS	0.2
otal yeast and r	nold testing is per	formed util	izing MF	N and traditio	nal culture base	ed techniques	s in	MERCURY			0.020		ND	PASS	0.2
	F.S. Rule 64ER20-						-	LEAD			0.020	ppm	ND	PASS	0.5
								Analyzed by: 1022, 585, 457	1	Weight: 0.2443g	Extraction da 06/06/25 12:			Extracted 4531	l by:
								Analysis Metho Analytical Bato Instrument Uso Analyzed Date	ch:DA0 ed:DA-	ICPMS-004		h Date : (06/06/25 1	0:26:55	
								Dilution : 50 Reagent : 0604	425.R41	L; 051425.R13; 060	225.R06; 0530	25.R23; ()60225.R0	4; 06022	5.R05;

120324.07; 052225.R12 Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/09/25



Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I) Black Maple (I)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50605013-015 Harvest/Lot ID: 5621727618966997 Batch#: 5621727618966997 Sample Size Received: 31 units Sampled : 06/05/25 Ordered : 06/05/25

Total Amount : 765 units Completed : 06/09/25 Expires: 06/09/26 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Fo Materia	PASSED			
Analyte Filth and Fore	ign Material	LOD Units 0.100 %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 4571	Weight: 1g	Extraction date: 06/06/25 14:13:		Ext 187	racted by: 9
Analyzed Date :		rial Microscope	Batch D	ate : 06/0	6/25 12:37:19
	/A naterial inspection is pe cordance with F.S. Rule		spection utilizi	ng naked ey	e and microscope
	Water A			ΡΑ	SSED
Analyte Water Activity		LOD Units 0.010 aw	Result 0.488	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 4571	Weight: 0.2423g	Extraction d 06/06/25 14			tracted by: 97

Analysis Method : SOP.T.40.019 Analytical Batch : DA087264WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 06/07/25 14:23:36 Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					
Reagent : 101724.36 Consumables : PS-14	Analytical Batch : DA087 Instrument Used : DA-02	264WAT 8 Rotronic Hygro	palm	Batch Date : (06/06/25 11:21:26
	Reagent : 101724.36 Consumables : PS-14				

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/09/25