



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50605013-015



Jun 09, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***
**PASSED**

Pages 1 of 2

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**


Total THC

**84.256%**

Total THC/Container : 421.280 mg



Total CBD

**0.118%**

Total CBD/Container : 0.590 mg



Total Cannabinoids

**89.401%**

Total Cannabinoids/Container : 447.005 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.211	0.052	0.118	ND	ND	4.018	0.220	0.018	0.353	ND	0.411
mg/unit	421.06	0.26	0.59	ND	ND	20.09	1.10	0.09	1.77	ND	2.06
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 4571

Weight:  
0.1024g

Extraction date:  
06/06/25 12:05:44

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087230POT

Instrument Used : DA-LC-003

Analyzed Date : 06/09/25 10:21:07

Batch Date : 06/06/25 08:53:47

Dilution : 400

Reagent : 052825.R21; 021125.07; 052125.R41

Consumables : 947.110; 04402004; 070424CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
06/09/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Black Maple (I)  
Black Maple (I)  
Matrix : Derivative  
Type: Extract for Inhalation

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50605013-015

Harvest/Lot ID: 5621727618966997

Batch# : 5621727618966997

Sampled : 06/05/25

Ordered : 06/05/25

Sample Size Received : 31 units

Total Amount : 765 units

Completed : 06/09/25 Expires: 06/09/26

Sample Method : SOP.T.20.010

Page 2 of 2



## Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	23.40	4.679	NEROL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.43	1.685	PULEGONE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	2.81	0.561	SABINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.57	0.513	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.71	0.342	VALENCENE	0.007	TESTED	ND	ND
GUAJOL	0.007	TESTED	1.23	0.246	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.92	0.184	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.79	0.158	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	0.66	0.131	Analysis by: 6846, 4631, 585, 4571	Weight: 0.2344g	Extraction date: 06/06/25 13:36:45	Extracted by: 4444	
ALPHA-TERPINEOL	0.007	TESTED	0.60	0.120	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Batch Date : 06/06/25 10:58:17			
FARNESENE	0.001	TESTED	0.58	0.115	Analytical Batch : DA087262TER				
TRANS-NEROLIDOL	0.005	TESTED	0.53	0.106	Instrument Used : DA-GC/MS-004				
BORNEOL	0.013	TESTED	0.46	0.092	Analysis Date : 06/05/25 10:21:08				
OCHRENE	0.007	TESTED	0.35	0.069	Dilution : N/A				
BETA-PINENE	0.007	TESTED	0.33	0.066	Reagent : 051525.11				
BETA-MYRCENE	0.007	TESTED	0.29	0.057	Consumables : 947.110; 04402004; 2240626; 0000355309				
GERANIOL	0.007	TESTED	0.23	0.045	Pipette : DA-065				
ALPHA-TERPINOLENE	0.007	TESTED	0.20	0.040	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	TESTED	0.19	0.037					
CAMPHENE	0.007	TESTED	0.16	0.032					
EUCALYPTOL	0.007	TESTED	0.15	0.029					
GAMMA-TERPINENE	0.007	TESTED	0.14	0.028					
ALPHA-TERPINENE	0.007	TESTED	0.12	0.023					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				4.679					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
06/09/25