

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50606005-008



Jun 11, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.


Cannabinoid
TESTED

Total THC
84.705%

Total THC/Container : 847.050 mg


Total CBD
0.228%

Total CBD/Container : 2.280 mg


Total Cannabinoids
89.552%

Total Cannabinoids/Container : 895.520 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.705	ND	0.228	ND	ND	2.378	ND	1.557	0.383	ND	0.301
mg/unit	847.05	ND	2.28	ND	ND	23.78	ND	15.57	3.83	ND	3.01
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 4571

 Weight:
 0.1077g

 Extraction date:
 06/09/25 09:57:48

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087324POT

Instrument Used : DA-LC-008

Analyzed Date : 06/10/25 09:27:15

Batch Date : 06/09/25 07:28:26

Dilution : 400

Reagent : 060625.R05; 021125.07; 053025.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 06/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 1g - Mng

Mng

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50606005-008

Harvest/Lot ID: 1498649380269962

Batch# : 1498649380269962

Sampled : 06/06/25

Ordered : 06/06/25

Sample Size Received : 16 units

Total Amount : 499 units

Completed : 06/11/25 Expires: 06/11/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	11.46	1.146	SABINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.17	0.117	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.11	0.111	VALENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.96	0.096	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	0.95	0.095	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	0.91	0.091	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.78	0.078	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
CARYOPHYLLENE OXIDE	0.007	TESTED	0.59	0.059	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.59	0.059					
TRANS-NEROLIDOL	0.005	TESTED	0.56	0.056					
GUAIOL	0.007	TESTED	0.53	0.053					
BETA-PINENE	0.007	TESTED	0.48	0.048					
FARNESENE	0.007	TESTED	0.42	0.042					
GERANIOL	0.007	TESTED	0.42	0.042					
GERANYL ACETATE	0.007	TESTED	0.37	0.037					
PULEGONE	0.007	TESTED	0.37	0.037					
ALPHA-TERPINEOL	0.007	TESTED	0.37	0.037					
FENCHYL ALCOHOL	0.007	TESTED	0.32	0.032					
CAMPHOR	0.007	TESTED	0.29	0.029					
GAJMA-TERPINENE	0.007	TESTED	0.27	0.027					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHENE	0.007	TESTED	ND	ND					
CEADROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
Total (%)				1.146					

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.2133g	Extraction date: 06/08/25 11:18:31	Extracted by: 3379
Analyzed by: 4851, 389, 4571			
Analytical Batch : DA087300TER			
Instrument Used : DA-GC/MS-009			
Analyzed Date : 06/11/25 08:55:40			
Dilution : 10			
Reagent : 051525.11			
Consumables : 947.110; 04402004; 2240626; 0000355309			
Pipette : DA-065			
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664


Kaycha Labs

Good News Disposable Vape 1g - Mng

Mng

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50606005-008

Harvest/Lot ID: 1498649380269962

Batch# : 1498649380269962

Sampled : 06/06/25

Ordered : 06/06/25

Sample Size Received : 16 units

Total Amount : 499 units

Completed : 06/11/25 Expires: 06/11/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 4056, 585, 4571	0.2138g	06/09/25 12:32:47	4640,450,585		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087289PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 06/07/25 10:49:21	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/10/25 12:36:47					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 060525.R09; 043025.28					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	450, 585, 4571	0.2138g	06/09/25 12:32:47	4640,450,585		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch : DA087290VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 06/07/25 10:51:37	
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date : 06/10/25 09:34:29					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 060525.R09; 043025.28; 052125.R42; 052125.R43					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
06/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 1g - Mng

Mng

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50606005-008

Harvest/Lot ID: 1498649380269962

Batch# : 1498649380269962

Sampled : 06/06/25

Ordered : 06/06/25

Sample Size Received : 16 units

Total Amount : 499 units

Completed : 06/11/25 Expires: 06/11/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 4571

Weight:
0.0204g

Extraction date:
06/07/25 16:21:23

Extracted by:
4571,4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA087311SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 06/10/25 09:32:53

Batch Date : 06/07/25 16:10:10

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 1g - Mng

Mng

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50606005-008

Harvest/Lot ID: 1498649380269962

Batch# : 1498649380269962

Sampled : 06/06/25

Ordered : 06/06/25


Sample Size Received : 16 units


Total Amount : 499 units


Completed : 06/11/25 Expires: 06/11/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA087269MIC					
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-171 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)				Batch Date : 06/07/25 07:28:04	
Analysis Date : 06/09/25 12:27:25					
Dilution : 10					
Reagent : 031325.10; 050225.14; 051325.R51; 093024.05					
Consumables : 7582002050					
Pipette : N/A					
Analysis Method : SOP.T.40.209.FL					
Analytical Batch : DA087270TYM					
Instrument Used : DA-328 (25°C Incubator)				Batch Date : 06/07/25 07:30:29	
Analysis Date : 06/10/25 09:24:57					
Dilution : 10					
Reagent : 031325.10; 050225.14; 050725.R36					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA087291MYC					
Instrument Used : DA-LCMS-004 (MYC)				Batch Date : 06/07/25 10:51:53	
Analysis Date : 06/10/25 12:38:54					
Dilution : 250					
Reagent : 060525.R09; 043025.28					
Consumables : 040724CH01; 221021DD					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA087285HEA					
Instrument Used : DA-ICPMS-005				Batch Date : 06/07/25 10:00:45	
Analysis Date : 06/10/25 12:30:24					
Dilution : 50					
Reagent : 060425.R41; 051425.R13; 060225.R06; 053025.R23; 060225.R04; 060225.R05; 120324.07; 052225.R12					
Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
06/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 1g - Mng
Mng
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50606005-008

Harvest/Lot ID: 1498649380269962

Batch# : 1498649380269962

Sampled : 06/06/25

Ordered : 06/06/25

Sample Size Received : 16 units

Total Amount : 499 units

Completed : 06/11/25 Expires: 06/11/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4571	Weight: 1g	Extraction date: 06/08/25 11:51:51	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA087320FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/08/25 11:56:26

Batch Date : 06/08/25 11:46:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.479	PASS	0.85

Analyzed by: 4797, 585, 4571	Weight: 0.2651g	Extraction date: 06/07/25 13:40:59	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA087303WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/09/25 12:12:13

Batch Date : 06/07/25 11:21:55

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/11/25